

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/






HARVARD UNIVERSITY

GRADUATE SCHOOL OF BUSINESS ADMINISTRATION

BAKER LIBRARY





THE COAL TRADE.

A COMPENDIUM OF VALUABLE INFORMATION

RELATIVE TO

*OAL PRODUCTION, PRICES, TRANSPORTATION, ETC., AT
HOME AND ABROAD, WITH MANY FACTS
WORTHY OF PRESERVATION FOR
FUTURE REFERENCE.

CORRECTED TO THE LATEST DATES.

BY


FREDERICK E. SAWARD.

EDITOR OF THE "COAL TRADE JOURNAL."

1876.

PUBLISHED AT 111 BROADWAY, NEW YORK.

Q6K128 C65 1876



Entered according to Act of Congress, in the Office of the Librarian of Congress, at Washington, D. C.

Essex Institute.

TWDEX.

	PAGE.
/ PAGE.	LEHIGH NAVIGATION Co., tonnage 53 years 3
ALBERTITE, ALBERT COAL	LEHIGH VALLEY RAILBOAD Co., 20 years 4
ANTHRACITE COAL production 2	MISSOURI, coal fields of
" prices 3	MECHANICAL STOKER
" programme for 1876, 6-7	Moblie, Ala
ARKANSAS, coal in	MINE DRAINAGE 75
AUSTRIA, coal resources 48	MERCER COUNTY, PA
Aspert Tille deposits	McKran County, Pa 17
BALTIMOBE, MD29-31	MCINTYRE region 9
BARCLAY, PA., Tegion	MICHIGAN, coal in
BELVIDERE DIVISION RAILROAD, tonnage	Morris Canal, tonnage 30 years 4
eighteen years 5	MONONGAHETA, region
BELGIUM, coal production 49	NEW SOUTH WALES, coal resources45-47
BITUMINOUS COAL, expenses to the Atlantic	NEW ORLEANS, LA
Seaboard	NOVA SCOTIA
DITUMINOUS COAD, uno amoricontitutiviti	NORTHUMBERLAND COUNTY. PA., COM Pro-
Drossbowe, r wi tegion	duction
	OHIO, coal product, etc57-59
BROAD TOP, region	PETROLEUM or coal gas light
	PENNSYLVANIA COAL Co., tonnage 25 years 4
Снтоадо, Ill., 24-25 Спстинат, Онго 31-32	
CLEVELAND, OHIO	PRUSSIA, coal trade of
CLEARFIELD, Pa., region	PROVIDENCE, R. I
COAL, varieties of	RHODE ISLAND, coal in
" volume of gas obtained from a ton 64	RICHMOND, VA 34
" cubic contents of a ton 64	Russia, coal production
" comparative yield of beds 66	SPAIN, coal in
" production of the globe 67	SNOW SHOE region
" first use of, as fuel 67	Sonman, region14
COAL CARS, average contents of	SOMEBSET COUNTY17-18
COAL PIT, deepest	SCHUYLKILL COAL, prices of
Colorado, coal in	San Francisco, Cal 26
CUMBERLAND, M.D., region	ST. Louis, Mo
COMPRESSED AIR. Properties of	TEXAS, coal in 62
DELAWARE & HUDSON CANAL, tonnage 46	TABLE for computing the page of coal 70
years4	Trmpering Mining Picks 76
D. L. & W. RAILBOAD Co, tonnage 21 years 4	UNITED STATES, coal in
DISTANCES TO MARKET	UNDERGROUND HAULAGE of coal 68
DUTY ON COAL	Underground Temperature
FRANCE, coal production	VENTILATING FURNACE 68
GREAT BRITAIN43-44 " working cost of collieries77	WEIGHT OF T RAIL
" modes of working adopted in	WEST VIRGINIA, coal resources52-55
coal mines	Gas coal region 18
HEAT, the mechanical equivalent of 64	WESTPHALIA
IMPORTS AND EXPORTS	WESTMORKLAND, region 15
ITALY, coal in	WEST BRANCH, region 16
Illinois, coal trade	WILKESBARBE COAL & Jan Co. tonnage
Indiana, coal in	WIRE ROPAS, rules for using in deep shatts 70
LARGE MINE VENTILATOR	Breaking strain of
LARE ERIE, coal trade on. 62	WESTERN KENTUCKY, coal in 76

THE COAL TRADE.

INTRODUCTION.

We present our readers with further intelligence on the important subject of coal, and ask for it a continuance of the cordial reception awarded the previous editions.

Within the year 1875, the production of Anthacite coal in America was slightly less than during the year 1874, owing to a "strike" of five month's duration—that the decrease is not larger is owing to the facilities for mining. We can now produce in six or eight months as much as was formerly produced in any given year. The Bituminous districts of Pennsylvania show a slight increase, all the other states hold about their own, although it is estimated that if we should have anything like the revival of industrial pursuits, with prosperity to the country at large, the coal product and consumption could be increased at the rate of ten per cent. per annum.

In Great Britain, and in fact in most of the foreign countries, the production has decreased, or there is but little increase, while wages and prices of coal show a marked decline. We still maintain the proud position of former years as a coal producing country, the output keeping at about fifty million tons; the Anthracite being twenty-two million tons, Bituminous and Semi-Bituminous twenty seven millions, while Colorado, Wyoming, Utah and the Pacific slope give 1,000,000 tons of *Lignite* or Brown coal annually. The Anthracite trade of the United States is profitable, as it could not fail to be, while the present organization lasts, whereby it is possible for a few companies to own or control the entire output. The Bituminous trade is fairly profitable, and the trade is being extended, taking up the increased demand that there is for fuel.

ANTHRACITE COAL.

Anthracite coal is found in an area of about 470 square miles, in Luzerne, Carbon, Schuylkill, Northumberland, Dauphin, and Columbia counties, in the State of Pennsylvania.

We append the following schedule of the production:

Year,	Tons.	Year.	Tens.
1820	. 365	From 1860 to 1870	114.319.161
From 1820 to 1830	583,194	1871	15,198,063
From 1830 to 1840	5,940,270	1872	18,929,263
From 1840 to 1850	.21,893,15 3	1873	19,585,173
From 1850 to 1860	.63,981 897	1874	19,785,008

There are three great divisions—which are named from their locations—the first or Southern, the second or Middle, and the third or Northern coal fields.

The Southern coal field lies principally in Schuylkill county, and hence it is often called the Schuylkill region.

The Mahanoy (often included in the Schuylkill) and Lehigh regions constitute the Middle coal field.

The Northern coal field is in Luzerne county, and embraces what is known as the Wyoming, Lackawanna, Scranton, and Wilkesbarre regions.

In addition to the production reported in our statistics it is estimated that some 3,000,000 tons are annually consumed in the coal regions by the engines, workmen, and local enterprises, the returns for which are not furnished.

The production of the three coal fields for a series of years has been as below:

Year.	Schuylkill.	Wyoming.	Lehigh.
1864	2,642,218	3,96 0,83 6	. 2,054,669
1865	8,785,802	8,256,688	1,822,535
1866	4,633,487	3,786,616	2,128,867
1867	4,834,820	5,829,812	2,062,446
1868	4,414,856	5,990,813	2,507,582
1869	4,748,960	6,668,365	1,929,583
1870	8, 720,403	7,599,902	8,040,803
1871	5,124,780	6,481,171	2,249,356
1872	5,106,451	9,194.808	3,610,674
1873	5,909,156	10,047,941	8,243,168
1874	5,891,666	9,445,446	4,404,000

The details of the business for 1875 as also a comparison with that of the previous year is shown in the following schedule (all gross tons of 2240 pounds).

	Shipme	nts to	Shi	pments to	1	otal
Route or Company.	Interior I	Points.	Compet	itive Points.	Shipi	nents.
_	1875.	1874.	1875.	1874.	1875.	1874.
P. & R. R. Co	2,999,843	3,321,890	1,785,100	2,240,759	4,784,504	5,562,649
Delaware & Hudson	1,484,141	1,974,063	1,542,117	1,456,388	3,026,258	2,430,401
Lehigh Valley R. R	2,079,545	2,689,050	1,231,496	1,590.422	3,302,042	4,179.472
Central Railroad	1,383,648	1,584,928	1,277,986	1,388,058	2,661,685	2,972,286
D. L. & W. R. R	1,620,815	863,554	1,818,888	1,278,978	2,939,648	2,142,533
Penn'a. Coal Co	184,428	174,545	1,188,749	1,165,118	1,368,907	1,338,663

The range in prices during the year is shown below. We give the rates of the New York Company coals for each month, in which changes were made in the price list.

	Lump.	Steamer.	Broken.	Eco.	Stove.	Chestnut.
March		\$4.5)	84 60	24 75	\$5 30	\$4 35
April		4 70	4 80	4 95	5 40	4 40
Мау		4 90	5 00	5 15	5 60	4 60
June		5 00	5 10	5 25	5 70	4 70
July		5 10	5 20	5 33	5 80	4 80
August		5 10	5 20	5 45	5 90	4 90
September		5 15	5 25	5 5 5	6 00	4 95
October		5 15	5 25	5 65	6 10	4 95

The rates for coals of the Philadelphia and Reading Coal and Iron Co., were based upon fifty cents per ton less than the above, f. o. b. at Philadelphia. The price lists for January and February were nominally those of December 1874—for N. Y. Co.'s Lump \$5.55; Steamer \$5.65; Broken \$5.75; Egg \$5.90; Stove \$6.40; Chestnut \$5.35. For November and December 1875, rates were nominally as per October price list.

The rate of transportation charged by Reading Railroad Company on the individual coal carried during the early part of the year 1875, was \$1.67 per ton, advancing to \$1.92 before the close, subject to drawbacks on coal sold on contract; the rate from Mauch Chunk by rail to the tide-water shipping ports was \$2.41 per ton in the early part of the year, and \$2.10 at the close; as the suspension was general for the first half of the year, the latter rate may be said to be the expense on coal, free of shipping charges.

Coastwise freights during the year were low from all points, and this enabled considerably more tonnage to be moved, than would otherwise have been the case.

As showing the value of Anthracite for metallurgical purposes, we append the following results of analyses made for that purpose by J. B. Britton, Esq., of Philadelphia.

Moisture	3.52 3.24	Schuylkill. 1.35 3.78 5.81 89.06	Lehigh 1.30 3.06 3.54 92.11
•	100.00	100.00	100.00

ANTHRACITE COAL TONNAGES.

THE LEHIGH COAL AND NAVIGATION COMPANY began the mining and shipment of coal in 1820 with 365 tons; in 1874 the mining portion of the Company's business was merged into the Lehigh and Wilkesbarre Coal Co.—Statistics showing the progress of business are as below:

Years.	Tons.	Years.	Tons.	Years.	Tons.
1820	865	1845			468,272
1825	28,393	1850			762,682
1830	43,000	1855	449,819		1.014 890
18:5	131,250	1860			1,081,153
1840	102,264	1865	517,025		*****

THE MORRIS CANAL began carrying coal in the year 1845. Statistics showing the progress of business are as below:

Years.	Tons.	Years.	Tons
1845	. 19,567	1870	809,843
1850	. 98,100	1871	815,610
1855	. 290,730	1872	341,983
1860	•	1873	301,214
1865	•	1874	267,605

THE DELAWARE AND HUDSON CANAL COMPANY began the mining and carrying of coal in the year 1829; the progress of their business is shown below:

Years.	Tons.	Years.	Tons.
1829	7,010	1471	1,366,471
1880 to 1839	846,330	1872	2,980,767
1840 to 1849	2,897,931	1878	2,752,595
1850 to 1859	4,838,855	1874	2,399,417
1860 to 1869	10,093,691	1875	3,056,479
1870	2.039,722		

THE PHILADELPHIA AND READING RAILBOAD COMPANY began the carrying of coal in the year 1850; business has been increased as below:

Years.	Tons.	Years.	Tons.
1850	1,351,502	1871	6,002,573
1855	2,213,292	1872	6,185,434
1860	1,946,195	1873	6,546,553
1865	3,090,814	1874	6,349,812
1870	4,633,504	1875	5,505,454

THE DELAWARE, LACKAWANNA AND WESTERN RAILROAD began in the year 1854, the business has been as below:

Years.	Tons,	Years.	Tons.
1854—59	2,629,364	1879	2,836,948
196069	13,343,126	1873	3,136,306
1970	2 348,097	1874	2,570,437
1871	1,916,486	1875	

The Pennsylvania Coal Co., commenced business in the year 1850; their product has been as follows:

Years.	Tons.	Years.	Tons
1850-59	4,834,723	1872	. 1,213,478
1860—69	7,249,820	1873	. 1,239,214
1870	1,086,008	1874	1,338,663
1871	802.039	1875	. 1.368.207

THE LEHIGH VALLEY RAILROAD COMPANY began the carrying of coal in the year 1855; the progress of their business is shown below;

Years.	Tons.	Years.	Tons.
1855	8,482	1872	3.830,118
1860	730,641	1873	4,144,339
1965	. 1,687,462	1874	
1870	3,608,586	1875	3,277,571
1871	2.889.074		<i>.</i>

THE BELVIDERE DIVISION of Pennsylvania Railroad was opened for traffic in the year 1857; the business has progressed as follows:

Years.	Tons.	Years.	Tons.
1857	128.248	1871	632,427
1860		1879	
		1878	•
1865 1870	714.217	1874	.227.903
1078	•	1 997 14.0	

THE WILKESBARRE COAL AND IRON Co., began mining in 1869; merged into Lehigh and Wilkesbarre Coal Co., in 1874. The business is shown below:

Years.	Tons.	Years.	Tons.
1869	5.2,485	1878	1,278,307
1870	799,226	1874	2,479 882
1871	950,754	1875	2,085,088
1879	1,168,716		

THE PROGRAMME FOR 1876.

We are enabled to lay before our readers a statement of the prices of coal and basis of operations for 1876, as fixed upon by the combined Anthracite coal producing companies. A meeting of the parties in interest held during February, organized as the Board of Control, electing Mr. Thomas Dicksor, President of the Delaware and Hudson Canal Co., as President, and Franklin B. Gowen, of the Philadelphia and Reading Railroad, and Philadelphia and Reading Coal and Iron Co., as Secretary. The rules adopted by the Board of Control are as below:

We, the undersigned committee, submit the following plan for the government of the anthracite coal trade to competitive points for the year 1876, viz:

I. Competitive tonnage shall embrace all coal which, for final consumption or in transitu, reaches any point upon the Hudson river or the Bay of New York, or which passes out of the Capes of the Delaware, including all sizes except pea coal: provided that nothing shall be accounted as pea coal which will not pass through a screen-mesh of three-quarters of an inch square.

II. For the purpose of making a pro rata distribution, the competitive tonnage for the year 1876 i. e., from January 1 to December 31—shall be assumed to be eight millions five hundred thousand tons, which amount shall be divided among the several parties hereto as follows:

	Per cent.	Tons.
Reading Railroad	25.57	2,173,450
Delaware and Hudson Canal	13.18	1,545,300
Central Railroad of New Jersey	15.98	1,358,300
Lehigh Valley Railroad	15.80	1,343,000
Delaware, Lackawana and Western	13.65	1,160,250
Pennsylvania Coal Company	10,82	919,700
		8,500,000

III. That the aggregate tonnage awarded to each interest, as above, shall, prior to February 20, be divided into monthly shipments for the entire season, including in such division the actual shipments for the period of the year already elapsed, and when such division is made and approved by the Board of Control it shall represent the monthly quota of each interest for each month respectively. If during any month the aggregate shipments to competitive points exceed or are less than the aggregate of all the monthly quotas for such month, the excess or deficiency, as the case may be, shall be distributed to or be borne by the several interests in the proportion of their respective yearly quotas, the object being that any excess or diminution of tonnage over or under the assumed amount of eight million five hundred thousand tons shall be divided according to the yearly quotas, and not according to the monthly quotas of the months in which such excess or diminution occurs, so that at the end of the year the entire competitive tonnage shall be divided amongst all the interests in the exact proportion of their respective yearly quotas

IV. That on or before the tenth day of each month each interest shall make a return to the secretary of the Board of Control of the entire coal production and shipments of its region or district, giving the origin of all coal tonnage, with such detail of the destination and distribution thereof into local and competitive, as may be required by the secretary, in order to enable him to examine into and vouch the correctness of the several items; and in addition thereto, the shipping books and tonnage accounts of each company shall at all times be open to the inspection and examination of any member of the association or of his authorized agent.

V. That at the meeting of the Board of Control held next preceding the twentieth of each month the secretary shall make return showing the actual shipments of each interest for the preceding month, together with the excess or deficiency of each, calculated as hereinabove provided; and thereupon each interest which is in excess of its proper shipment shall pay to the secretary and treasurer the sum of one dollar and fifty cents for each ton of such excess, for distribution by the said secretary and treasurer, at the rate of one dollar and fifty cents per ton, amongst those who have fallen short of the amount due to them in said month.

VI. That a committee of six, consisting of one representative from each interest, to be named by such interest, be appointed as a Board of Control for the year, who shall elect one of their members

as president and another as secretary and treasurer, and who shall meet at least once a month, and as much oftener as they may determine to be necessary, and who shall have power—

- (a.) To establish from time to time the monthly prices at which coal shall be sold.
- (b.) To provide for the increase or curtailment of the total quantity to be shipped to competitive points in any month, according to the requirements of the market.
- (c.) To provide for the collection from time to time from all the members, in the proportion of their yearly quotas, any funds which may be necessary to pay the expenses incurred or authorized by the Board of Control.
- (d.) To employ the services of an expert accountant, as an assistant to the secretary and treasurer, to keep the tonnage accounts of the several companies, and to receive, examine and report upon the tonnage returns received from each interest.
- VII. That in establishing prices for coals the white ash coal of the different regions shall be the basis, and for such coals the price free on board in New York shall be thirty-five cents per ton above the free on board price in Philadelphia for all sizes except chestnut coal, which, at the option of the Philadelphia and Reading Coal and Iron Company, may be seventy cents per ton less in Philadelphia than in New York; Provided, that any interest may adopt higher prices for all or any of its coals than those established by the Board of Control; but Lehigh lump coal shall be fif y cents higher than other white ash lump coal.

VIII. That no commission shall be allowed on any sales of coal, and in lieu thereof, there shall be a contractors' circular price established for each month, for all such yearly contractors as shall, prior to April 1, make application, which shall be accepted for a fixed amount of coal to be taken during the year in regular monthly instalments, which price shall be twenty cenls per ton less than the general circular rate at which transient orders are taken. The form of such contracts to be approved by the Board of Control.

IX. The contractors' prices for the month of March be as follows, free on board in New York:

Lump\$4	 	Egg\$4 70
Steamer 4 5	50	Stove 5 30
Grate 4 6	:0	Chestnut 4 50

X. That season contracts with consumers only be made for lump, steamer, broken and chestnut soals, at the following rates, viz., free on board at New York:

March and April	Lump.	Steamer. \$4 30	Broken.	Chestnut.
May		4 35	4 45	4 35
June		4 40	4 50	4 40
July	4 35	4 45	4 55	4 45
August	4 40	4 50	4 60	4 50
September	4 45	4 55	4 65	4 52
October	4 50	4 60	4 70	4 60
November	4 55	4 65	4 75	4 65
December	4 60	4 70	4 39	4 70

and at thirty-five cents per ton less free on board in Philadelphia, except for chestnut coal, which may be seventy cents per ton less than the free on board price in New York. It being provided that all such contracts shall be made in writing prior to April 1, and that no commissions or allowances of any kind be made thereon, and that no such contracts be made with any other than a consumer of coal.

- XI. That all sales to be made for cash, or with seven per cent. interest added in all cases for any deferred payment, the interest to commence from the date of the bill of lading, and all deliveries of coal be charged at the circular prices current in the month when the delivery is made, and under no circumstances shall any coal shipped in one month be charged at the circular prices of a preceding month, unless the purchaser had a vessel at the shipping point ready to receive the coal before the expiration of the previous month, and was actually entitled to receive the coal during such previous month.
- XII. That no coal shall be sold by any party in any other manner than is above provided, or at any less-prices, either directly or indirectly, than those above named, or which may from time to time be established as the monthly circular rates by the Board of Control.
- XIII. That nothing but competitive tonnage shall be subject to the direction of the Board of Control, and that each interest shall have the absolute and exclusive control of its local trade.
- XIV. That each transporting company shall be held responsible for the faithful adherence to these regulations on the part of all individual shippers using its lines to carry coal to competitive points.

 Respectfully submitted,

THOMAS DICKSON, FRANKLIN B. GOWEN. Committee.

New York, February 18, 1876.

THE BITUMINOUS COAL DISTRICTS.

PENNSYLVANIA.

BLOSSBURG REGION.

The first coal from this region was sent to market from the Bloss mines in 1840. The producers of this region are the Fall Brook Coal Company, Morris Run Coal Company, and Blossburg Coal Company, with mines near Blossburg, Tioga county, Pa.

Seventy-five miles of railway, carries the coal from the Blossburg region to Seneca lake, in New York State, where it is received into canal boats which deliver it throughout the State. The railway from the mines connects with the Erie Railway at Corning. N. Y., affording additional outlet for the coal from this region.

The most important seam is that known as the Bloss vein, a clean bed of pure coal, from $4\frac{1}{2}$ to $5\frac{1}{4}$ feet in thickness.

Statistics of the output are shown in the following schedule.

Year.	Tons.	Year.	Tons.
1840	4,235	1871	
1850	. 23,161	1872	
1860	78,918	1873	991.057
1865		1874	
1870	733,035	1875	581,789

BARCLAY REGION.

This region is located in Bradford county, Pa, some 36 miles south from Waverly, N. Y. The mines are owned by the Fall Creek Bituminous Coal Co., and the Eric Railway Co., (comprising the lands formerly of the Barclay, the Towarda Coal Co. and the Schrader Coal Co.'s).

The following table shows the amount of coal shipped from the Barclay, Coal Region, by the several companies which have operated it:

0 .		•		
Year	Barclay Coal Co.	Towanda Coal Co.	Fall Creek Coal Co.	Total Products.
1856	2,295	******	••••••	2,296
1857	6,265	******	•••••	6,965
1858	17,560	******		17,560
1859	30,143		•••••	30,143
1860	27,718	•• •••••	*******	27,718
1861	40,835	•••••	********	40,835
1862		•••••	******	52,779
1863	54,535	******	******	54,535
1864	62,058	•••••	•••••	62,058
1865	49,375	7,886	16, 936	73,197
1866	37,968	31,881	29,604	99,453
1867	30,119	27,668	16,953	74,739
1868	· · · · · · · · · · · · · · · · · · ·	67,0 80	6,595	73,675
1869	• • • • • • • • • • • • • • • • • • • •	176,307	4,303	180,61 0
1870		196,310	77,025	273,335
1871	Schrader	249,240	129,095	87 6,83 5
1872		263,960	118,882	382,842
1873		252,329	85,315	337,644
1874	100,219	215,572	21,281	337,072
1875	157,686	200,424	18,507	276,637

MC INTYRE REGION.

The McIntyre Coal Co., whose mines are at Ralston, Pa., on the Northern Central Railway (54 miles from Elmira, N. Y.), which gives them an outlet both north and south to a market, commenced operations in 1870.

Statistics of their business are as below:

Year	Tons.	Year		Tons.
1870 1871		1878 1874	••••••	128 907
1879		1875	· · · · · · · · · · · · · · · · · · ·	164,507
Since the opening of			g district	in 1840 the
shipments by each comp	any have been	as follows: 🗽		
Arbon Coal Company 1840—1848	····			49,683 net tons.
WIE. M. MALLOTY, 1044-1001	. 			100,1.3
D. S. Magge, 1866—1859 Tioga Transportation Company		•••••••••• •••••••••		10,330
Salt Company of Onondaga, 186 Morris Run Coal Company, 1864	3—1866		267,809	"
Morris Run Coal Company, 1864	—1875			
Fall Brook Coal Company, 1860-	_1875).801.010
Blossburg Coal Company, 1866—	-1875	• • • • • • • • • • • • • • • • • • • •		1,604.344 "
Total production of the Distric	t			0,066,517

The area of this coal field is stated at 80 square miles, and the aggregate thickness of workable coal seams is 26 feet, the larger seams range from five to ten feet in thickness, and the lesser from one to three.


BROAD TOP REGION.

An outlet for the coal from this region is afforded by the Huntingdon and Broad Top Mountain Railroad (this was completed in 1856, and during the latter part of that year, 42,000 tons were forwarded from this region to various markets). This line extends from the town of Huntingdon, on the Pennsylvania Railroad, 203 miles west of Philadelphia, to Mt. Dallas in Bedford county, a distance of 45 miles. At Saxton, 24 miles from Huntingdon, a branch road, 10 miles in length, extends to Broad Top City; at Riddlesburg, 5 miles beyond Saxton, is another branch in to Fulton, 5 miles from the main road.

From Mt. Dallas the Bedford and Bridgeport Railroad, 38 6-10 miles in length, extends to the Maryland State line; from this point to Cumberland, Md., via the C. and P. R. R., is 7 miles. This connection gives an outlet to the George's Creek Cumberland coal to the interior markets of Pennsylvania, to Philadelphia and South Amboy, N. J. The Bedford and Bridgeport road is leased to the Pennsylvania Railroad and operated by them.

The yearly shipments from this region, by the H. & B. T. R. R., have been as follows:

Year	Tons.	Year	Tons.
1856	42.000	1866	
1857	78.818	1867	
1858		1868	
1859	130,595	1869	360,778
1860		1870	
1861		871	319,625
1862		1872	297,473
1863		1873	350,245
1864		1874	
1865	315,90	1875	



The East Broad Top Railroad, penetrated this coal field during 1875, and carried 53,567 tons of coal in that year.

The shipments of Cumberland coal over the Pennsylvania State line, and H. & B. T. R. R., have been as below:

1872 22,0	021 tons.	1874 67,671	tons.
1873114,5	58 9 "	1875175.154	, ,,

In regard to the prices obtained for this coal, we are informed that the following are the average rates, f. o. b. at Philadelphia:

Years	Price.	Years	Price.
1863	\$5,75	1869	\$4,75
1964	6.50	1870	4.50
1865	7.25	1871	4.60
1866	5.75	1879	4.70
1867	4.75	1878	5.00
1868	4.50	1874	4.55
	1875		

The details of the business for 1875, and names of operators are as below:

Colliery.	Operator.	Tons sent to market in 1875.
Cumberland,	R. Langdon & Co.,	14,672
Crawford, .	do.	
Powelton,	R. H. Powel & Co.,	2 3,926 1
Barnet,	R. U. Jacob & Co.,	$8,421\frac{1}{2}$
Dudley,	J. M. Bacon,	$2,640\frac{1}{2}$
Blair,	do.	$2,395\frac{1}{4}$
Howe,	do.	8,989
Mooredale.	Reakirt Bros. & Co.,	. 20,904
Fisher,	Fishers & Miller,	15,292
Carbon,	Geo. Mears,	20,351
Mount Equity,	Kemble C. & I. Co.,	41,738
Cunard,	R. B. Wigton,	19,717
Scott,	William Scott,	2121
Helena,	E. P. Jenkins,	539 3
Coaldale,	Wm. H. Piper,	$24,737\frac{1}{2}$
Rommell,	Maher & Wilson,	3831

SNOW SHOR REGION.

Total for 1875.

This region is located in Centre county, Pennsylvania, covers an area of about eight miles in length, and some four miles in breadth, and is situated on both sides of Beach Creek. The coal finds an outlet to market, via the Bellefonte and Snowshoe and Bald Eagle Valley connections of the Pennsylvania Railroad, it being 47 miles from Snowshoe to Tyrone on the main line.

There is but one company mining in this district. It commenced opera-

204,9203



MAP OF THE CLEARFIELD. REGION

tions in the year 1862,	with 8,260	tons, and has	increased as below:
Years	Tons.	Years	Tons
1962	8,960	1869	89,356
1968		1870	85,276
1564		1871	
1865		1872	68,968
1866		1873	95,257
1967		1974	63,540
1868	•		62,426

Prof. Rogers gives this Snowshoe coal 78.8 of Fixed Carbon, and 21.2 of Volatile Matter and Ashes.

CLEARFIELD REGION.

The district known as the "Clearfield," is located in Clearfield and Centre counties, in the State of Pennsylvania.

It has within a few years become a most important producer of Semi-Bituminous coal, and has made a market in the interior cities and towns of Pennsylvania and New Jersey, at Philadelphia, Baltimore, New York and the Eastern States.

The coal measures are found to be admirably adapted for working, dipping gently toward the Moshannon Creek, which flows through the centre of the basin. The lowest seam of coal (A), five feet thick, crops out on the level of this stream. The next (B), sixty feet above, is three to four feet in thickness. Fifty feet above is another seam (C), ranging from two to three and a half feet in thickness. Again, fifty feet above, is found a seam (D) of five feet of good solid coal.

The coal is used for steam purposes under stationary, marine, or locomotive engines, for making iron and steel rails, for glass works, in lime kilns, and for many other purposes, being much liked wherever used; ignites freely, burns readily, and leaves a white ash. It is not easily friable, and bears transportation remarkably well.

The outlet for the coal from this region is by connections with the Tyrone and Clearfield Branch of the Pennsylvania Railroad, extending from Tyrone on the main line, (224 miles west from Philadelphia), to Clearfield, 41 miles. Another, via Karthaus and Keating is projected which will shorten the distance to Philadelphia, and the grades will be more favorable.

The Pennsylvania Railroad Company own the railroads, the shipping wharves, and all the means of access to the markets of the Atlantic seaboard; the advantage of being connected with a railroad of such magnitude, and wonderful ramifications and communications, gives the coal proprietors of this region great facilities for the proper conduct of their buisness.

Mining operations began in this region in 1862; from that date to 1870 we are informed that there has been forwarded 696,377 tons.

Years	Tons.	Years	Tons.
In 1870	410,523	In 1873	
In 1871		In 1874	639,630
In 1872	431,915	In 1875	

Analyses of coal from this district made by the State Geological Survey of 1875, gave:

	, 0		370104110	TM 2		
	NAME OF COLLIERY	Water.	Volatile matter.	Fixed	Gulnhau	Ash.
	NAME OF COLLIERY	water.	matter.	carbon.	Sulphur.	ABII.
	Clearfield County.					
1.	Penn Colliery	810	20,640	74.023	.507	4.020
2.	Franklin Colliery	670	21,360	74.284	.485	3.251
3.	Eureka Mine	780	21.680	73.052	.688	3.500
4.	Stirling Mine	710	23,400	72.218	.532	3.140
5.	Moshannon Colliery	765	20.090	74.779	.666	3.700
6.	New Moshannon Mine		23,070	71.199	.611	4.020
7.	Hale's Colliery. Upper bed	570	24.630	68.400	1.900	4.500
8.	Hale's Colliery. Lower bed	740	25.210	68.628	2.122	8 300
9.	Mapleton Colliery	700	23,565	68.890	1.715	5.130
10.	Logan Colliery	620	22,135	68.728	.667	7.650
ii.	Laurel Run Colliery	800	23,260	72,350	.590	8.000
î2.	Decatur Coal Co.'s Colliery. Lower bench	640	24.860	64.082	3.378	7.540
îз.	Decatur Coal Co.'s Colliery. pper bench	820	23.900	69.007	1.373	4.900
14.	Morrisdale Mine. Lower bench	550	24.090	71.689	.571	3.100
15.	Morrisdale Mine. Upper bench	560	25.190	71.013	.587	2,650
16.	Derby Colliery	410	22.810	66,690	1.790	8.300
17.	Reitur's Colliery. Upper bed	620	24.630	70,396	.654	3.690
18.	Mon's Mine.	750	19.570	69.833	.677	9.170
19.	Hill's Mine	380	22,280	67.995	2,455	6.690
20.	Humphrey's Mine	410	21.800	72.903	1.087	3.800
21.	Mason's Mine. Upper bench	550	22.650	72.616	1.334	2.850
22.	Mason's Mine. Lower bench	490	22.320	59.788	4.232	13.180
23.	G. W. Davis' Mine.	240	23.010	71.799	.551	4.000
24.	Jeremiah Cooper's Mine.	7141	24.020	64.951	1,639	8.690
25.	Williamson's Mine		22,730	68.784	1.576	6.280
26.	Powelton Mine. Lower part of bed	020	22.130 22.600	68.709	2.691	5.400
20. 27.			22.560 22.560	71.551	1.079	4.270
	Powelton Mine. Upper part of bed		22.000 22.000	72.815	.425	3.130
28.	Bell's Mine.		32.450	59.904	1.296	5.400
29.			81.060	61.568	1.487	4.950
30.	Tyler's Mine					
31.	R. Shaw's Mine		21.680 21.030	68.928	1.302	7.220
:94	J. Shaw's Mine			67.133	.767	10.550
38.	Mongold's Mine		81.600	61.662	2.228	3,590
34.	Hubler's Mine.		25.010	67.921	2.479	4.870
35.	Beaver Run	920	21.550	74.009	.6 31	2.890
	Centre County.					
1.	Snow Shoe Mines. Upper bed. Mine No. 5.	1.280	25.580	68,987	.618	3,590
2.	Snow Shoe Mines. Middle bed. Mine No. 6.		24.560	70.416	.964	3.410
3.	Snow Shoe Mines. Lower bed (B). Mine No. 4		23,440	64.374	.986	10.450
4.	Wm. Holt's Mine, west of Holt's Hill		23,620	70.089	.661	4.750
5.	Wm. Holt's Mine, Snow Shoe basin. Upper b'		21.870	71.108	.612	4.730
	oppor o				••••	

SONMAN.

This district lies in Cambria county, the coal worked is the same vein that is mined in Clearfield county; the coal here has a heavier cover than where found in the adjoining county of Clearfield, is strong, and partakes somewhat of the nature of the gas coal found in Westmoreland county, which adjoins it on the south west; the trade has largely increased during the two years past, shipments having been made to all tide water ports, to New England, Baltimore, Chicago, Cleveland, etc., at the west, and along the line of the Pennsylvania Railroad, it has not only maintained its place, but gained in favor.

Analysis made of the Sonman coal from this district gave the following results as compared with Broad Top and Westmoreland.

	I.	п.	Broad Top.	West- moreland.
Volatile matter	18.30	17.70	17.85	82.85
Fixed Carbon		78.30 2.70	74.65 7.50	61.45 5,80
Sulphur		0.40	1.85	1.04

No. I. was made by Dr. Charles M. Cresson, and II. by Messrs. Booth & Garrett; the yield of coke showed 82.30 per cent.; taking Pennsylvania coal as the standard for steam, the Sonman is equivalent to .959.

MONONGAHELA REGION.

This district may truly be called the perfection of a coal region. The Monongahela river for 95 miles, possesses every advantage for facilitating the production of coal, and it is not surprising that the tonnage is so immense. The seam worked is of uniform thickness, and yields a pure coal, used for iron making, steam raising, and for gas and domestic purposes.

By means of its slack-water navigation, the Monongahela river is made navigable at all seasons of the year, and boats carrying 800 tons are passed down. The city of Pittsburgh is supplied mainly by railroad, and the larger portion of the coal going down by the river, is run down the Ohio and Mississippi to the lower markets. The boats in use are known as "broad horns" carrying 20,000 bushels, "barges" carrying 11,000 bushels, and "flats" carrying 2,000 bushels. The following statement of shipments by the slack-water navigation, from 1845 to date, is of interest:

Year	Tons.		Year	/	Tons.
1845			1860		
1846	311,156			• • • • • • • • • • • • • • • • • • • •	
1847		•			
1848	392,774			••••••	
1849	398,340				
1850					
1851					
1852					
1853	•			••••••	
1854	•				
1855	•			• • • • • • • • • • • • • • • • • • • •	
1856				• • • • • • • • • • • • • • • • • • • •	
1857	•				
1858					
1859			1874	••••	Q K 12 KOA
	4077				****************

WESTMORELAND GAS COAL.

This well known coal is mined near Penn and Irwin stations, on the Pennsylvania Railroad, in Westmoreland county; the distance from Philadelphia is 932 miles. The coal mined is the great Pittsburgh bed of bituminous coal; the companies operating in this region are large and influential, doing a business of about a million tons annually; the coal is used in every seaboard city for gas purposes, and commands a high price. The shipping points are South Amboy, N. J., and Greenwich on the Delaware river. The product for 1874 was 952,971 tons, and for 1875, 769,968 tons,

(including 36,273 tons coke), the decrease was owing to a long and vexatious strike in the early part of the year.

This coal is in great favor among gas engineers in the United States.

In the dry way, by the ordinary process, the Westmoreland coal yields on an average sample as follows:

pro-mg- sum-pro-un nono (10 t	
Charge, 224 pounds, carbonized 3 h. 20 m., produced per ton	9,500 cu., ft.
Illuminating power, standard Argand	16,62 candles.
Weight of coke, per ton	
Bushels of coke, per ton	
Maximum yield of gas per ton	
One bushel of lime purified	
A1	•

Analysis of the coal:

Volatile matter	per cent.
Fixed carbon	
Ash	. "
100	. '

MERCER COUNTY, PENNSYLVANIA.

The most important coal region in North-west Pennsylvania (running over into Eastern Ohio), is that of Mercer county. The coal produced is what is known as the splint or block coal, and is used in the raw state for smelting iron; the principal location of this peculiar coal is on the Erie and Pittsburgh Railroad, about 75 miles south from Erie, and finds an outlet to market by this route and the Beaver and Erie canal. The beds vary from two to five feet in thickness, and some half million tons are annually produced, the figures for 1873 aggregating 529,496 net tons.

WEST BRANCH REGION.

The Philadelphia and Erie Railroad runs across the northern ends of five coal basins. There is no important development of the first two. In the third, at 67 miles west of Williamsport, is the Wistar Mountain Co.'s mines; at 97 miles, are the works of the Cameron Coal Co. In the fourth, at 117 miles, is St. Mary's; at 125 miles, Benzinger's; at 128 miles, the Shawmut branch road comes in. In the fifth, at 138 miles, are the Johnsonburg mines. The completion of the Philadelphia, New York and Buffalo Railroad gives the coal from these basins an outlet to an additional market; 81,742 net tons were shipped in 1873, and 162,000 tons in 1874.

MCKEAN COUNTY, PENNSYLVANIA.

The body of coal in the fifth basin, in the southern part of McKean county, is so large and important, and is situated so near the Buffalo and Rochester markets, that the district is entitled to more than ordinary

notice. In Sargeant township, at Bishop's Summit, on the head-waters of the Instanter, running into the Clarion on the South, and on Red Mill brook, running into Potato creek and the Allegheny river on the north-east, is a large solid body of several thousand acres of unbroken coal measures. No other coal basin contains so large a body of coal at its northern extremity as this, owing probably to its being situated on the dividing waters where the work of denudation has been less destructive. An excellent railroad route renders the region accessible by a branch from the Buffalo, New York and Philadelphia Railroad at Larrabee's up the valley of Potato creek, past Smethport, and by Red Mill brook to Bishop's Summit, the distance being but 108 miles to Buffalo, and 150 to Rochester.

Analyses and practical tests of considerable quantities of this coal, under stationary and locomotive boilers, indicate that it is a good quality of bituminous coal for gas, with excellent steam-generating qualities. No other county in Northern Pennsylvania, not even Tioga, contains so much coal as McKean. A large company, composed of Buffalo capitalists and others, called "The Buffalo Coal Company," has been organized for the development of this region, and are now vigorously engaged in mining and shipping. During 1875, while at work only six months, the business was 131,-190 tons. We give the following analyses of three samples, from the State survey report for 1875.

Water 1.130	1.300	1.170
Volatile matter33.090	39.830	35.440
Fixed carbon53,006	52.063	43.992
Sulphur 1.874	1.727	1.708
Ash	5.080	17.690

SOMERSET COUNTY, PENN'A.

In Somerset county, Pennnsylvania, and adjoining the Cumberland region of Maryland is the coal field known as the Myer's mills or Salisbury region, said to be an extension of the Cumberland coal basin. The coal is of the same quality and will yield an equal quantity per acre. It is eleven miles from Frostburg, Md., (on the line of the Pittsburgh, Washington and Baltimore Railroad.) and the coal finds an outlet to Baltimore, etc., over this line and the main stem of the B. & O. R. R. The Keystone Coal Co. have been at work here since 1872, and have already built up an established business ranging from 250 to 600 tons per day according to the season: the property of the company is advantageously situated for the shipment of its production, and the rate of transportation from the mines to market is very favorable. The Cumberland and Elk Lick Coal Co. own 1,500 acres of land in this disirict, and have been doing a small business, putting the mines in order for a larger trade in the near future.

Myers mills, which may be stated as the centre of the district, is 217 miles from Baltimore, and 112 miles from Pittsburgh, by present routes

The first coal seam rests on a thin floor of fire clay. The coal bed has two benches; the lower, 18 inches thick, is an impure cannel coal circling to block structure; the upper is a medium quality of semi-bituminous coal with the well marked columnar structure peculiar to Allegheny coals.

The interval between this and the next small coal seam is composed of thin plates of sandstones with olive-colored shales.

The second workable seam (B) is pre-eminently the bed of the lower system of coal measures; not, perhaps, so much from its size and good quality of coal, as from its ready and sure identification, wherever it exists, by the massive bed of limestone on which it rests. The farmers trace it from hill-side to hillside, regarding it with peculiar affection as a double gift—not only supplying fuel for domestic use, but also with lime to enrich the "glades" in their mountain farms.

The coal in this bed is columnar in structure with plates of mineral charcoal disseminated. In structure and quality it is closely associated with the best Clearfield coal. It will be found a superior fuel for iron working.

The third seam (C) is all pure coal of an excellent quality; but as the bed is high in the measures and does not occupy a wide area in this portion of the field, it has as yet received little attention.

From seam (B) to the top of the scale the measures are composed of very soft flesh and olive colored shales, which have been rounded and softened into easy rolling slopes and rounded hills.

WEST VIRGINIA GAS COAL REGION

The class of gas coal known in the New York and Eastern markets as "West Virginia gas coal," is mined in Marion, Taylor, Ritchie and Preston counties, in that State, the mines being located near to the main line of the Baltimore and Ohio Railway. The coal is used for gas in the cities of the seaboard, and is very favorably spoken of. The distances to Baltimore are as follows: From Clarksburg, 301 miles: from Fairmount, 302 miles; from Newburg, 263 miles; from Tunnelton, 260 miles; from Cairo, 355 miles.

The veins are from six to eleven feet in thickness. Analyses of these coals have given the following results:

Clarksburg,	Main seam	1			atile m 56.74 49.81	atter.		d carbon. 41.66 45.43	Ash. 1.60 5.36
The tra	de to the	e seaboar	d began in	the	year	1868	with	165,772	tons.
			een as belo						
Year.	Tons.	Year.	Tons.	Year.		Tons			Tons.
1868	165,779	1870	249,879	1872		217,56		4	
1000	040 150	1071	196 789	1979		190.67	8 187	5	.100.000

The only cause for a diminution of the product, lies in the fact, that of late years the B. & O. R. R. has not acted promptly in regard to freight charges at the opening of business, and the trade for Gas coal has been thrown into the hands of Pennsylvania coal producing companies.

In addition to the outlet eastward via B. & O. R. R. there is the Parkersburg route due west, crossing the Monongahela river at Clarksburg, and thence to the Ohio river at Parkersburg: and the Wheeling route north-westward, crossing the Monongahela at Fairmount, thence down the creek to the Ohio, and thence up the river to Wheeling. Both these branches enter the main coal measures near the crossing of the Monongahela above named, and traverse them to the Ohio. At Clarksburg and northward, down the valley of the Monongahela, is one of the richest coal regions of West Virginia. One of the beds in the neighborhood of this town measures from ten to twelve feet in thickness, with a thinner bed of more highly bituminous nature underlying; from some distance above Clarksburg, they may be followed with scarcely an interruption throughout the whole valley of the Monongahela northward to Pittsburgh.


THE CUMBERLAND, (MD.) REGION.

The Cumberland (George's Creek) coal field, located in Allegheny county, at the Western extremity of the State of Maryland, is the most important producer of Semi-Bituminous coal, of any district supplying the seaboard markets. The connections with the tide-water markets are via the B. & O. R. R., from the towns of Cumberland and Piedmont, 178 and 206 miles west from Baltimore; via the Chesapeake and Obio Canal, following the Potomac river to Georgetown, 184 miles, and Alexandria, 191 miles from Cumberland.

The coal is bituminous, of superior quality; the vein worked is from seven to fourteen feet in thickness, but the full extent of the vein is seldem taken out, the roof being insecure. The mines are located at various distances from the shipping ports, say from $1\frac{1}{2}$ to 20 miles from Piedmont, and from 11 to 33 from Cumberland.

The Consolidation Coal Company are the largest producers in the region, and own the Cumberland and Pennsylvania, and the Cumberland Branch lateral Railroads, but in point of shipments to tide-water they are far behind smaller companies; this company supplying the B. & O. Railroad.

In the year 1842 the Cumberland coal field sent its product to the tide-water markets over the branches of the B. & O. R. R., connecting with this field. In 1850 the Chesapeake and Ohio Canal was finished to Cumberland, Md.; and by it 4,042 tons were shipped in that year.



Digitized by Google

The production of Cumberland coal from 1842 to 1875, inclusive, was 28,681,454 tons, carried to market by the following routes, via B. & O. R. R., 18,850,671 tons; Chesapeake and Ohio Canal, 9,465,804 tons; and Pennsylvania State Line Railroad, 364,979 tons. The last named road was completed during the year 1872, connecting this region with the Pennsylvania Railroad, and 22,021 tons were carried over it in that year.

At the Piedmont end of this region, the Hampshire and Baltimore Company, and the Virginia Coal and Iron Company, connect by their own tramroads with the B. & O. Railway.

The Superintendent of the United States Armory at Springfield, Mass., made very thorough tests of the steam raising quality of this coal in the year 1871, each variety of three different classes of coal was used for six consecutive days, with the following reported results:

Lack	awanna.	Pittston.	Cumberland.
Pound per h. p. per hour	4.01	4.02	s.r s
Cost per gross ton	\$9.30	\$7.95	\$9.10
Cost per norse power1	5-10 c ts.	1 4-10 cts.	1 2-10 cts.

And it is therefore alleged that the bituminous coal is the more economical fuel as a steam generator, making more heat and creating more power than harder coals.

The total Cumberland coal trade by railroad and canal from the beginning is shown in the following schedule:

•			P. S. Line
	Total by	Total by	branch to the
Years. B.	& O. R. R.	C. & O. Canal.	P. R. R.
1842	1,708	•••••	••••
1843	10,082	••••••	•••••
1.44	14,890	•••••	
1845	24,658	•••••	
1846	29, 79 5	•••••	•••••
1847	52,°40	•••••	•••••
1846	79,571	••••••	••••••
1849	142,449	•••••	
1850	192,506	4,042	•••••
1851	174,702	82,978	•••••
1852	26 8, 459	65,719	•••••
1853	376,21 9	157,760	•••••
1854	503,886	155,845	•••••
1855	478,486	18 ,786	•••••
1866	5 12,33.1	274,12)	••••••
1857	465,912	116,574	•••••
1858	395,405	254,251	••••••
1859	426,512	297,842	
1861	493,681	295,878	
1861	172,075	97,599	•••••
1862	218,950	93,6.4	••••••
1843	531,553	216,792	• · • · • • · • · •
1984	309,354	75%,642	•••••
1865	560,233	343.2 2	•••••
1866	786,158	343,178	•••••
1867	785,669	458,153	•••••

Years.	Total by B. & O. R. R.	Total by. C. O. Canal.	P. S. Line branch to the P. R. R.
1868		484,325	
1869	•	652,151	•••••
1870	1,112,938	604,151	
1971	1,494,814	850,: 39	•••••
1872	1,587,368	816,103	22,021
1873	1,78 ,710	778,802	114,589
1874	1,576,160	767,054	67,671
1875		879,838	160,698

The following is interesting as showing the average price of Cumberland coal at Baltimore, the freight thence to Boston, and the price at which it was delivered at Boston during a series of years past:

•			Av. cost
•	Average for	Av. freight	delivered
Year	year.	to Boston.	in Boston.
1861	\$3,44	\$2.25	\$5.69
1862	4.23	2.42	6.65
1868	5.57	3.28	8.85
1864	6, 81	3.39	10.23
1865	7.57	3.79	11.36
1866	5.94	3.53	9.47
1867	4.97	2,68	7.65
1868	4.71	3.21	7.92
1869,	4.97	2.83	7.80
1870	4.72	2.64	7.36
1871	4.72	2.73	7.45
1872	4.66	3.06	7.72
1873	4.84	3.17	8,01
1874	4.50	1.50	6.00
1875	4,20	1.30	5.50

During the year 1875, both coal and freights ruled very low, this enabled the district to hold up its product so nearly to that of former seasons; there must necessarily have been a falling off, had not this been the case, as manufacturing was particularly dull during the year 1875.

The output during 1875 was produced by the following parties, and distributed by the routes named:

Names.	B. & O. R. R.	C. & O. Canal.	P. S. Line.	Local.	Total.
	Tons.	Tons.	Tons.	Tons.	Tons.
Consolidation	216.4 0	172,008	3 .165	30,350	448,923
Maryland	63,208	196,106	• • • • •	2,000	261,309
New Central	91,652	69,914	97.184	97	258,847
Borden Mining	14,351	182,497	32,461	3,149	23 4,458
American	57.038	192,774	813		180,125
George's C. C. & I. Co	140,958	24,378	••••	1,021	166,357
Hamp. & Baltimore	9,029	55,690	•••••	167	62,885
Va. Mines	90,690		• • • • • •	110	90.800
Atlantic & George's Creek	118,199	230	24	3,463	122,916
Franklin	98,477	• • • • • •	•• • • •		98,477
George's Creek Mining	85,881	••••	• • • • •		85,881
Potomac	69.149	•••••	••••	410	66,674
Swanton Mining Co	66,499	•••••	27	148	68,559
Blaen Avon	3.041	57, 24 1			60,282
Pledmont C. & I. Co	54, 81 9	•••••	524	• • • • •	55,342
Virginia C. & I. Co	31,181	•••••	• • • • •	• • • • •	31,181
North Branch	26 425	•••••	• • • • •	65	26 490
New Reading	19,399	•••••	•••••	••••	19,3 99
Davis Mines	5,8 66	•••••	•••••	•	5,866
Total	1,261,257	879,832	16),698	40,980	2,342,778

Charges on the coal carried will be found in the "Rates of Transportation on Bituminous coals."

The entire length of this coal field is from 50 to 60 miles; viz., from the head waters of George's Creek, near Frostburg, about 15 miles to the north-east of Piedmont, to those of the north branch of the Potomac, some 30 miles to the south-east. The width of this valley averages 6 miles from outcrop to outcrop of the lower seams of coal. It is narrowest at the northern end, and widens out considerably at the southern. The total thickness of the coal containing strata is about 1400 feet, but this thickness does not pervade the entire area, as to the south of Piedmont and Bloomington the erosion has been greater, and it is only a few isolated hills that contain the upper seams of coal, and notably the "big" or fourteen feet seam.

In the entire thickness there are many seams of coal, but there are only five or six of a thickness of 3 feet or over, as follows: commencing with the lowest, known as the "Parker" and "Bluebaugh" veins at the northern end of the region, and which lie near the bottom of the formation, and are crossed by the river and railroad at Piedmont.

About 150 feet above is the 6 feet seam.

66	300	« ,	"	3		" (Savage.)
**	380	"	"	5	"	8 inch seam.
66	600	**	. "	5	"	9 " "
"	850	66	"	14	"	of "Big Vein."

The coal from the smaller veins will hardly come into use to a great extent, while that from the other and larger, continues to be offered at so low a rate, as at present.

The following table of production for the years 1874 and 1875 is of interest in this connection:

	1874-Tons.	1875-Tons.
Cumberland of Maryland	2,410,895	9,342,773
Clearfield of Pennsylvania	639,630	915,573
Snowshoe of Pennsylvania	68,540	62,496
Broad Top of Pennnsylvania	226,698	258,483
McIntyre of Pennsylvania	138,9)7	164,507
Barclay of Pennsylvania	387,072	376,637
Blossburg of Pennsylvania	796,388	581,782
West Virginia Gas Coal	125,000	100,000
Imports of Bituminous Coal	498,098	441,600

CHICAGO, ILL.

This city is in direct rail and water communication with the Anthracite coal mines, and is therefore freely supplied at low rates. Contracts can be made at the present time with the responsible agent of the Anthracite Coal Association of Pennsylvania, for one or ten years to come, to deliver here the Lackawanna coal at \$6.25 per net ton of 2,000 pounds, and the Lehigh coal for \$7 per ton. This association owns their own roads from the mines to Buffalo and Oswego, and can lay down coal at the latter port for \$3.75 per net ton. Freights the past year have been, from Oswego to Chicago, 95 cents to \$1.65 per ton, and from Buffalo, from 40 cents to \$1 per ton. This coal is largely exported from this city to St. Louis, Missouri, Kansas and Nebraska, also to Wisconsin, Iowa and Minnesota. The screenings from this coal can be had for \$1 per ton. These are used for steam pur poses.

It may be remarked that Chicago is now one of the most important markets in the country for soft coal, not only as regards its consumption for manufacturing and other purposes, but also as being the distributing point for a large section of the Northwest,

The receipts of coal at this city for the years 1874 and 1875, are shown below:

RECEIVED BY	TONS-1874.	TONS-1875.
Lake	661,583	748,706
Illinois and Michigan Canal	11,646	7,778
Chicago and Northwestern Railroad	2,092	5,564
Illinois Central Railroad	35,921	38,288
Chicago, Rock Island and Pacific Railroad	18,135	31,893
Chicago, Burlington and Quincy Railroad	27,661	5,821
Chicago and Alton Railroad	254,030	278,006
Chicago, Detroit and Vincennes Railroad	147,701	205,530
Lake Shore and Michigan Southern	455	778
Pittsburgh, Fort Wayne and Chicago Railroad	64,314	112,609
Pittsburgh, Chicago and St Louis Railroad	133,232	150,349
Baltimore and Ohio Railroad	2,726	57,900
Michigan Central Railroad		3,266
Total	.1 359,496	1,641,488

The ton weight designated in these tables is that of 2,000 pounds.

The shipments from the city are by railway, mainly by the Chicago and Northwestern Railroad, to points in the Western States.

The following tables evidence the growth of the coal trade at this city:

	RECEIPTS	BI	LAKE.	
ANTHRACITE.			BITUM	INOUS.
Years.	Tons.		Years.	Tons.
1870	340,730		1870	181,850
1872	495,765		1872	90,890
1873	538,837		1873	
1874	404,383		1874	
1875 , prilipped	474,819		1875	

	RECEIPTS OF ALL	KINDS OF	COAL,	
Years.	Tons.	Years.		Tons.
1852	46,288	1855		109,576
18 3	38,548	1856	• • • • • • • • • • • • • • • • • • • •	98,020
1854		1857		
Years.	By Lake.	By Rail	By Canal	Total tons
1859	76,571	10,719	3,864	87,290
1859	111,506	11,766	7,922	131,204
1860	117,646	6,218	7,216	131,080
1861	163,879	2,407	12,803	184,039
1869	195,099	7,681	15,648	218,423
1863	244,624	12,066	27,506	284,196
1864		48,991	28,246	323,275
1865	288,771	41,028	15,060	344,854
1866	385,906	86,675	23,612	496,198
1867	•	140,819	14,576	546,208
1868	•	197,152	10,945	658,243
1869	•	279,798	8,326	799,000
1870	•	364,894	*****	887,474
1871		562.043	4,176	1,081,472
1872		804,226	7,213	1,898,994
1873		918,905	17,118	1,668,257
1874	•	686,967	11,646	1,359,496
1975		885,004	7,778	1,641,488
SHIPMEN	rs of all kinds	OF COAL F	ROM CHICAGO.	
Years.	Tons.	Years.		Tons
1859	1,441	1864	• • • • • • • • • • • • • • • • • • • •	16,77
1853	2,998	1865		24,19
1854	5.948	1866	• • • • • • • • • • • • • • • • • • • •	34,19
1855	12,153	1867		69,17
1856		1868		83,39
1857		1869		95,69
1858	15,641	1870		
1859		1871	•••••	96,8
1860			• • • • • • • • • • • • • • • • • • • •	•
1861				
1862	•		• • • • • • • • • • • • • • • • • • • •	
1863				

Details of the business for the year 1875, are shown below:

SHII	SHIPMENTS.		PTS.
Anthracite	Bituminous.	Anthracite.	Bituminous.
Tons.	Tons.	Tons.	Tons.
By Lake 677	51	474,812	273,8 94
Illinois and Michigan Canal	7,584	*****	7,778
Chicago and Northwestern Railroad50,000	180,624	•••••	564
Illinois Central Railroad13,597	••••	•••••	39,288
Chicago, Rock Island and Pacific R'd23,204		•••••	31,893
Chicago, Burlington and Quincy R. R. 29,891	•••••	•••••	5,821
Chicago and Alton Railroad14,070			278,006
Chicago, Detroit and Vincennes R. R 852	•••••	•••••	205,530
C. M. & St. P. R. R	35,686		•••••
Chicago and Pacific Railroad 2,500	2,849		•••••
Michigan Central Railroad	948	3,266	
Lake Shore and Michigan Southern	784	778	•••••
Pittsburgh, Fort Wayne and Chicago 1,820	*****		112,609
Pittsburgh, Chicago and St. Louis 1,102	*****		150,849
Baltimore and Ohio Railroad	83	\$11449	57,900

SAN FRANCISCO, CAL.

The statement given below will indicate at a glance the increased consumption of the several varieties at San Francisco.

·	1869,	1870.	1871.	1872.
Foreign	109.000	135,16 8	113,483	174,212
Eastern	38,600	30,820	13,291	29,669
Domestic	184,100	167,183	183,420	230,586
. Total		883,171	315,194	434,467
		1878.	1974.	1875.
Foreign	· • • • • • • • • • • • • • • • • • • •	181,894	227,952	255,790
Eastern			29,738	29,138
Domestic		221,034	274,257	253,281
Total,	••••••	431,039	531,947	533,209

Details of the business for 1875, are as below:

Foreign: Australian, 136,869 tons; English, 57,849 tons; Vancouver, 61,072 tons.

Eastern; Anthracite, 18,810 tons; Cumberland, 10,328 tons.

Domestic: Mt. Diablo. 142,808 tons; Coos Bay, 32,869 tons; Bellingham Bay, 10,445 tons; Seattle, 67,106 tons; Rocky Mountain, 53 tons.

The ton weight is that of 2240 lbs.-

The following is of interest, as showing the relative value of the coals found on the Pacific coast compared with the coal from the Cumberland region in Maryland:

A	В	C	D	\boldsymbol{E}	Ė
Alaska 7.94	7.96	60.0	40.0	12.3	5.41
Coos Bay10.24	7.85	60.7	37.3	6.2	6.91
Seattle 8.38	8.57	63.0	37.0	16.6	5.71
Black Diamond 8.38	8.73	51.6	48.4	8.0	5.71
Bellingham Bay10.58	5.51	67.0	33.0	16.0	7.21
California Anthracite 9.70	6.12	83.6	11.4	5.0	6.61
Cumperland, Maryland	3.52	88.2	11.8	3 2	9.48

EXPLANATION.—A. heating power, one pound water; B, sulphur to ton, in pounds; C, coke per cent; D, Volatile matter; E, Ash per cent; F, relative value per pound.

ST. LOUIS, MO.

By far the largest proportion of the Bituminous coal received at this city is from the Belleville district, in St. Clair county, Illinois; the principal seam worked is five to seven feet in thickness, and is economically mined Analysis of this coal shows, Water 6; Volatile matter 38.8; Fixed Carbon 55.2; Ash 5.

The Iron Mountain Railroad brings the Semi-Anthracite coal known as the "Spadra" from Arkansas to this city, a description of its qualities will be found in the proper place.

The following statement shows the coal trade of St. Louis for 1874 and 1875:

	1874.	1875.
ROUTES OF TRANSPORTATION.	TONS.	TONS.
Belleville and Southern Illinois Raliroad	911.195	350,756
Illinois and St. Louis Railroad	196 956	204,624
Ohio and Mississippi Railroad	161 390	160,467
St. Louis and Southeastern Railroad.	161 766	178,282
St. Louis, Vandalia, Terre Haute, and Ind. Railroad.	101 495	191.012
Indianapolis and St. Louis Railroad.	94 990	12.776
Cairo and St. Louis Narrow-gauge	04 150	107,164
Chicago Alton and St Touis Delinoed	. 6.500	1.780
Chicago, Alton and St. Louis Ralfroad. Toledo, Wabash and Western Raffroad.	2,100	18,950
Rockford, Rock Island and St. Louis Railroad.	1,500	1,500
Iron Mountain and Southern Railroad.	1.755	995
St. Louis County wagon receipts (estimated)	64 ,000	75,000
Object of Charles of the County was in the County of the County was in the County wa	. 41,000	53,120
Ohio and Cumberland River (Barges)	. 15,415	1.890
Lower Mississippi River.	2,000	
Illinois River	1,320	1,500
Pittsburgh gas coals		50,009
Other sources	. 500	1,500
Total receipts	1,196,622	1,274,219

Tons of 2,000 lbs; 25 bushels of 80 lbs. each, to the ton.——-

BUFFALO, N. Y.

The distribution of the coal received here is divided into city trade for family use, rolling mills, furnaces, manufactories and gas works; interior trade for gas works, family use and manufacturing purposes; and all points of the West are supplied principally with Anthracite, which is taken by vessels from this port to Chicago, Milwaukee, Duluth, etc.

The receipts for a series of years have been as below:

	BITUMINOUS.			ANTHRACITE	
Year.	By Lake.	By Canal.	By L. S. & M. S. R. R.	By Canal.	By Rail.
1963	71.323	12,551		123,319	
1864	65.2.4	35,237		154,214	
1865	68.141	42,822		143,998	
1866	68.142	62,172	******	248,716	
1867	101.107	67.194	•••••	223,718	• • • • • • •
1868	91.457	73,596	*******	318,353	
1869	99.460	108,972	*******	119,914	187,990
1870	94.796	168,487	*******	177,027	250,000
1871	. 88.511	80,660	76.063	102,185	800,000
1872	78,879	95,500	109,397	190,994	330,000
1878.	87.794	125,000	190,000	255,044	479,885
1874	67'467	70,000	140,000	252,262	320,000
1875		45,000	850,000	250,206	500,000

The shipments of Bituminous eastward by canal from Buffalo were as below:

•			63 600
1963		1869	62,690
1864	30,043	1870	65,900
	28,283	1871	60,522
1866		1872	
1867		1873	68,210
1868		1874	46,995
	875		

There was 80,000 tons of Blossburg Semi-Bituminous received in 1873, 50,000 tons in 1874, and 75,000 tons in 1875 by railroad. The amount of Anthracite that was shipped westward, via the lakes, 510,443 tons in 1873, 344,500 in 1874, and 339,722 tons in 1875. There was 60,000 tons of Blossburg Semi-Bituminous shipped west, via the lakes in 1873, 40,000 in 1874 and 50,000 tons in 1875.

Freights ranged from 50 cents to \$1.00 per ton to Chicago, Ills. The ton weight in use here is that of 2,000 lbs.

MOBILE, ALA.

The Mobile Register in its annual review dated September 1st., 1875, says: The past year, similar to the previous season, has been very unsatisfactory to our coal dealers; the demand has been principally for household purposes, and in consequence of the exceedingly mild winter, consumption has been moderate. The boats, presses and manufactories continue to use pine wood (lightwood), which can be freely obtained at about \$3.00 per cord—making a fuel so cheap as to prevent the substitution of coal until it can be furnished at a considerably reduced price from present rates. anticipated in our last annual statement the opening of a trade in Alabama coal with Caba and Texas, but as yet no shipments have been made, although samples have been sent to Mexico, Cuba and St. Thomas, and our dealers have encouragement to hope that they will soon receive test orders. The railroads freight the Alabama coal at as low a figure as they can afford, yet the cost is too high for very successful competition with the Cumberland and Anthracite coals. If our upper rivers were made navigable, good steam coal could be supplied at this port from \$3.00 to \$4.00 per ton, and a large trade would soon be established. The following are the comparative receipts for four years:

	1872.	1873.	1874.	1785.
Pennsylvania and English	8,359	8,069	5,830	4.176
Alabama		1,166	1,154 .	1,801

PITTSBURGH, PA.

The amount of business that is done at this city in coal and coke, including that sent to other points, amounts to 4,350,000 tons (of 2,000 pounds) per year.

The business of the Monongahela slack-water navigation in 1875 amounted to 2,046,967 tons of coal and 38,308 tons of coke.

During last year there was quite a business done in Anthracite coal.

The rapid growth of the coke trade of Pittsburgh and vicinity is a most significant illustration of its industrial development. Of this trade, what is known as Connellsville coke forms a large part, and will continue to do so. It is mined in Fayette county, Pa. It is stated that an acre will yield, over and above the pillars, if properly mined, 13,300 tons. It weighs 80 lbs. to a bushel, and when properly coked, 100 bushels of coal produce 125 bushels of coke, and the coke weighs 40 pounds to a bushel; that is, a given quantity of the coal gains one quarter in bulk and loses three-eighths of its weight, or 100 pounds of coal makes 62½ pounds of coke. This coke has become very celebrated not only about Pittsburgh, but throughout the Western States, where it is extensively used for foundry purposes in melting pig iron, selling in competition with Lehigh coal. It is used in blast furnaces for smelting iron from the ore, and is sometimes mixed with the

Western coals. It is also an excellent fuel for locomotive use. Its freedom from sulphur has given this coke the reputatian of being the best known. An analysis made by J. B. Britton of a sample of Connellsville coke, average of forty-nine pieces, shows:

Moisture	Phosphoric acid
Ash11,83	Carbon87.46
Sulphur	

The ash of the coke contained 47 per cent of silica and 47 per cent of alumina.

The receipts during the years 1874 and 1875 are as below:

BITUMINOUS COAL IN TONS OF 2,000 LBS.	
Route of Transportation. 1874.	1875.
Allegheny Valley Railroad 240,165	271,725
Castle Shannon Railroad	97,323
Pittsburgh and Connellsville Railroad	325,000
Pennsylvania Railroad	331,843
Pittsburgh, Charleston and West Virginia Railroad	43,980
Pittsburgh, Cincinnati, and St. Louis Railroad	249,891
Saw Mill Run Railroad	90,047
Monongahela Slack-water	2,046,967
West Pennsylvania Railroad. Estimated	150,000
Total4,021,000	8,606,678
COKE IN TONS GF 2,000 LBS.	
Connellsville Railroad	550, 000
Pennsylvania Railroad	422,903
West Pennsylvania Railroad	45,000
Monongahela Slack-water	38,30
Total 1 900 ore	1 056 231

The above schedule was prepared by the American Manufacturer.

Grand Total coal and coke receipts; for 1874, 5,243,056 tons, for 1875, 4,662,889 tons.

BALTIMORE, MD.

At this city an extensive business in coal, both Anthracite and Bituminous, is done. At Locust Point, the terminus of the Baltimore and Ohio Railroad, on the environs of this fine city, is the shipping point for immense quantities of Bituminous coal from the Cumberland region of Maryland, the Gas coal regions of West Virginia, the Somerset county mines and the Youghiogheny Gas coal of Pennsylvania.

The highest price at which the Cumberland coal has been sold at Baltimore, was in March, 1865, when the price was \$14 per ton; it rapidly declined, until, in December of the same year, the price was but \$7 40 per ton. The trade in Anthracite at present is entirely local, none being shipped from Baltimore to other and more distant points.

There are some 350,000 tons of Anthracite received yearly at Baltimore, by the following routes: From Millersburg, Pa., 112 miles, the Lykens

Valley Red Ash; from Sunbury, Pa., 138 miles, the White Ash; by Susquehanna tide water canal; from Port Richmond, Philadelphia.

Little or no Lehigh coal reaches Baltimore. The Anthracite is usually of good quality. All the sales are 2,240 pounds to the ton. Anthracite sold as high as \$13.50 per ton or Lump coal, in May, 1865.

The gross rates of transportation, on coal for shipment at Locust Point over the Baltimore and Ohio Railroad, during 1875, were as below:

Cumberland to Locust Point	\$2.05
Piedmont to Locust Point	2.40
Newburg to Locust Point	4.25
Clarksburg and Fairmount to Locust Point	4.75
per ton of 2,000 lbs., with a drawback off Gas coal reshipped Nor	th and East.
The shipments from Bultimore of Cumberland coal to foreign	ı ports were

The shipments from Bultimore of Cumberland coal to foreign ports were as below:

187120,207	187359,548
187254,863	187470,675

The Northern Central Railroad took 276,784 tons of Anthracite to Baltimore in 1875, against 232,938 in 1874, 242,754 tons in 1873 and 244,757 tons in 1872.

The amount of West Virginia Gas coal that is received averages about 200,000 tons annually, being 217,569 tons in 1872, and 190,673 tons in 1873 There were also shipped during 1874 some 30,000 tons of Youghiogheny Gas coal, and 60,000 tons in 1875; received from Western Pennsylvania by the Pittsburgh and Connellsville branch of the Baltimore and Ohio Railroad.

The Pennsylvania Railroad carried the coal from the Clearfield region, to Baltimore in 1875, by its Northern Central line.

The following schedule shows the business of the Baltimore and Ohio Railroad Company, giving the disposition of the coal that paid freight (coal for the use of the company not included):

Fiscal	Received at	To Balti-	Line
Years.	Locust Point.	more.	Trade.
1862	150,987	8,740	978
1863	277,505	26,106	3,936
1864	302,277	. 56,191	1.103
1865	353,434	49,396	5,840
1866	620,888	77,856	20,967
1867	629,946	58,377	7,615
1869	696,465	39,766	29,780
1869	1,187,866	, 136,704	33,910
1870		113,929	36,319
1871	1,438,816	113,286	89,500
1872		60,630	118,389
1873	1,806,829	65,694	147,195

Business of 1874.—The Baltimore and Ohio Company state that the amount of coal carried for the year ending in 1874 was 1,407,377 tons, but

do not furnish the details of distribution, or, as to how much was Cumberland, and West Virginia Gas, or Youghiogheny coal.

The year of the Baltimore and Ohio Railroad ends October 31.

CINCINNATI, OHIO.

There is an increasing business done in coal at this city. The qualities received embrace Youghiogheny from the neighborhood of Pittsburgh, Pa.; the Pomeroy from the vicinity of Pomeroy, Ohio; Hocking Valley, Ohio; the Kanawha from West Virginia, including the Splint, Bituminous and Cannel; and the Anthracite from Pennsylvania.

Of Anthracite coal, the quantity consumed in this city is small, not exceed ing during the past year, 248,750 bushels. The price delivered to dealers is about \$9.87 per ton.

The shipments of coal from this city to interior towns have decreased during 1874-75 amounting to 5,002,500 bushels against 5,933,100 bushels in 1873-74, and 4,472,400 bushels in 1872-73.

The following table shows the receipts of coal of the various kinds at this city.

Youghiogheny 24,014,681 24,925,100 Ohio River \$10,898,158 4,277,100 Kanawha 710,000 569,100 Anthracite 112,000 248,70 Muskingum Valley 312,000 Hocking Valley 686,60	BUSHELS.	KINDS.
Ohio River. \$ 10,898,158 4,277,8 Kanawha \$ 10,000 569,1 Cannel \$ 710,000 248,7 Anthracite \$ 112,000 248,7 Muskingum Valley \$ 312,0 Hocking Valley 686,6	1873–74. 1874–75.	
Cannel 710,000 569,5 Anthracite 112,000 248,7 Muskingum Valley 312,0 Hocking Valley 686,6		Youghiogheny
Cannel 710,000 569,5 Anthracite 112,000 248,7 Muskingum Valley 312,0 Hocking Valley 686,6		Ohio River
Muskingum Valley		Cannel
Hocking Valley		Anthracite
Hocking Valley	312,000	Muskingum Valley
Other receipts		Other receipts
Totals		Totals

The following table shows the average annual quotation for Youghiogheny coal, delivered.

YEAR.	CTS. PER BUSHEL.	YEAR. CTS.	PER BUSHEL.
1869-64	38.34	1869-70	15.27
1864-65	20,18	1870-71	15.82
1865-66	24.42	1871-72	22.6 8
1986-67	17.86	1872-73	20.72
1867-69	92.01	1873-74	16.04
1868-69	14.69	1874-75	14.00

It must be remembered, however, that this is by no means the average price of the coal consumed, for these averages depend on the regular weekly quotations, and to take them as the measure of the average price, would be to assume that equal quantities were consumed at the different seasons of the year, which would be fallacious. For comparative purposes, these figures are the best that can under the circumstances be furnished, but for absolute cost they are unsafe criteria.

A noticeable feature of the coal trade in this city is the more general use of coke as a fuel for the household. While the quantity used for manufacturing has, from the very nature of the cause, suffered material diminution, this has found at least partial compensation in the growing demand for other purposes. Crushed coke, a new article of fuel, which was introduced a short time ago, has been largely consumed, and has been shipped in considerable quantities to other cities. The business for the year is placed at 2,675,000 bushels, compared with 2,850,000 during the preceding year. Gas coke has ranged from 7 to 8 cents per bushel at the works, with an extra charge for delivery of from 2 to 4 cents per bushel, according to location. The average quotation per bushel during the year, for the various kinds of coke, has been as follows:—City manufactured, at yard, 11 cents, delivered, 13.1; Gas House, at yard, 7-75, delivered, 10.7; Connellsville, delivered, 15.58; Mc Keesport, delivered, 11.13; Crushed, at yard, 11.25, delivered, 14.25.

While Youghiogheny has not varied much in quantity, and the demand for Ohio River coal has fallen off, the quantity of Kanawha coal received has stendily increased. A new feature of the business in this city is the completion of the arrangements for the receipt of the Hocking Valley coal over the Marietta and Cincinnati Railroad. Extensive and permanent depots have been established at Brighton Station, on the Cincinnati and Baltimore Rail way, and the work of receipt and distribution has been successfully established. As to what effect the receipt of coal by rail, on an extensive scale, will hereafter have upon the market, remains to be seen; but it will, at any rate, test the foundation for the hopes entertained by many for years that the solution of the question of low prices and equable supply was to be found through the instrumentality of the railroads.

The following table will show the number of bushels of coal of all kinds, received at Cincinnati, for the years named:

YEAR.	BUSHELS.	YEAR.	BUSHELS.
1853-54	8,158,000	1864-65	16,467,023
1854-55	10,356,000	1865-66	18,022,990
1855-56		1866-67	18,446,226
1856-57	14,500,000	1867-68	17,500,000
1857-58	15,000,000	1868-69	25,500 000
1858-59	12,392,701	1869-70	80,300,000
1859-60	14,600,000	1870-71	22,972.000
	12,500,000	1871-72	30,790,796
	8,500,000	1872-73	37,274,497
	8,000,000	1873-74	
	15,975,368	1874-75	35,360,800

It is safe to calculate the bushel at eighty pounds, which would give twenty-eight to the ton of 2,240 lbs.

For the figures given above we are indebted to Col. Sydney D. Maxwell. Superintendent of the Cincinnati Chamber of Commerce.

·PROVIDENCE, R. I.

The total amount of coal reported as received at this port during the year 1875, was 603,510 tons, of which amount 602,847 tons was domestic and only 663 tons foreign. The total receipts of coal for 1874 were 539,169 tons, of which 532,564 tons were domestic and 6,604 tons foreign; showing a gain of 70,282 tons of domestic, and a loss of 5,941 tons of foreign. Total receipts for 1873 were 634,112 tons domestic, 3,232 foreign, in all 637,344 tons, or 33,835 tons more than during last year. For 1872, 623,842 tons domestic, 9,454 tons foreign, total, 633,387, or 29,877 tons more, in all, than in 1875. For the year 1871, 504,006 tons domestic, 13,900 tons foreign; total, 517,996 tons, or 85,514 tons less than during the year 1875.

NEW ORLEANS, LA.

The Price Current in its annual review for the year ending Sept. 1st, 1875, says:

"The coal brought to this market is almost exclusively Pittsburgh coal. The flats and barges are towed by powerful towboats built expressly for that purpose. The towing between Pittsburgh and Louisville depends on the state of the river. When the stage of water is too low for navigation, which it frequently is for weeks; and even months, the supplies at the lower points become deficient and prices naturally advance, often reaching very high figures. The coal flats and barges sent to New Orleans are generally dropped at Willow Grove, near Greenville, just above the city, where they are superintended for the owners or agents. When a boat or barge is wanted a small city tugboat is sent to tow it to the city, or to its destination on the coast. The aggregate consumption for six years—1869, 1870, 1871, 1872, 1873, 1874, were as below:

Boats	Bbls. 15,614,500 2,560,50 0	Tons. 1,419,500 982,772
Total	18,175,000	1,652,272
AVERAGE FOR ONE YEAR.		
Boats	2,501,000	286,454
Barges95	427,500	88,863
Total	8,028,500	275,317

The largest amount of coal consumed in the past six years, was 301,555 tons in 1869, and the least, 248,136 tons in 1874."

Messrs. C. A. Miltenberger & Co., give the following as the consumption of Pittsburgh coal at this port:

				•
		Bbls.		Bbls.
Consumptio	n 1869	3,317,099	Consumptic	on 18782,841,500
44	1870	3,203,600	46	1874
44	1871		"	19752,448,000
44	1879	2.991.500		,

The coal sent to planters below the city is included in the consumption, while that left on the coast above is not considered.

French Creeks are classed as barges, and Hulls as boats.

Average contents, boats about 9,000 bbls. Barges 4,530 bbls.

The average cost of carrying coal from Pittsburgh to New Orleans, (the round trip) is stated at 1-64th of a cent per ton, per mile.

RICHMOND, VA.

Our friends at this city kindly forward the following statistics of the coal trade for the years 1874 and 1875.

Receipts.	-		Tons, 1874.	Tons, 1875.
Via Richmond	and Danville Ra	ilroad, Chesterfield County	coal18,690	14,500
Via Richmond a	nd Petersburg	Railroad (Clover Hill), Ches	sterfield	
County coal.		••••••	17,104	16,592
Via River Potor	nac, and Freder	icksburg Railroad, Henrico	County coal 2,000	2,500
Via canal, Cart	onite, coke and	coal	20,440	19,301
Via dock (Cumb	erland and Ant	hracite), Northern coal	69,098	49,700
Via Chesapeak	and Ohio Raili	oad , to James River	75,621	80,000
44	44	city	•••••	20,000

COAL AT BOSTON, MASS.

The comparative receipts for the years 1874 and 1875 are shown below:

zaco companion i coccipio non ello j carb zo el a		
From	Tons, 1874.	Tons, 1875,
Alexandria, Virginia	86,705	97,697
Georgetown, District of Columbia	27,753	20,567
Philadelphia, Pennsylvania	578,432	623,245
Baltimore, Maryland	197,513	168,798
Other places (New York, etc.)	235,113	290,271
Great Britain	2,780	2,739
Nova Scotia	48,658	29,706
	. ——	
Totals	1.175.954	1.233.023

The receipts of foreign and domestic coal at this port have been as follows:

	Foreign.	Domestic.		Foreign.	Domestic.
Years.	Tons.	Tons.	Years.	Tons.	Tons.
1875	32,444	1,200,578	1868	103,901	742,481
1874	51,433	1,125,516	1837		680,221
1873	87,700	1,076,673	1866	159,380	676,876
1872	90,739	1.068,781	1865	209,225	538,917
1871	109,013	822,803	1864	188,786	516,665
1870	115,029	819,890	1863	180,445	589,921
1869		764.017			•

These figures include all the coal going to this port, both for the home trade, and for the points reached by the railroads centering here.

The Boston Commercial and Shipping List gives the following as the following as the highest and lowest prices of Anthracite and Provincial coal, at the city of Boston.

	Anthracite,	. Nova Scotia,
Years.	per ton.	per ton.
1975	\$7.00@\$9.00	\$5.25@\$6.2 5
1874	7.00 9.00	5.75 7.75
1878		7.00 9.00
1979		· 6.00 8.50
1871		5.75 7.00
1870		5.75 7.95
1869.:		7.25 9.00
1868		7.50 9.00
1867		7,25 9,25
1866.		7.50 9.50
1865		6.25 18.00

CLEVELAND, OHIO,

This city receives as fine and varied an assortment of Bituminous coal as any city in the world. A great many coal basins—in fact, nearly all the Ohio formation, as well as most of the coals lying west of the Allegheny Mountains, in Pennsylvania—here find a market and a distributing point for the West, Northwest, Eastern and Canada trade,

The great number of vessels employed in the iron ore and lumber trade naturally seek coal as a back freight for ballast, which enables Cleveland to place coal in distant ports, like Chicago, Milwaukee and Lake Superior, at mere nominal rates. The bulk of the business has been developed within the last fifteen years, and, taking the rapid growth of the manufacturing interests in the West into consideration, it is safe to presume that the trade has not yet reached its ultimate proportions.

`The total receipts of coal at Cleveland from 1828 to 1852 amounted to 662,862 tons, and increasing from thirty tons in 1828 to 137,926 tons in 1852, mined as below:

Year.	District.	Tons for the year.
1828	Tallmadge	30
1829	Tallmadge	708
1830	Tallmadge	
1840	Tallmadge, New Castle, Trenton	6,028
1850	Tallmadge, Clinton, New Castle, Youngstown, Cuyahoga Falls, Girard an	
1851	Tallmadge, Clinton, New Castle, Youngstown, Cuyahoga Falls, Girard an	d Rochester . 107,185
1852	Tallmadge, Clinton, New Castle, Youngstown, Cuyahoga Falls, Girard and	1 Rochester137,926

The canal from Akron was opened July 4, 1828, and during that year the thirty tons of coal sent to Cleveland was received by this canal route. The coal was taken from the mines to the canal with teams, to be shipped, and the business was continued in this way until 1832, when the canal reached the coal fields near Massillon, which were on its banks. The receipts by this route represents the consumption of coal at Cleveland up to 1838. It was not until after this, and after the Briar Hill coal began to reach this place, in 1843, that lake steamers could be induced to use it. Since 1845 it has supplanted wood on the steamers of the lower lakes.

Until 1845 the entire trade of the lakes in Bituminous coal was in the hands of Cleveland dealers. About this time, possibly a year or two earlier, Erie began to ship ceal, the joint receipts from the interior of the two places being only 45,136 tons

The Bituminous coals received at Cleveland may be classed as follows:

Briar Hill or Block coal from the Mahoning region—each Cleveland via A. & G. W. Railroad.

Massillon coal region—via C. & P. Railway and Canal.

Tuscarawas coal region—via L. S. & T. V. Railway, and C. & P. Railway. Salinesville and Hammondsville region—via C. & P. Railway.

Sterling-via C. & P. Railway.

Pittsburgh coal region—via C. & P. Railway.

Straitsville-via C. C. & I. Railway.

Hocking-via C C. & I. Railway.

Statistics in regard to the tonnage have not been very carefully preserved, but the following table may be relied upon as not being over-estimated, as it is compiled from the returns of the different transportation companies.

	Receipts.	Shipments.	Used in Cleveland.
1865	465,550	236,000	229,550
1866	593,457	295,280	288,127
1867	663,026	334,027	334,999
1868	759,104	392,928	366,176
1869	922,757	495,800	426.957
1870	9.4,600	482,306	422,210
1871	1,165,940	633,765	532,115
1872	1,349,160	745.595	602,565
1873	1,599,212	854,862	744,350
1874	1,099,000	500,000	599,000

The amount of Anthracite coal received at this city is very small, amount ing to but 36,358 tons in 1874. The amount of *shipments* in 1875 was 529,211 tons coastwise, and 140,637 tons to the British Provinces.

The ton designated is that of 2000 lbs.

IMPORTS AND EXPORTS OF COAL.

By the courtesy of Dr. Edward Young, Chief of the Bureau of Statistics, at Washington, D. C., we are enabled to give the following in regard to the imports and exports of coal into and from the United States:

IMPORTS.		EXPORTS.		
Years.	Tons.	. Years.	Tons.	
1870	420,688	1870	227,918	
1871	443,955	1871	277,951	
1879		1872	401,078	
[873	455,015	1878	584,688	
1874	433 028	1874	768,402	
1875		1975	519,345	

Details for the fiscal year ending June 30, 1875, are as below:

DOMENSTIC	EXPORTS.	IMPORTS.
Bituminous.	Anthracite.	Cituminous.
Argentine Republic	222	•••••
Brazil	1,229	104
Central American States 1	36	•••••
Chili	285	•••••
China	4.068	•••••
Danish West Indics	858	11
France	•••••	453
French West Indies	100	. 26
Miquelon, Langlay and St. Pierre.	79	
Germany	******	725
England	•••••	108,154
Scotland	******	14,95%
Nova Scotia, New Brunswick, &c	19,990	127,999
Quebec, Ontario, &c	245,726	115
British Columbia		53,823
Newioundland and Labrador.	· 5	00,020
British West Indies	529	17
	778	. 1
British Guiana	******	8
Hong Kong	748	_
British Australasia	716	109,959
Havti	. 67	
Italy	•••••	9
Japan	1,889	•••••
Mexico	_ 4,118	8
Peru	50	5
Azore, Maderia and Cape Verde	10	12
Sandwich Islands	2,975	•••••
Cuba	2 1,813	201
Porto Rico	28	•••••
Spanis'ı Possessions in Africa	. 4	•••••
" all other 150	•••••	•••••
Turkey in Africa	•••••	` 6 .
U. S. of Columbia	11,078	15
Uruguay 249	•••••	4
Veneznela	25	
All other countries and ports in Africa	120	
Total	816,166	441,600

N. B.-The Foreign Re-Exports during the fiscal year 1875 amounted to 5 tons-\$110.

NOVA SCOTIA.

Nova Scotia coal was admitted into the United States free of duty during the years 1854 to 1865, and the average annual production of those twelve years was only 333,427 tons. A monopoly of these regions was granted to the Duke of York in 1826, but it was relinquished in 1857. The most important regions are Pictou, and Sydney or Cape Breton, as will be seen from the tables of the production. New Brunswick possesses a mine of what is called Albertite, a variety of asphalt which yields 100 gallons of crude oil to the ton, or 14,500 cubic feet of gas. It was discovered in 1849. The Pictou field is said to contain some 28 square miles, but the available space for working is much less. The most extensive is the Cape Breton field. It extends about thirty-five miles along the coast, and ranges from four to five miles in width.

Mr. H. S. Poole, Government Inspector of Mines, furnishes the following summary of the coal sales of Nova Scotia from 1785 to 1874.

Years.	Tons.	Years.	Tons.
1785 to 1790	14,849	1831 to 1840	839,981
1791 " 1800	51,048	1841 " 18 5 0	1,533,798
1801 " 1810	70,452	1851 " 1860	2,399,829
1811 " 1820	91,527	1861 " 1870	4,927,339
1821 " 1830	40,820	1871 " 1874	3,012,565

The above table is probably as nearly correct as can now be determined and if 13 per cent be allowed for colliery consumption 1,700,622 tons must be added making the total quantity actually raised 14,782,330 tons.


The number of tons actually raised during a term of years is shown in the following schedule:

Year.	Tons.
1864	562,102
1865	
1867	517,525
1868	
1870.	
1871	
1872	890, 950 1 051 467
1874	872,720
1875	781 .163

The colliery consumption for 1875, was 15 per cent or 124,110 tons.—

During the year 1875, freights from the Provinces ruled very low, and prices at the shipping ports were also low, yet the output was less even than in 1874, and a great decrease from the business of 1873; this is no doubt owing to the low prices of American coals, and the general dullness of manufacturing of every description, during that year.


The average prices of Nova Scotia coal, delivered at Boston, Mass., together with the amount of Nova Scotia coal received into the whole United States, for fiscal year ending June 30th, are stated in the following schedule:



to contain coal seams, but we are not in possession of sufficient information to give details as to their size and position. In the Cape Breton coal measures there are over 4,500 feet of productive strata.

Year.		Price per ton	. Yea	rly receipts.
1868		\$7.40		282,774 tons.
1864				347,594 tons.
1865 1866				465,104 tons. 404,252 tons.
1867				888,482 tons.
1668		8.16		928,189 tons.
1869				957,485 tons. 168,180 tons.
1871				165,481 tons.
1872		7.00		154,099 tons.
1878		7.75 7.00		939,409 tons. 943,238 tons.
1874 1875.		6.00	,	198,114 tons.
The sales and shipments for the		ere derived		
ing sources:		010 4011104		O 2011-
Cumberland County				69.944 tong.
Pictou				
Cape Breton				
Other Counties.				
Value Countains.		• • • • • • • • • • • • • • • • • • • •		#, ve. 001204
Total		• • • • • • • • • • • • • • • • • • • •		706,795 tons.
The destination of this coal wa	as as below:			
To Nova Scotia				212.680 tons.
To New Brunswick, P. E. Island and Quebe				
To Newfoundland				
To United States				
To West Indies				
To South America				
To-Great Britain and East Indies				
Comparing the sales of 1875				•
	WILL MIOSO O.	t me brear	Jus Iour	Journ's M.O.
obtain the following table:	1050	1054	1000	
a	1875	1874	1878	1879
Cumberland		49,599	26,845	14,158
Pictou		357,926	333,974	368,417
Cape Breton		887,016	520,189	880,878
Other counties		4,596	589	8,070
Total tons	· ·	749,127	881,106	785,814
A comparison of the "markets	" for each year	is shown l	oelow :	•
Markets.	1875—Tons			1873—Tons.
Nova Scotia		214,	965	215,295
Quebec	189,754	162,	169	187,059
New Brunswick	85,968	78,	841	63,217
Newfoundland	62,848	55,	696	55,867
P. E. Island	43,641	41,	948	26,840
United States	88,746	188,	395	264,760
West Indies	16,429	47.	844	54,213
South America	4,779		077	1,883
East Indies	1.008	••••		
Great Britain			152	6,976
4				
Total		749,	124	831,106

The most serious drawback is the small coal, one seventh of all mined being what is known as slack, frequently not finding a market at any price. In 1874, the slack was 89,446 tons, and "round coal," 659,681 tons; the introduction and use of coke ovens, will no doubt soon do away with this; already there are a number established and in operation.



The following	shows the pro-	duction of e	ach collie	ry for the	vears 1874
and 1875:—	been been			-3 -0- 00	J
DISTRICT. CUMBERLAND COUNTY	r .			1975 Produc	1874 e. Produce.
Lawrence	• • • • • • • • • • • • • • • • • • • •			60	27
Seaman			,	528	1,741
Joggins				11,908	16,685 83,137
PICTOU COUNTY.			••••••		
Acadia	••••••	•	• • • • • • • • • • • • • • • • • • • •	65,992 46,948	110,734 41,188
" Main		• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	90,121	41,188 94,348
Whitehall		• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	72,016 214	68,069 90
					56,953 89,0 99
CAPE BRETON COUNTY	r .				28,897
Caledonia		••••••	• • • • • • • • • • • • • • • • • • •	16,566	\$9,888
Emery				8,356	22,137
Gardiner	••••••		• • • • • • • • • • • • • • • • • • • •	10,400	2 0,196 46,585
Gowrie				23.924	82 ,85 T
	***************************************				67 86,385
Lingan				99 905	19,697
Reserve	••••••			5,653 9,423	7,070 2 8,769
Schooner Pond		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	1,116	1,523
Sydney			 .	124,199	105,487
INVERNESS COUNTY.	••••••	•••••	••••••	18,814	15,310
Port Hood VICTORIA COUNTY.		•••••	• • • • • • • • • • • • • • • • • • • •	720	85
New Campbellton.				4,561	5,961
Total tons of	coal raised			781,165	872,720
Slack coal, is	that which pass	ses through	a screen, t	the bars of	f which are
not wider than	three quarters	of an inch.	The pro	portion of	round and
slack made is sh	nown by the foll	lowing state	ment:	_	,
Years.				Round.	Slack.
1873	• • • • • • • • • • • • • • • • • • • •			810,353	89,41 6 70,75 8
1872				716,320	60,584
The following	may be taken	as an estima	ate of the	items of	expense in
shipping a ton o	of coal, calculat	ed on an ani	aual outpu	it of 60,00	U tons : Cents per ton.
Hewing Pumping and underg					50
Pumping and underg Overmen and windin	round work	· · · · · · · · · · · · · · · · · · ·	. 		18
Screening	- 				5
Railroad (five miles).					15
Shipping	axes, etc.	••••••			5 45
	n currency)				\$1.58
	ht designated is				es.
An analysis o	f these coals g	Cubic feet of	Candle	Quality	Theo. evapora-
Mine.	Seam.	gas ner ton	power.	of coke.	tive power.
Sydaey. Lingan.	Main Seam. Phelan Seam.	8,900 9,700 10,000	- <u>8</u>	Good.	8.49 9.19
Glace Bay.	Harbor Seam.	10,000	16	Good.	7.78
. Caledonia.	Hub Seam. Phelan Seam.	9,700	16 16	Fair. Average.	8.59 · 7.88
Reserve. Block House.	Reserve Seam.	9,000 10,500	13 14	Average. Good.	8. 2 7.60
Gowrie.	McAulay.	9,000	15	Good.	7.90

GREAT BRITAIN.

The following details of the minerals produced in Great Britain are interesting:

,	Tons raised	Tons raised	Tons raised
Minerals.	in 1872.	in 18 78.	in 1874.
Coal	. 123,497,316	127,016,747	125,043,257
Iron ore		15,577,499	14,844,936
Copper ore	91,983	80,188	78,521
Tin ore.		14,885	14,039
Lead ore	. 83,968	73,500	76,201
Zinc ore		15,969	, 16,830
Iron pyrites	. 65,916	58,924	56,908
Arsenic	. 5,172	5,448	6,268
Bismuth	. 9	1	•••••
Cobalt	. 1	6 cwts	••••
Manganese	. 7,778	8,671	5,778
Ochre, Umber, etc	8,327	6,368	7,122
Wolfram	. 88	50	82
Fluor spar	. 81	'	634
Chloride of barium	. 65		•••••
Barytes	. 9,093	10,269	14,374
Clays—fine and fire, and shale	. 1,200,000	1,785,000	2,436,912
Coprolites	. 35,000	*************	149,654
Salt	. 1,309,498	1,785,000	2,806,567
METALS OBTAINED FROM	I THE ORES	ENUMERATED.	
	1872—tons.	1873—tons.	1874—tons.
Iron, pig	. 6,741,929	6,566,451	5,991,40 8
Tin	. 9,560	9,972	9,942
Copper	. 5,703	5,240	4,981
Lead	. 60,455	54,235	58,777
Zinc	. 5,191	4,471	4,470

Absolute total value of the metals and coal, with other minerals which are not smelted (except building stone, lime, slate, and common clay), produced in the United Kingdom:

628,920

537,707

	18 72.	1873.	1874.
Value of the metals produced	£22,170,447	£21,409,878	£19,539,070
Value of the coal	46,311,143	47,629,787	45,849,194
Value of other minerals	1,911,826	1,681,834	2,446,049
Total	£70.193.416	£70,721,499	£67.834.313

The ton weight, in all cases, is 2240 pounds.

The following will show the amount of coal mined in the United Kingdom of Great Britain, as also the exports to foreign ports:

	Tons	Tons		Tons	Tons
Year.	Mined.	Exported.	Year.	Mined.	Exported.
1854	64,600,000	4,300,000	1865	98,150,587	9,170,477
1855	61,400,000	4,900,000	1866	101,030,544	9.053.221
1856	66,600,000	5.800.000	1867	104,500,480	10,415,787
1857		6,600,000			10,837,804
1858		6.500,000		107,427,557	10,588,425
1859	71,900,000	7,000,000		112 875,725	11,495,002
1860		7,400,000			12,851,957
1861		7,200,000		123,386,750	13,211,961
1862		7,600 000		127,012,767	12,712,222
1863	88,200,000	7.500.000		125,043,257	13,927,205
1864		8.809.908		123,000,000	14,475,086

The following is the disposition and uses made of the coal raised during the year 1873:

Coal exported to foreign countries. 12 Coal used on railways. 8 Coal used in iron manufacture. 85 Coal used in smelting other metals. 95 Coal used in smelting other metals. 95 Coal used in steam navigation. 9 Coal used in steam power in manufactories. 97 Coal used in gas manufacture. 97 Coal used in water works. 97 Coal used in water works. 97 Coal used in potteries, glass-works, brick, lime, cement klins. 98 Coal used in chemical works and all other sundry manufactures. 8 Coal for domestic consumption. 90	8,790,040 5,119,709 763,607 9,500,000 8,600,000 7,550,000 8,500,000 650,909 8,450,000 8,450,000	tons. tons. tons. tons. tons. tons. tons. tons.

Making the total of......127,012,767 tons.

The production of each district for 1874 is shown in the following schedule:

Northumberland	6,463,550 tons.	Cheshire	615,105 tons.
North Durham	6,180,000 tons.	Shropshire	1,187,950 tons.
Cumberland		North Staffordsbire	
South Durham		South Staffordshire	8,889,348 tons.
Westmoreland	1,200 tons.	North East Lancashire	
Yorkshire		West Lancashire	7,442,950 tons.
Derbyshire		Gloucester	1,147,979 tons.
Nottinghamshire	8,127,750 tons.	Somerset	
Warwickshire,	851,500 tore.	Monmouth	
Leicestershire		North Wales	
East Scotland	10,182,326 tons.	South Wales	10,182,326 tons.
Ireland	139,218 tons.	West Scotland	6,606,835 tons.

Total of the United Kingdom 125,067,916 tons.

The Board of Trade returns show the following shipments, from Great Britain to foreign ports, in the years named:

Countries,	1674.	1875.
Russia	888,765	884,861
Sweden and Norway	720,607	1,189,278
Denmark	662,280	760,719
Germany	2,057,029	2,154,367
Holland	447,691 `	455,901
France	9,370,661	9,709,494
Spain and Canaries	581,618	690,762
Italy	966,188	954,694
Turkey	311,991	241,918
Egypt	4	582,376
Brrzil	886,857	865,172
Malta	818,022	228,061
British India	659,996	608,257
Other countries	2,726,850	2,758,859
Total	13,927,205	14,475,086
Coal for Steamers engaged in foreign trade	8,140,888	8,278,949

The receipts of coal at London for a series of years have been as below:

Year.	By Sea.	By Canal.	By Rail,	Total.
		8.582	2,738 056	5.908.271
	8,033,198	10.176	2,969,896	6.013.215
		9.965	8,295,652	6,822,088
	2,918,230	9.527	9.979.833	5,907,090
	2,878,688	6.941	3,841,585	6.212.214
	2,993,710	7,801	3,758,069	6,759,100
	2,762,712	6,615	4,449,141	7,218,468
		8,986	4,999,268	7,556,422
	2,665,630	11,195	5.147.418	7.824.288
1874		5,982	4.689.785	7,423,486

NEW SOUTH WALES.

The most extensively worked of the coal measures are those of Hunter River (or Newcastle,) located on the southern and western sides of the river, and include Cannel and Splint coal, and kerosene shale.

About forty miles south of Sydney commences what is known as the "Wollongong" coal measure. Outcrops have been traced for thirty miles to the southward, while inland its extent is undetermined. The seam rung from six to eight, and in one part fourteen, feet in thickness.

To the west of Sydney there is what are known as the Hartley coal measures, producing a non-caking coal, approaching a Splint and from nine to eleven feet in thickness. Communication with these mines is had by railway to Sydney. In connection with this district we may mention the Cannel coal of Petrolea Vale, a long valley running down on the northern side of Mount York. The seam is six feet in thickness, eight inches on the top and four inches at the bottom being common kerosene shale, while the remaining five feet consist of fine Cannel coal, giving an average of 150 gallons of crude oil to the ton. The seam is worked by an adit on the outcrop.

The specific gravity of the oil made from this shale is 804 at 60 degrees Fahrenheit. The "flashing point" ranges from 118 degrees to 126 degrees Fahrenheit.

W. B. Clarke, M. A., in his report on the sedimentary deposits of New South Wales, embodied in the government reports, speaks of the geological position of the shales thus:

"Recent researches have satisfied me that these only belong to the upper coal measures.

"It has unquestionably resulted from the local deposition of some resinous wood, and passes generally into ordinary coal.

"There is no anomaly in finding in one spot a mere patch in a coal seam as at Anvil Creek, on the Hunter River; or thick bedded masses, as in the coal seams of Mount York, the thickness depending on the original amount of drift timber."

W. Keene, F. G. S., government examiner of coal fields, says:

"The lower beds of the coal series of New South Wales are geologically older than any worked in Europe, while the upper beds represent the most recent of the European true carboniferous formation.

"I have examined seams more than seven hundred miles to the north of Newcastle, belonging to the same deposits we are working here (Newcastle) and we may, without boasting, claim to rank with the most extensive coal fields in the world."

It is stated that although the kerosene shale has only been worked at

Hartley and Wollongong, it may possibly be found in connection with any of the different coal seams, and as these spread over an enormous area of country, it is impossible to place any limits on the quantity of this peculiar mineral that the colony may possess.

There were twenty-eight collieries raising coal, and three getting petroleum oil, cannel coal, and shale, and the aggregate production of coal from these collieries, in 1874, was 1,298,400 tons valued at £786,152 17s.

The aggregate production of petroleum oil, cannel coal, and petroleum oil shale in 1874 was 12,100 tons, valued at £27,300.

The following is a return of the number of coal mines, and quantity and value of coal raised from the years 1864 to 1874, inclusive.

		Quantity.	Value.		
Year.	No.	Tons-2240 lbs.	£	8.	đ.
1864	25	549,0121/2	9 70,171	11	U
1865	24	5 85, 525 ⅓	273,303	18	9
1866	25	774,288	324,049	6	7
1867	96	770,01234	842,655	7	8
1838	28	954,230%	417,809	6	1
1869	83	919,778%	346,145	16	5
1870	32	868.56414	316,835	16	4
1871	27	898,78434	816,840	2	1
1879	26	1,012,4263	396,197	19	10
1873	29	1,092,861%	665,746	17	8
1874	28	1,298,400	786,152	17	0

From these returns the Government Examiner finds that the coal trade of New South Wales is, year by year, increasing in a most satisfactory manner, and has never been in such a prosperous condition as it is at the present time. Many new companies have been formed, as well as vory large areas of coal land taken up in various parts of the colony with the intention of working the coal from under it. If this rapidly increased demand for coal could have been foreseen a few years ago and the shipping facilities at Newcastle had been greater than they now are, they would have had a much larger production and demand to report, and when the extra wharves and cranes now in course of erection at the Newcastle Harbor are completed, there will be a much larger foreign demand for New South Wales coal. The agreement entered into by the associated masters and the officers and delegates of the Coal Miners' Association of the Hunter River District, by which the wages paid for hewing coal and other work usually done by the miners, the hours of labor to be observed at the different collieries, and the mode of settling any disputes that may arise in reference thereto, are to be arranged, is stated to be working well, and no doubt is entertained that it has been the means of keeping the price of coal at 14s. per ton, delivered into vessels in Newcastle Harbor.

The following detailed returns for the year 1874, are of interest in this connection, as they give the business of each district;

Digitized by Google

NEWCASTLE DISTRICT.

Bituminous coal, used for steam,	household,	smelting,	gas,	blacksmith,
and coking purposes.		4		

coming purposess	
Newcastle Wallsend Colliery	. 240,000 tons.
Australian Agricultural Company	. 195,494 tons.
Co-operative Colliery	149,699 tons.
Waratah Colliery	181,279 tons.
New Lambton Colliery	183,805 tons.
Lambton Colliery.	. 127,768 tons.
Dunkenfield Colliery	8,821 tons.
Victoria Tunnel	2,148 tons.
Glen Rock Colliery	1.400 tons.
	_

Four-mile Creek and Branxton, &c., in the Northern District.—Splint and Bituminous coals, suitable for steam, household, gas, smelting, blacksmith, and coking purposes:

6 I I	
Pease & Co., Four-mile Creek	11,088 tons.
Ingaree Colliery	5 858 tons.
Sunderland	
Bloomfield	757 tons.
Dark Creek	150 tons.
Greta Coal and Shale Company	29,030 tons.
Anvil Creek Colliery Company	94,000 tons.
Rix's Creek, near Singleton	180 tons.
Stony Creek, near Maitland	
Total quantity in 1874.	72.763 tons.

WESTERN DISTRICT.

Lithgow Valley, Hartley, and Mudgee Road.—Splint coal used for household, steam, smelting, gas, blacksmith, and coking purposes,

Lithgow Valley Colliery	18,000 tons.
Thos. Brown, Esq., M. L. A., Eskbank Colliery	8,690 tons.
Bowenfells Colliery Company	
Vale of Clywdd Company	50 tons.
Bulkeley's Coal Mine at Blackman's Flat, Mudgee Road	50 tons.

SOUTHERN OR ILLAWARRA DISTRICT.

Semi-bituminous coal, used for steam, household, smelting and black-smith purposes.

	Tons.	Value.
Bullai Colliery	58,500	£29,258
Mount Pleasant Colliery		16,568
Osborn Wallsend Colliery	37,796	16,068
American Creek (used for oil making)	1.000	500
Total quantity and value in 1974	86,287	£6 ,384
Total quantity and value in 1873	87,062	£62,88 9
Theorem on the 1974	775	£505
Decrease in 1874		2000
American Creek petroleum oil shale made into oil at the works	3,000	£4,50 0

AUSTRIA.

Austria contains such large deposits of coal wealth, that naturally she may be regarded as one of the richest coal-producing nations of Europe. Silesia, Galicia, and Bohemia are said to contain deposits of coal sufficient to supply the whole consumption of Europe for several centuries; but this, we fear, is rather tall talk, although the coal wealth of the districts named is doubtless very considerable. It is only recently that this has been turned to profitable account. In 1818 the production of coal in Austria and Hungary was 84,450 tons; in 1823 it was 153,950 tons; and in 1838, 299,100 tons. The progress made in the twenty years was not very marked, but it has since been greatly accelerated, the production having risen in 1848 to 838,000 tons; in 1858 to 2,598,800 tons. Below will be found the details from the year 1860 up to the present time.

Years.		Pit coal.	Lignite, (tc.
.1860		1,789,455	1,389,023
			1,604,339
1862	•••••		1,811,767
1968			1,805,477
:1884			1,896,158
		2,582,933	1,199,488
1866		9,416,783	1,952,799
		2,967,963	2,477,428
			2,864,962
			3,191,952
			2,980,825
		4,892,481	4,998,869
1879	• • • • • • • • • • • • • • • • • • • •	4,718,280	5,676,672
1873	••••••	5,000,000	6,000,000
The consumption	of coal during the	years named has be	een as follows :
Years.	Tons.	Years.	Tons.

Years.	Tons.	Years.	Tons.
1866	4,699,757	1870	8,857,867
1867	4,707,804	1871	10,365,509
1868	6,799,899	1872	10,861,575
1869	7,529,163	1873	11,500,000
	1874	19 000 000	,

RUSSIA.

The chief centres of the Russian coal supply are as follows: In the south, the basin of the Lower Don, which contains 15,000 square miles of the finest Anthracite; in the west, the governments of Kiev and Kharkoff; and further to the north, the great central or Moscow basins, comprising the governments of Tver, Kalouga, Moscow, Raizan, Tula and Novgorod, extending northward as far as the Dwina. To these items may be added those of the Kharkoff and Ekaterinoslay beds of Anthracite, and private coal fields of the "Privis Hinski Krai," the districts lying to the east of the Vistula. The total area of the coal fields of the Empire of Russia is put at 30,000 square miles.

BELGIUM.

The production of coal in Belgium, and the exportations since 1836 may be observed from the following table:

Years.	Production. Tons.	Exportation. Tons.
1886	2,056,464	778,612
1846	5,037,403	1,855,833
1856	8,212,419	2,866,137
1966		8,977,702
1867	12,755,822	4,800,864
1868		8,764,502
1869	12,926,894	8,592,790
1870		3,182,150
1871		9,186,204
1872	15,658,948	4,608,100
1873	15,778,401	4,157,903
1874	14,669,029	8,886,366

The Belgian ton is 1000 kilogrammes=2,200 pounds English.

The output is furnished by the diffierent basins in the following proportions:

Basins.	Per cent.	Basins.	Per cent.
Mons		Liege	23.3
Charleroi		Namur	9.5
Ceatre			

The Province of Hainant is the largest coal producer, furnishing 10,698,-130 tons during the year 1875. The consumption of coal in Belgium is about two tons per annum to each inhabitant. The imports of coal, mainly from England, amount to a half a million tons only, being 458,282 tons for the year 1874.

FRANCE.

There are fifty-nine small coal basins in France, but the most important are those of the Loire and St. Etienne, which are the best known, and comprise about 50,000 acres.

Probably one million tons of what is known as Anthracite, and the same quantity of soft Anthracite, are annually produced in France, the balance being Bituminous coal.

The production of coal in France, since 1787, has been as follows (tons of 2200 pounds, or ten metric quintals):

1787 211,160	1886 2,789,858	1868,13,258,876
1802 829,105	1841 3,849,803	186918,1-8,662
1811 759,878	1846 4,389,532	1870 6,550,000
1816 924,823	1852 4,816,306	187113,400,000
18211,114,448	1857 7,755,987	187215,899,005
18261,513,482	186210,102,116	1873 17,500,000
18311,728,950	186712,148,928	187417.(00,000

In 1874 the Loire is set down for 3,821,200 tons; the Nord for 3,071,972 tons, and the Pas-de-Calais 2,978,600 tons.

THE COAL TRADE.

France takes annually two and a half million tons of British coal, the figures for 1875 being 2,558,678 tons.

Regarding the production and consumption of coal in France, the following may be of interest:

Years.	Production.	Consumption.
1869	18,100.100	19,424,728
1870	18,800,000	16,859,084
1871	18,00 ',000	18,512,246
1879		21,998,862
1878	17,500,000	22,700,000

The difference between product and consumption represents coal imported from Belgium and Great Britain.

THE GERMAN EMPIRE.

As now consolidated, Germany ranks as the largest producer of coal in Europe, and the third in the world.

The production of coal and Brown coal in Prussia for a series of years previous to the year 1871, has been as follows:

1837	1,950,915	1864	19,408,989
1857	9,841,927	1965	
1858		1866	
1860	12,347,828	1867	23,783,327
1861	14,133,048	1868	25,704,758
1862	15,576,278	1869	26,774,868
1868	16,906,707	1970	23,316,239

Since 1870, the Empire includes old Prussia, Saxony, Bavaria, and the States of the Zollverien.

The product of coal of all kinds in the whole of the German States was as follows:

Year.	Hard coal. Tons.	Brown coal. Tons.
1970	26,397,769	7,605,234
1871	29,373,272	8,482,837
1872		9.018,048
1873	36,392,279	9,252.914

The output of old Prussia is alone to be had for the year 1874; we give some interesting figures, also a comparison with 1873. There was produced in the former year 31,938,683 tons of hard coal, and 8,716,649 tons of soft or brown coal. There were 1050 mines working, at which 180,147 men were employed, supporting 307,295 persons. During 1873, 1003 mines were opened, employing 174,440 men, supporting 299,463 persons, and 32,347.409 tons of hard coal, and 7,987,333 tons of Brown coal were produced.

We have returns for the Dortmund district, which produces nearly one-half of the hard coal of the Empire, for 1875—16,805,947 tons of coal were produced, (being an increase of 9½ per cent. over product of 1874;) employ-

ing 82.605 mer, in 259 collieries; the value in 1875 was one-third less than in the previous year. The import and export business of the Empire was as follows:

1874-	-Importe	d1,808.144 tons coal.	Exported	.4,289,525 tons coal.
*	44	806,489 tons coke.	"	. 166,035 tons coke.
1878-	-Importe	d1,456,497 tons coal.	Exported	.4,010,406 tons coal.
.44	4,6	548,558 tons coke.	44	. 42,458 tons coke.

The value of the imports in 1873 was eighteen million thalers, while the exports were valued at thirty-three million thalers.

It is usual to count twenty German centners as one ton, and as they are 113.88 pounds English, the tons mentioned above are 2,267 pounds, or 27 pounds more than our gross tons.

WEST VIRGINIA.

The coal measures of West Virginia underlay nearly sixteen thousand square miles of territory, of which, what is known is the Kanawha and New River. Valleys hold eight thousand. Three varieties of coal occur: cannel, splint, and bituminous. Of the bituminous there are seams of different degrees of hardness and texture, from the friable coking coal, similar to the best of the Newcastle (England) coals, to the harder splint coals, with regular cleavage, similar to the Youghiogheny coals so largely in demand in our Western and Southern cities; of so compact a nature that it can be used in an iron blast furnace in its raw state.

The bituminous coals are excellent steam raising fuels, and have been used in steamers, railways, and under stationary engines with good results. The gas coal seam is identical with the Kittaning coal bed, mined on the Allegheny river, in Pennsylvania, and has been used in the eastern and western markets with most satisfactory results.

On approaching from the eastward, the bituminous coal seams of West Virginia are first found in the tops of the mountain ranges overlooking New river, in Summers and Raleigh counties, embracing only the lowest seams of what are known as the lower coal measures. The Big Sewell mountain a prominent elevation in West Virginia, towering some 2,800 feet above sea level, and 1,500 feet above New river, forms the south eastern edge of the "Upper Ohio coal basin." All the territory drained by the Kanawha and its tributaries, between the Falls of the Kanawha and Campbell's creek, contains the seams of coal within workable reach, above water level, or by shafts at no great depth. It can be mined very cheaply; and the quantity available is vast beyond conception. The top seam of the lower coal measures disappears beneath the Kanawha, at its confluence with the Elk river, at Charleston; while some of the coal seams reappear up the valleys formed by the Elk and Coal Rivers. Cabin creek, Elk river, and Coal river are three considerable tributaries to the Kanawha, penetrating the country for long distances, and bringing into convenient working position thousands of acres of valuable coal land.

At Quinnimont, on the line of the Chesapeake and Ohio Railroad, 295 miles west of Richmond, are the works of the New River Car Co. Analysis made by J. B. Britton, gave the following results:

	COKE	COVA
Coal.	run of mines.	from slack.
Fixed Carbon	Carbon93.85	91.72
Volatile Matter18.19	Ash 5.84	5.09
Ash4.98	Sulphur 0.31	0.48
Moisture 0.74	Water	2.71

This company is mining a vein about 31 feet bituminous coal, using the

At Nuttallburg of the famous for TRADE ining a Bituminous coal from the Ses. The Old Domin: The love water level to the love the love water level to the love water level to the love the level to the love water level to the love water level to the love like the low in Richmont. At Nuttallburg, 316 famous for livanding a Bituminous coal from est for mellanufacture.

Star above water level. The ellowing for the starting of the starting At Nuttallburg, 316 miles now a Counter lamous a thick far a Bituminous remained with thick far above water coal from a transfaction. The Old Dominion The e 10 m Riche, of Parameters of the stack coal for coal is now erecting over coal is now by the stack coal measured a market of the coal measured and the coal measured and the coal measured a market of the coal measured and the coal measured mining a Bitumnous coal from the poses. The Old Dominion The e low truchmono.

The Slack coal is a market to has been thick far above water level.

poses. The Old Dominion Steam coal
The slack coal is machin finder water level.

nade in to coke been for the Poses. The Old Dominion The satisfaction. The shack coal wer continuous for foundries with great. The madip finds market to the great success coke into has been to the total point. The made of the market success to he into has been to the made of satisfaction. The slack coal is for foundries with great success coke into chas been pronounced by the satisfaction.

The slack coal is the interval of the slack coal is the standard pronounced by the satisfaction.

The slack coal is the interval of the slack coal is the same of the same of the satisfaction.

The slack coal is the same of the slack coal is the same of the sam he is now erecting ovens. To made the condition of foundries with event successive color in to the best connelless, oke in to chase been school of Mr.

School of Mr.

Language to the made the color of the manufactor of the manuf At Hawk's Nest, 325 miles wille

auley-Kanawha Co, an English trom

concern. Their coal w Gauley-Kanawha Co, an En West from Ringlish the em. Gauley-Kanawna Co, an English School of Mines, in London, Susan Concentration of State of Sta School of Mines, in Loudou, With the nitrogen, 5.54; oxygen and nitrogen, At Cannelton, 344 miles

its. At this point there so well known ond the cannel

are the follown in the castern and At Cannelton, 344 miles

kets. At this point there so west from Richmond, the Cannel of Coal:

the following seams of coal: working the kets. At this point there so well known in the easten as the "Smithers Creek," are the following the easten a in thickness (two kets. At this point there as the "Smithers Creek," are the following separated by four inches of feet 9 following see ame of slate.) inches in thickness of coal:

Next above is the gas c inches, made by four inches & feet 9
this is the sam of three of slate.) Inches in the seams of coal:

32 feet of canel, and seam in thick the tabove heas (two

of coal seams of coal:

of coal seams of coal:

of coal seams of coal:

of coal seams of coal: this is a seam of three cases. Next above is the "Stockton," feet of camel, and seam in thickness, of sea first class call in ches in thickes in thickes. this is a seam of coal is the "Stockton", 5 feet of cannel, and seam in thicknee coal is a first class of seam inches of splint coal. Seam inches in thickness of splint coal. Next this is the "Stockton", of "Splint" cannel, and seam of "Splint" coal, 8 feet of the in thickness of splint coal. Nert of which is a solice State of cannel, and 1 for splint; coal, 8 feet of coal, 8 feet in thickness, 6 feet of which is a solid we give an analysis of splint. of "Splint"

excellent coal, 8 feet

made by the Manhattan g purposes, 6 feet

an illumination, 23.5; Gas Light Co., of Which is a solid

ash, 18.5. O., of New analysis

At standard (10,000 c.)

At standard (10,000 c.) made by the Manhattan & Purposes.

San illuminating posses.

Weight of 32 busher of ash Light Co., of New York:

Of Coke, 1320 pounds.

Of Country of 12,025 cubic feet A substitution of the standard Weight of 32 bushels of 64.54

The vicinity of Co cole of 64.54

The strend operation of the colling of colling colling colling which is highly wast

The strend operation of the colling colling which is highly appreciate the colling operation of the colling colling colling colling which is highly appreciate the colling colli In the vicinity of Coalloure masters appearation of Coalloure and also for excellent works (Brownstown).

In the vicinity of Coalloure masters are several operations and also for excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters are excellent works (Brownstown).

In the vicinity of Coalloure masters (Brownstown).


In the vicin are several operations.

and also for steam that the several end of the bit don't find the star operations at the mines of the Peytona

the mines of the Peytona

and also for steam operations at the several end of the seve At Peytona, in Be matterns
Great Manawh Coal month of the property of the great plane of the great Ported by slackwarer, 380

nection is made with navi miles west from number of the Coart of the great Danter, who is brooked to the proof of the pro Tate of the Areas Digitized by Google



the mines has been forwarded westward by the Kanawha and Ohio rivers to Cincinnati, and other important places bordering the rivers. The coal is also sold in the Eastern markets, where it is esteemed both for gas purposes and fuel. We give place to an analysis of this coal made by the Manhattan Company. Volatile matter, 46.0; fixed carbon, 44.0; ash, 13.0. At 10,000 feet per ton, standard yield, the illuminating power is 43.12 candles, or 13,200 cubic feet of 32.66 candles. Weight of coke, 32 bushels=1380 pounds.

In regard to an outlet from this region, we have the Chesapeake and Ohio Railway eastward, the building of which has done so much to open up this district. Their charges for carrying coal are extremely liberal, when we consider that it is comparatively a new road, and has many obstacles to surmount from errors in the original location of the line; a more decided move seems to have been inaugurated this year, looking to the development of the coal trade, and in time it is destined to carry considerable quantities of coal.

The Government improvements of the navigation of the Kanawha river, by dams and locks, will tend to develop the resources of this most wonder ful region, and, in a few years, it will not be surprising to find this the iron making district of America.

The total coal product of West Virginia may safely be estimated at 600,000 tons per annum.

MISSOURI.

[From the report of G. C. Brodhead, State Geologist for 1874.]

The coal measures of Missouri comprise an area of about 22,995 square miles, including 160 square miles in St. Louis county, 80 in St. Charles, and a few outliers in Lincoln and Warren; the remainder in northwest and western Missouri. This includes 8,406 square miles of upper or barren measures, about 2,000 square miles of exposed middle, and 12,420 of lower measures.

The boundary between the middle and lower coal is not well defined, but is limited by a thick bedded, coarse, micaceous sandstone, sometimes of no great extent, at other times of great thickness. We suppose it to enter the State in the west part of Bates county, and to pass thence via Butler to Chilhomee in Johnson county; thence northwardly four miles west of Warrensburgh to four miles east of (?) Aullville, Lafayette county; thence, irregularly meandering through Lafayette county, crossing the Missouri river, passing to ten miles east of Carrollton, Carroll county; thence to the southeast corner of Livingston county, from which point it bears northeast to the center of Linn county, and thence, northward. The southern

and eastern boundary of the lower coal measures is as follows: Barton, Bates, Vernon and St. Clair, the boundary has not yet been well defined;) entering the State in Barton, it passes northeast through the eastern part of Vernon; it enters St. Clair about one half way up, on its western line, thence, meanders eastward to a point a few miles north of Osceola; thence, northward to within eight miles of Clinton, Henry county, thence northeast to the east line of Henry county; thence northwardly, with occasional variations of sandstones as much as eight miles east to Brownsville, Saline county; thence north-eastward to Marshall and thence to Miami. On the north side of the river it passes eastward, from a point opposite Arrow Rock, to the east line of Howard county; and thence, in a meandering course via Columbia, Boone county, New Bloomfield and Fulton, Callaway county, to the northeast corner of Callaway; thence, northeastwardly to a point three miles west of the northeast corner of Montgomery county; thence northwest to near the mouth of Lick creek, Ralls county: thence, southwest to Mexico, Audrain county; from thence, to the northwest corner of Monroe county, thence, irregularly trending northward to the northwest corner of Knox county; thence, to a point on the north line of Lewis county, about 12 miles west of the Mississippi river; thence northwardly to the Des Moines river, on the north line of the State of Missouri. East of this, are small outliers in Montgomery, Warren, Lincoln and St. Louis counties, and perhaps others in southwest Missouri.

The aggregate thickness of the upper coal measures is 1,317 feet, including only about 4 feet of coal, of which there are two seams of one foot in thickness; the others are very thin seams or mere streaks. coal measures include a total thickness of about 324 feet, in which are embraced about 7 feet of coal, including two workable seams of 21 and 24 inches; one other of one foot, that is worked under favorable circum. stances, and six seams too thin to work. The lower measures include from 250 to 300 feet, embracing about five workable seams of coal, varying in thickness from 11 to 41 feet, and thin seams varying from 6 to 11 inches, and several minor seams and streaks; in all 13 feet 6 inches of coal. therefore have in Missouri nearly 1,900 feet of coal measures with a total aggregate of 24 feet 6 inches of coal. The thinner seams of coal are not often mined, except in localities remote from railroad transportation. coal from thicker seams (those from 11 to 2 and 4 feet) is generally sold at 10 cents per bushel at the mines. The thin seam, 10 to 14 inches on Nodaway river, is sold at over 20 cents per bushel at the mines. The reason of this is the difficulty of mining (there being so much superfluous material to be removed) and the remoteness of other coals. Miners seem to prefer to work a bed of 2 to $2\frac{1}{2}$ feet in thickness. We would consider all beds over

18 inches thick as workable coals. The estimated area, where such may be reached within 200 feet from the surface, is about 7,000 square miles. The coal is bituminous, and the product may be safely estimated at 800,000 tons.

The following is a condensed vertical section of the coal measures:

No.	Locality.
1—339 feet, including 230 feet above the connected section	
2-12 inches coal	
	also White Cloud, Kansas.
3—392 feet	•
4-12 inches coal	
5—207 feet	
6—10 inches coal	Platte county.
7-879 feet to base of upper coal measures	•
8-8 inches coal at top of middle coal measures	Pleasant Hill, Missouri City and Princeton Mercer County.
9—164 feet	
10—1 foot coal	Cass, Johnson, Lafayette and Livingston, also Grundy.
11—70 feet	•
12—22 feet (Lexington coal)	.Lafayette, Johnson and Ray.
18—86 feet	
14-7 inches coal	.Lafayette and Ray.
15—14 feet	
16—21 inches coal	
175) to 90 feet	
19-1% feet (Warrensburgh coal)	
19—52 feet	
20—7 inches coal	
21—18 feet	
92—1 foot 8 inches coal	
28—18 feet	
24—8 inches coal	
25—4 feet	
26—2 feet coal	
27—48 feet	
23—2% feet to 4 feet 5 fliches coal	Vernon, Bates, Adair, Sullivan, Putnam, Audrain and Macon.
99—11 feet	Macon.
80—11 inches coal	.Macon, Henry and Johnson.
31—About 18 feet	•
32-2 feet coal; 10 inches of clay near base	Ralls, Audrain, St. Louis, St. Charles and Mont- gomery, Henry and Johnson.

OHIO.

The coal measures within this State occupy a space of about 180 miles in length by 80 in breadth at the widest part, with an area of about 10,000 square miles, extending along the Ohio river from Trumbull county, on the north, to near the mouth of the Scioto, on the south. The counties wholly underlain with coal are Mahoning, Columbiana, Stark, Holmes, Tuscarawas, Carroll, Jefferson, Harrison, Belmont, Guernsey, Coshocton, Muskingum,

Perry, Noble, Morgan, Monroe, Washington, Athens, Miegs, Galla, Lawrence, and nearly all of Jackson. The counties of which the eastern or southeastern parts only are underlain with coal are Trumbull, Summit, Medina, Wayne, Licking, Fairfield, Hocking, Vinton, and Scioto. There are small detached basins in Wayne, Ashland, Richland. and Knox counties. The boundary on the east is the State line, the same field extending eastward over all western Pennsylvania.

Prof. J. S. Newberry, divides the coals of Ohio into three classes—first, the dry, open-burning or furnace coals; second, cementing or coking coals; third, cannel coals, the first, which is popularly known as block coal, includes those that do not coke and adhere in the furnace, and are such as may be used in the raw state for the manufacture of iron. The second, embracing by far the greater portion, are of the ordinary coking, bituminous kinds, which to a greater or less degree melt and agglutinate by heat. The third variety consists of the cannel coals, whice resemble a dark shale, highly impregnated with bitumen, and burns with a bright flame, but does not agglutinate.

The chief mining regions of Ohio are the Mahoning Valley, the Tuscarawas Valley, the Hocking Valley, including the Straitsville and Shawnee mines, the Salineville region, the Pomeroy region, the Bellaire region, the Steubenville region, the Jackson region, the Cambridge region, the Coshocton region, the Leetonia region, and the Ironton region.

The mines of Mahoning Valley, the Tuscarawas Valley, and the Jackson region are all opened on the lower coal of the measures, called Briar Hill coal, Block coal, furnace coal, etc. It is usually about four feet thick. The mines of Hocking region, Steubenville, part of Salineville, Cambridge, are opened on No. 6, which ranges from 4 to 13 feet of thickness and is open burning in quality also. The others are worked in each of the different beds, of which there are ten altogether of minable thickness.

The chemical analysis of the Ohio coals shows that the relative amount of moisture varies from 1.10 per cent. to something over 9.10 per cent. The amount of volatile matter varies from 28 per cent to something over 40 per cent. Fixed carbon varied from 34.10 (in the upper coal from Holmes county) to 65.90 (in the coal from Steubenville shaft.) The ash found in eleven Ohio cannel coals was 12.827 per cent. The average proportion of sulphur was 1.551 per cent, that from the lower half of the State being 1.229 per cent. and that of the coal from the upper half 1.836 per cent.

Coal was discovered in Tallmadge, a mile west of the Centre, as early as 1810. It was visible in a small ravine, where for many years blacksmiths from the adjacent country came and dug it from an open pit. At that time no other coal was known in Northern Ohio. As early as 1755, mineral coal

had been discovered near Bolivar, in Tuscarawas county, by its being seen on fire, but it was not dug or mined for use as fuel, in this part of the State, prior to 1810. The seam was 4 feet thick, and was regularly mined in 1820

The Perry county coal field is new, dating back only to 1870; yet the seven mines at Straitsville take out as much coal daily, as the whole of Hickory township combined. This coal is of about the same character as the block coal of Mercer, Trumbull, Mahoning and other adjoining counties, is 11 feet thick, although there are two other veins, one under and one above the "great vein," aggregating another 11 feet, making in all 22 feet of coal in three veins, in the same hill, all above the water level.

Cleveland and Erie have hitherto had a monopoly of the trade by lake, but it will soon embrace several other lake towns. Toledo, Sandusky, Black River, Fairport, and Ashtabula have roads leading to the mines, the principal object of which is to bring out coal.

An analysis of the block coals of the Mahoning Valley gave the following results:

	I.	11.	III.
Specific Gravity	1.281	1.260	1.323
Water	3.60	2.47	8.90
Volatile Matter	82.58	31.83	29.70
Fixed Carbon	62,66	64.25	60.40
Ash	1.16	1.45	6.60
P	100	100	100

No. 1-Sample of Briar Hill, from Chestnut Ridge.

Mr. Andrew Roy, State Inspector of Mines, gives the production of coal in this State as below:

1872	5,815,294 tons.	1874	3,267,585 tons.
1873	5.450.023 tons.	1875	4.868 259 tons.

The number of persons employed in coal mining in this State in 1875 was 12,096 underground, and 1,373 on the surface. The business of that year was furnished by the various counties to the following extent:

-			
County.	Production.	County.	Production.
Athens		Muskingum	109,480 tons.
Belmont	213,505 tons.	Mahoning	271.689 tons.
Carroll	60,000 tons.	Meigs	345,500 tons.
Columbia	332,446 tons.	Noble	4,000 tons.
Coshocton	90,669 ton3.	Perry	508,169 tons.
Guernsey		Stark	
Gallia	5,420 tons.	Tuscarawas	107,000 tons.
Hocking		Summit	274,876 tons.
Holmes	14,000 tons.	Trumbull	
Harrison	5,300 tons.	Vinton	56,856 tons.
Jefferson	193,265 tons.	Wayne	80,291 tons.
Lawrence	122,481 tons.	Washington	12,425 tons.
Medina	80,000 tons.	Small mines	80,000 tons.

No. 2-From Vratch's mine, Youngstown.

No. 3-From Walworth's mine, Mahoning County.

ARKANSAS.

The coal field of Arkansas has an area of 12,000 square miles, in twelve counties. The coal found is semi-bituminous or semi-anthracite. A bed of semi-bituminous coal nine feet thick is reported in Sebastian County. Spadra semi-anthracite is the only coal that is known in market to any extent, and an account of its location, etc., will prove interesting. name is given to a deposit of semi-anthracite coal, three feet thick, found at Spadra, in Johnson County, 105 miles from Little Rock, now being worked by the Spadra Coal and Iron Company. It lies almost horizontal, with a slight dip to the north. It crops out on the river bank, and is traceable along the river front. On digging anywhere, the same vein, from 31 to 4 feet thick, is invariably struck within 55 feet of the level of the river front. The product is about 5,000 tons. The existence of a second vein, which is, as near as can be ascertained, about 30 feet below the one working now, isa matter of development. The coal can be placed at Little Rock at \$3.25 at ton; at the mouth of the Arkansas River, \$3.75 a ton; at New Orleans for \$5 a ton; at St. Louis, \$6.75 per ton."

The only coal to compete with on the lower Mississippi, from the mouth of the Arkansas to New Orleans, 600 miles—which section of country consumes about one million of tons per annum—is the Bituminous coal, principally furnished by Pittsburgh.

Professor Owen gives an analysis of the coal in the First Geological Report on Arkansas, page 130. It was also analysed by Mr. I. A. Liebig, and by L. C. Bierwirth, with the following results:

Moisture Volatile and combustible gases Fixed carbon Ashes	7.9 85.6	LIEBIG. 1.524 7.527 85.081 5.468	0.680 10.521 83.719 5,080
Total		100. 1.3408	100. 1.8112

In addition there is the Ouita Coal Co., producing an excellent variety of semi-anthracite, to the extent of seven thousand tons a year; the mines are seventy-two miles from Little Rock; the vein is 32 inches thick. Analysis gave 80.46 fixed carbon; 12.66 volatile matter; ash, 5.11; water, 1.77; color of ash, light brown. One or two other small mines producing less than one thousand tods annually.

ILLINOIS.

The valuable features of the coal found in this State are, that there is plenty of it, that it is very widely distributed over the State, and readily accessible. Although it is generally necessary to mine it by means of shafts, the coal is reached at so reasonable a depth from the surface that its mining is done without unusual expense; the number of railroads travers-

ing all parts of this State, with good level grades and without curves, furnish an abundance of cheap transportation, and there is a large market for the coal that is produced.

The valuable iron-smelting Big Muddy coal, found in the southern part of the State, and extensively used at St. Louis, as well as some of a fair quality in other localities, would lead us to the hope of yet finding coal of a better quality than much of that which is now mined.

The United States census of 1870 reports the production of coal in Illinois at 2,629,563 tons. To those accustomed to the large production of Eastern mines near our seaboard these figures may appear small, but it should be considered that the coal business in the West is yet in its infancy. In La Sal'e County there are three seams of coal, the upper four and a half to five feet thick, the middle usually six feet, and the lower four feet. most popular in the market is the middle, as it makes a dense fire, and is largely used for steam and domestic uses. In 1870 the product was 173,864 tons, according to the census reports, and this has probably been doubled What is known as Wilmington coal is found in Will and Livingston Counties, the seam averaging three feet in thickness. The amount in 1875 was 512,800 tons. It makes a good steam coal, and is much liked for locomative use. This district furnishes the principal supply of soft coal used in Chicago The mining is carried on principally by three companies. The Wilmington and Vermilion Co. has a daily capacity of 1800 The Star Company has a capacity of 1000 tons a day; produced 117.680 tons in 1875. The Wilmington Coal and Manufacturing Company has a producing capacity of over 500 tons daily. The Eureka Coal Co., mined 131,615 tons in 1875; the C. W. & W. Coal Co., 225,879 tons. opening of the Chicago and Illinois River Railroad, which pierces the heart of this coal district thus furnishes Chicago with a supply of cheap and valuable fuel.

St. Louis, Missouri, obtains a large supply of Bituminous coal from the Belleville district, in St. Clair County, Illinois. This county contains 450 square miles of coal, and the last census returns show a production in this county of 793,810 tons. The principal seam worked is from five to seven feet in thickness, and is economically mined. Analysis of this coal shows: Water, 6; volatile matter, 33.8; fixed carbon, 55.2; ash, 5.

In Vermilion County the seam is six feet thick, furnishing a good fat, soft caking coal. The vein is from seventy to one hundred feet below the surface, and is very thick and of excellent quality. Mining was begun in 1867. The annual product is 250,000 tons.

The production of coal in the entire State in 1875 is estimated at 3,750,000 tons.

INTERESTING FACTS AND FIGURES.

WEIGHT OR MEASURE.

The Constitution of the United States provides for a "standard of weights and measures," but at present there is not a national observance of this enactment. We have bushels, boxes, hogsheads, tons 2,000 hs., and 2,240 hs., oftentimes two or more systems in one State, and occasionally in the same region. We propose that all coal be mined, carried and sold at 3,000 hs. to the ton, wholesale and retail. It will then be possible to calculate production, compare prices and in fact, set the whole trade on a substantial foundation, which is impossible under the present disorganized and sectional system of measurement. Reader, will you please give this matter your earnest attention?

LARGE MINE VENTILATOR.

The largest mine ventilator in the world is a Guibal fan, 45 feet in diameter, and 19 feet face, at the Usworth colliery, near Newcastle-on-Tyne, England. This fan runs about forty-five revolutions per minute, and is said to circulate 200,000 to 250,000 cubic feet of air per minute. It is griven by two first motion engines, 36 inch diameter cylinders, 3 feet stroke. The upcast shaft is 10 feet diameter, and 600 feet deep. The workings in three seams are ventilated through it. The output of the Usworth Colliery is about 1,500 tons per day. The mines are very extensive. All the underground haulage is performed by machinery; two of the three seams are worked on the bord and prilar system; the other is worked on the longwall plan.

COAL TRADE ON LAKE ERIE.

The first time that Bituminous coal appears as an article of commerce on the Lake was in the year 1829, when the northern division of the Ohio canal was opened from Akron, Ohio, on the edge of the Ohio coal field. Up to 1854 it was brought by this means to Cleveland, In that year the Cleveland and Pittsburgh and the Cleveland and Mahoning roads penetrated the coal fields, and gave another outlet. The Bituminous coal from Mercer County, Pennsylvania, is received and shipped at Erie, Pennsylvania. These two ports transact about all the Bituminous coal business of Pennsylvania and Ohio on the lakes.

ASPHALTUM DEPOSITS.

Asphalt is a natural mineral bitumen, and is composed of asphaltene and petrolene. In nature it is found combined with carbonate of lime and other mineral substances. It fuses only at about 400 degrees Farenheit, and maintains its hardness under a constant heat of 150 degrees Farenheit. This substance was formerly obtained almost solely from the neighborhood of the Dead Sea, but within five years, the great lake of asphalt in the Island of Trinidad has been used as a source of supply both for the United States and Europe. This lake is one of the most remarkable natural curiosities in the world, and its existence has never been satisfactorily explained. It is circular in shape, and covers about 114 acres. Its depth is unknown, although it is estimated to be 830 feet.

The asphaltum constantly bubbles up in the centre, and flows outward. On the outer edges it hardens, and will sustain carts and teams 200 or 300 feet from the shore. It is cut out in blocks, refined by heat, and finds its way to market molded into barrels For paving city streets, asphalt is fast coming into general use in Europe. In Paris, all the boulevards and other principal streets are paved with it, and in London no other material is now allowed to be used for laying pavements.

COAL IN RHODE ISLAND.

The Mount Hope coal mine, in Portsmouth, Rhode Island, contains the hardest Anthracite in this country, if not in the world. It is much lighter colored than the ordinary Anthracite, and in many places it strongly resembles plumbago. The mine yields about 15,000 tons a year, and it is pretty good fuel, though when the beds were opened, many years ago, it was thought to be next to worthless. It sells for from \$250 to \$450 a ton at the mine. Large quantities of this coal are consumed at the mine, in smelting copper from Chili.

COAL IN TEXAS.

The coal bearing rocks of Texas occupy an area of not less than six thousand miles, embracing the counties of Jack, Young, Palo, Pinto, Eastland, Brown, Comanche, Callahan, Coleman, and extending to the territory of Bexar. The rocks contain the characteristics belonging to the coal

measures of Missouri and other Western States. In general appearance this coal resembles that of Belleville, Illirois. The analysis gives:—Fixed Carbon, 53 per cent.; Volatile Matter, 36 per cent.; Ashes, 8 per cent. It cokes with a great flame, without changing its form. Anthracites, lighter and more brittle than those of Pennsylvania, have been found in various parts of the State. Lignites, and other coals of more recent origin, occupy an area of ten thousand square miles.

UNDERGROUND TEMPERATURE.

Regarding underground temperatures, a very valuable set of observations has been received from a mine, 1,900 feet deep, in Prague, Bohemia. The depths, and corresponding temperatures are as follows:

Depth in feet.	Degrees Fahrenheit,	Depth in feet.	Degrees Fahrenheit.
68	47.9	1990	58.3
239	48.8	1414	59.4
621	50.7	1659	61.4
989	57. 8	1900	64.1

DEEPEST COAL PIT.

The deepest pit in the world is said to be at Chatelineau, three miles from Charlerol, Belgium. It is 2829 feet deep from the surface, and it was intended to sink another shaft in a tunnel from the bottom of the first shaft, a further depth of 492 feet, making a total depth of 3814 feet. The deepest coal shaft in England is the Dunkenfield, 2,060 feet, took ten years time to sink, cost \$500,000, and this to reach a bed of coal only 4 ft. 3% inches thick.

DISTANCES TO MARKET.

The following are the distances from a portion of the American coal fields, to the different tidewater markets:

FROM	BY	MILES.
Pottsville to New York	Canal	996
Pottsville to New York	Rail and Water	196
Pottsville to Philadelphia	Canal	106
Pottsville to Philadelphia	Rail	98
Mauch Chunk to New York	Lehigh Canal	172
Mauch Chunk to New York	Morris Canal	147
Mauch Chunk to New York	Rail	196
Mauch Chunk to Philadelphia	Canal	124
Mauch Chunk to Philadelphia	Rail	. 89
Carbondale to New York	Rail and Canal	208
Scranton to New York	Rail	143
Wilkesbarre to New York	Rail	192
Wilkesbarre to Philadelphia	Rail and Canal	168
Wilkesbarre to Mauch Chunk	Rail	55-
Wilkesbarre to Baltimore	Rail and Canal	260
Wilkesbarre to Baltimore	Canal	246
Shamokin to Baltimore	Rail and Canal	200
Shamokin to Baltimore	N. Cent. R. R.	158
Cumberland to Baltimore	Rail	178
Cumberland to Georgetown	Canal	184
Cumberland to Alexandria	Canal	191
Broad Top to Philadelphia	Rail	242
Clearfield to Philadelphia	Rail	240
Westmoreland to Philadelphia	Rail	832
Blossburg to New York		800
Kanawha to Richmond	Rail	825

COAL IN MICHIGAN.

The only coal that has been used at all successfully, that is mined in this State, is found in Jackson County. The business is very small, amounting to not over 80,000 tons annually. An analysis gives it:—Carbon, 45; Volatile Matter, 39; Ash, 2; Sulphur, 2; Water, 2. This great State is therefore supplied with fuel by our Pennsylvania and Ohio coal mines.

-FROM

VOLUME OF GAS OBTAINED FROM A TON OF COAL.

•	CUBIC FEET.	SPECIFIC GRAVITY.
Boghead Cannel	13,834	.49
Wigan Cannel	15,426	.73
Cannel	15,000	.58
Cape Breton	9,500	
Cumberland	10,000	
English, mean	11,000	94
Newcastle	10,000	.05
Kilkenny	12,500	.04
Oil and Grease	23,000	.67
Pictou and Sydney	8,000	
Pine Wood	11,000	√∴366
Pittsburgh Coal	9,520	
Resin	15,600	.66
Scotch Coal	15,000	.56
Virginia Coal	8,963	
Wallsend	12,000	.42

CUBIC CONTENTS OF A TON.

Few persons have any idea as to the amount of coal that can be stowed in a given space; we therefore give an example of the manner in which it may be figured up. A shed or room, 15 feet high, 18 feet wide, and 30 feet long, will hold 300 tons of Anthracite coal, and perhaps ten tons less of Cumberland. Thus $15 \times 18 \times 30 - 3100$, divided by 4), average cubic contents of a ton of Anthracite -203%.

The average number of cubic feet required to stow a ton of coal is as follows:

BITUMINOUS.

Cumberland, maximum	42,3
do. minimum	41.9
Duffryn, (Welsh)	42,99
Cannel, (Lancashire)	46,37
Blossburg, Pa	42.2
Hartley, Newcastle	44,
Pictou, Nova Scotia	45.
Pittsburgh, Pa	47.08
Sydney, Cape Breton	47.03
Clover Hill, Va	
Cannelton, Indiana	47.
Scotch	43.08
Richmond, Va., (Midlothian)	41.04
ANTHRACITE.	
Peach Mountain	41.06
Forest Improvement	41,07
Beaver Meadow, No. 5	39.08
Lackawanna	45.08
Lehigh Co's	40.05
Beaver Meadow, No. 3	40.07
CÒKE.	
Natural of Virginia	48.03
Pittsburgh	70,09
Charcoal	
M JOHNSON'S REPORT TO THE NAVY DEPARTMENT.	
the contract of the contract o	

THE MECHANICAL EQUINALENT OF HEAT.

In an elaborate paper by Professor Joule, we have results thus stated:—i. The quantity of heat produced by the triction of bodies, whether solid or liquid, is always proportional to the quantity of force expended. 2. The quantity of heat capable of increasing the temperature of a pound of water

by 1° Fahrenheit, requires for its evolution the expenditure of a mechanical force required by the fall of 772 pounds through the space of one foot.

Dr. Tyndall gives the following explanation of the term "foot-pounds," used as a measure by Joule:—The quantity of heat which would raise one pound of water one degree in temperature is exactly equal to what would be generated if a pound-weight after having fallen 772 feet, had its moving force destroyed by collision with the earth. Conversely, the amount of heat necessary to raise a pound of water one degree would, if applied mechanically, be competent to raise a pound-weight 773 feet high, or it would raise 773 pounds one foot high. The term "foot-pound" expresses the lifting of one pound to the height of a foot. Thus the heat required to raise the temperature of one pound of water one degree being taken as the standard, 772 foot-pounds constitute what is called the mechanical equivalent of heat.

ALBERT COAL—"ALBERTITE."

Prof. Henry Wurtz, wri es:—"This very remarkable material from New Brunswick is too well known to all gas engineers in the Eastern United States to require any description here. Its almost complete freedom from sulphur and from ash, and its very large yield of rich gas, makes it the most highly esteemed of all the enriching materials at present available for gas-making in the eastern portion of the United States. Unlike most cannels, its use does not sensibly impair the value of the coke produced; while it imparts, even in quantities as small as five per cent., a very satisfactory quality to the gas from common caking coals. It is not well suited to carbonization alone, owing to its highly inflammable nature, in which it resembles asphaltum. But we have obtained some results with it by the hydrocarbon process which are hereafter given."

The following results on its gas-producing powers by the common process were obtained at their experimental works by the Manhattan Gas Light Co., in New York:

Weight of charge per retort, 294hs. Time of carbonizing, three hours and ten minutes.

Yield of gas per ton of 2,240 hs., 14,794 feet, (equal to 6.6 feet per h.) Illuminating power of three cubic feet burnt in a Scotch tip fish tail, 29.74 candles, equal per five cubic feet, to 49.55 candles

Yield of coke, per ton, 16.8 bushels. Weight of coke, per ton, 806 pounds. Gas perfectly purified by lime. The coke burns well and rapidly, without clinker.

PRICES OF SCHUYLKILL COAL.

We give below the average prices for Schuylkill White Ash Coal, on board vessels at Philadelphia,

Years.	Prices.	Years.	Prices.
1834	\$4 50	1854	\$5 19
1835	4 84	1855	4 49
1836	6 64	1856	4 11
1837	6 72	1857	8 87
1838	5 27	1858	3 48
1839	5 00	1859	
1840	4 91	1860	8 40
1841		1861	8 89
1842	4 18	1862	4 14
1843	8 27	1863	6 06
1844		1864	ts 39
1845	8 46	1865	786
1846	8 90	1866	5 80
	8 80	1867	
1848	8 50	1868	8 86
1849	8 62	1869	5 81
1850	8 64	1870	
	B 84	1871	
••••	3 46		8 74
	3 70		4 19
	†Highest point.		

COMPARATIVE YIELD OF COAL BEDS.

Comparison of yield of north and south dipping coal beds, in 1866, in Schu	rikill County, Pa.
North Dip, 10 collieries, Red Ash	84,785 toms.
North Dip, 5 collieries, White Ash	91,222 tons.
South Dip, 48 collieries, Red Ash	570,561 tons.
South Dip, 26 cellieries, White Ash	745,281 tons.
North and South Dip, 11 collieries, Red Ash	
North and South Dip, 5 collieries, White Ash	120,101 tons.

The north-dips are steeper in the Schuyikill basin than the south, and therefore more slipped and crushed, thinner and more broken. This is one of the principal 'arguments for the "Wave Theory of Rogers."

RREAKING STRAIN OF WIRE ROPE.

ROPES OF 188 WIRES.

	Circumference.	Diameter.	Strength.	
•	Inches.	Inches.	Tons.	
, No. 1	634	.234	74.00	
NO. 2		· 😤	65.00	
. INO. 8	5¥	1%	`#L.00	
No. 4		1%	48.60	
No. 5	436	114	85.00	
No. 6		157	31.90	
3 70. 7		12	90.90	
No. 8			14.00	
No. 9		3 2	F1.40	
No. 10		· · · · · · · · · · · · · · · · · · ·	8.64	
No. 103/		.29	£ 12	
No. 103		-0116	JA 97	
No. 10%		1/	, , , , ,	
TOWN A. ROBBLING'S SONS.	-/4	78	(Annual	

WEIGHT OF T RAIL.

Weight of T rails in pounds per yard, and in tons of 2,240 pounds per mile.

At 16 pounds per yard it requires 25 tons and 640 pounds per mile. At 18 pounds per yard it requires 25 tons and 640 pounds per mile. At 20 pounds per yard it requires 31 tons and 640 pounds per mile. At 25 pounds per yard it requires 24 tons and 640 pounds per mile. At 26 pounds per yard it requires 31 tons and 640 pounds per mile. At 30 pounds per yard it requires 44 tons and 820 pounds per mile. At 30 pounds per yard it requires 51 tons and 1920 pounds per mile. At 45 pounds per yard it requires 65 tons and 960 pounds per mile. At 68 pounds per yard it requires 75 tons and 960 pounds per mile. At 68 pounds per yard it requires 106 tons and 1920 pounds per mile.

THE DUTY ON COAL.

There is no Anthracite imported. On Bituminous coal the duty is 75 cents per ton, gold, on the coarse coal; and on the culm of coal 40 cents per ton gold, since August 1st, 1872. Previous to that date it was \$1.25 per ton, and 25 per cent. ad valorem, respectively.

MODES OF WORKING ADOPTED IN THE COAL MINES OF GREAT BRITAIN.

BANKS AND STRAIT WORK, BORD AND, LONGWALL.-Yorkshire.

BORD AND PILLAR.—Northumberland, North Durham, Cumberland, South Durham, North Staffordshire. Cheshire and Shropshire.

BORD AND PILLAR AND LONGWALL.-East and West Scotland.

Longwall.—Derbyshire, Nottinghamshire, Leicestershire, Warwickshire, South Staffordshire, 'Worcestershire.

SPECIES OF BORD AND PILLAR.—North, East and West Lancashire, South Wales.

STRAIT AND STALLS.—Monmouthshire, Gloucestershire, Somersetshire, Devonshire, South Wales*Special method of working ten yard seam.

COAL PRODUCTION OF THE GLOBE.

COMPILED BY JAMES MACFARLANE.

The following will show the coal area of the principal coal producing countries, together with the production for the years 1870, 1811, 1872 and 1873.

Square mile	8			
of goal.	1870.	187 1.	1872.	1878.
Great Britain	110,431,182	117,852,028	123,497,316	127,016,747
United States	\$2,863,690	41,000,000	45,000,000	50,512,900
Germany	23,316,236	37,852,463	42,324,466	45,835,741
France	6,550,040	13,400,000	15,809,005	17,50 ,000
Belgium	18,697,118	18,738,176	15,658,948	17,000,000
Austria 1,600	6,443,575	, 9, 891, 350	10,389,952	11,000,000
Russia \$0,000	696,209	829,722	1,097,832	1,200,000
Spain,8,501	414,482	590,000	570,000	570,000
Portugal		•••••	18,000	38,000
Nova Scotia	625,769	673,242	880,950	1,051,567
Australia	800,000	790,148	942,510	1,000,000
India	500,000	500,000	500,000	000,000
*Other countries	1,000,000	1,000,000	1,000,000	1,000,090
	197,888,278	\$36,5¥2,194	257.778.979	278.70¢.055

AVERAGE CONTENTS OF COAL CARS.

The Central Railroad (of N. J.) scales at Penobscot, Luzerne Co., Pa., give the average weight of coal of each kind, and measurement of contents, as below:

Lump	
Broken	
Egg	34.5 cubic feet per ton of 2240 pounds.
Stove	
Pea	

FIRST USE OF COAL AS FUEL.

The Chinese, forerunners in most discoveries, knew its value centuries ago; in their own country the Romans are known to have used it, and from the twelfth century to the present day there has been an ever increasing trade in that most important of minerals. As long ago as in Edward the Sixth's reign (1552), coal was sent to France.

COAL IN SPAIN.

The area of the coal fields in Spain is set down at 2,24),595 acres; the product is about 525,000 tons of coal, and 45,000 tons lignite or brown coal, annually. The figures for 1373 being 589,707 tons of 220) lbs.—ten metric quintals. The Spanish coal fields are in the provinces of Castile, Leon and the Asturias. The process of extraction is described as being quite rude and imperfect.

VARIETIES OF COAL.

Anthracite contains eighty-five to ninety-three per cent of carbon, rarely more than seven and a half per cent of volatile matter; in extreme western portion of the basin in Pennsylvania a Semi-Anthracite, containing as much as ten or fifteen per cent of volatile matter, has been found.

Bituminous —This is somewhat a deceptive term; it does not mean that any bitumen or mineral pitch, soluble in ether, is contained in it, but that the gases (overea, hydrogen and nitrogen) enter more largely into its composition than in Anthracite, and give it a more flaming character in burning.

SEMI-BITUMINOUS is that particular kind which, while it yields coke and combustible gases, usually contains eleven or twelve and never more than eighteen per cent of volatile combustible matter, and not less than seventy and never more than eighty-four per cent of carbon.

^{*} Italy, New Zealand, Chili. China, Japan, South America and all other countries producing lignite.

UNDERGROUND HAULAGE OF COAL.

At the Hazard Collieries, near Liege, Belgium, the workings of the collieries are situated at a depth of 890 feet, and the chief bulk of the coal is drawn through an adit 8500 yards in length, the shaft being only used for men and materials and a small portion of the coal. In the adit mentioned the arrangements above named are fixed, the haulage being effected by an endless chain driven by an engine characterized by several special features.

The adit or tunnel is laid with two lines of rails, one for the out going full wagons, and another for the in going empties; these lines being \$1½ in. gauge. At the outer end of the tunnel is fixed a strong girder spanning the tunnel and carrying six pulleys; the chain, as we have said, is endless, and the outgoing portion drawing the full wagons, passes over a vertical and a horizontal pulley, then off to the hauling engine. From the engine the chain returns passing round two horizontal and two vertical pulleys, crossed, and into the tunnel. At the inner end of the tunnel the chain passes around a stretching pulley, which can be adjusted by a screw. There are three curves or rather bends in the tunnel; on approaching each curve from the near end of the tunnel, the line for the loaded wagons is gradually raised with a gradient of 15 per 1000 by placing timber under the rails until the level of the latter has been raised 7½ inches.

From this point the line is made to fall again, and at 4 ft. 11 in. from the highest place, or just at the bend of the tunnel, there is fixed a timber framing, carrying horizontal pulleys, these pulleys being so situated that the chain in passing round them is carried clear of the wagons, the latter thus pass round the bend by the action of gravity, the chain being again brought to act upon them when they arrive at the straight part of the tunnel by a depressing pulley; the chain, as will be noticed, gives motion to the wagons simply by resting on them. For the in going empties, the arrangement is exactly similar, save that the line is gradually raised as it approaches the bend from the outer end of the tunnel. The arrangement is said to have proved very efficient, and hence is well vrorthy of notice.

BLASTING MEMORANDA.

The following table gives the space occupied by any given quantity of powder in round holes of different sizes from one to six inches diameter:

	Powder con-	Powder con-	Depth of hole		
*	tained in a	tained in a	to contain 1		
Diameter of the hole.	1 in. hole.	1 ft. hole.	lb powder.		
	OZ.	lb. oz.	Inches.		
One	0.1	- 5.0	88.19		
One and one-half	0.9	1 11.8	17.63		
Two	1.7	1 4.1	9.55		
Two and one-half		1 15.4	6.11		
Three	3.8	2 13.2	4.24		
Three and one-half	5.1	8 13.6	8.12		
Four	6.7	5 0.4	2.89		
Four and one-half	8. 5	6 5.8	89		
Five	10.5	7 18.7	1.53		

The rules for calculating the amount of powder for a given weight is that "the charges are proportional to the cubes of the lines of least resistance," that is if from experiment we find that in a certain rock four ounces of powder is sufficient to blow out a hole where the depth of the line of least resistance from the bottom of the hole to the surface is two teet, then for one where this depth is eight feet the charge would bear the same proportion to four ounces as 2.3 does to 8.3, that is sixty-four times; it would consequently be sixteen pounds.

THE VENTILATING FURNACE.

Properly constructed furnaces, well maintained and spacious air-passages, carried well forward, will admit of an abundant flow of air along the galleries of a mine. The furnace should be placed at the bottom of the up-cast shaft, and never at the top, as is sometimes done, no matter how limit ed the requirements of a mine may be. Deep shaft mines never have more air than shallow ones with the same furnace power, as a deep shaft gives to a longer column of heated air. The practical power of the furnace is in proportion to the depth of the shaft, the power being as the ratio of the depth. The best place for the furnace is from 110 to 150 feet from the bottom of the up-cast shaft, as there the danger is avoided of setting the wooden structures of the shaft on fire. Many a destructive and fatal mine catastrophe has resulted from the furnace being placed in too close.

proximity to the wood work of the air shaft, of which the Avondale horror, was, perhaps, the most terribly destructive to human life. The passage from the furnace to the up-cast shaft should be made to slant upwards. The furnace should be of an area proportioned to the area and extent of the air passages of the mine. For an air course of 86 feet of area, a furnace of six feet in width, three feet of height above the fire bars, and from two to three feet of depth under the bars would be a fair proportion. A wide furnace is better than a high one, as it admits of a thin fire and thus more effectually heats the air in its passage through the furnace. The up-cast shaft should also be of a proper structure. Too small a shaft confines the air in passing upward, and too large a one does not get sufficiently heated by the hot ascending column of air. For an air course of 36 feet of sectional area, and a six foot furnace, the up-cast shaft should be about 30 feet. In former times it was the general practice to pass the whole of the return current of air through the furnace. In flery mines frequent explosions occurred from the inflammable air returning to the furnace in an undiluted state. The gas would fiame backwards in the mine, like a train of gunpowder, carrying death and destruction in its track. A torrent of water, called the water fall, had to be kept constantly on hand, to be thrown down the shaft to extinguish the fire. In the year 1807, Mr. Buddle had his mind intently occupied with this subject, and he devised a remedy in the dumb furnace. He split the air at the bottom of the down-cast shaft, feeding the furnace with pure air direct from the down-cast, and s nding the return foul current into the up-cast shaft by a dumb drift cut in the roof above the coal. The miners were at first very much opposed to this plan, believing that the current of air by being split would lose its ventilating power. Since Mr. Buddle's time an improved dumb furnace has been made by Mr. John Smith, an intelligent mining captain, of the North of England. This furnace also fed with fresh air from the down-cast shaft, has two brick arches above the fire, for the passage of the foul return current of air into the up-cast shaft, and two air gates, one on each side of the fire to cool down the temperature between the brick work and the coal. It is only in mines subject to discharges of inflammable gas that these precautions are necessary. Unfortunately they are not as generally adopted as that necessity would seem to warrant, The Lund Hill explosion, which occurred in England, in 1855, by which 189 miners were destroyed. was believed to have been caused by the fire-damp exploding, in passing through the furnace, and an explosion from this cause occurred in a coal mine in Ohio.

THE PROPERTIES OF COMPRESSED AIR.

When air is compressed, a more rapid motion is set up among its molecules than before existed, and this increase of motion is accompanied by the development of much heat. This increase of temperature causes the air to expand, and hence introduces a force which opposes the compressing power. Thus we are enabled to account for the fact that a certain compressing force of steam or of water does not secure corresponding power in the air which is compressed. The loss of power on this account has been much diminished by improvements in the machinery used, and it is very probable that it will be much further reduced. The poor conducting power of the air makes the removal of the heat less rapid than we would wish.

If a certain volume of air is put into a smaller space, its molecules are brought closer together. This causes increased tension of the air, and thus we secure our power.

It seems that air at the highest pressure does not develop the greatest percentage of the force required to compress it. Upon this point, Wm. Daniel of Leeds, Eng., made a number of experiments. His air compressor had two steam cylinders of 16 inches diameter and 80 inches stroke, and two air cylinders of the same dimensions. The engine worked a triction brake. When the pressure of the air was 40 lbs. the useful effect on the brake was only 25% per cent. of the power indicated on the steam gauges.

	it				the	useful	effect	was	27	per	cent.
44		44	28	**		**	**		28	"	44
46		**	24	46		44	64		36	44	46
44		• 6	19	**		44	44		45%	"	44

. A different relation in the dimensions of the air and steam cylinders would doubtless have affected the results.

When compared with steam, compressed air as a motive power has many advantages. It may be used at as high a pressure as steam, and in an engine neither more complicated nor more expensive. It will not condense as steam does, and for this reason is a valuable motive power when it is desired to convey it long distances.

Compressed air as a motive power has an advantage of hot air, for in doing its work it is simply regaining its natural condition.

RULES FOR USING WIRE ROPES IN DEEP SHAFTS.

The following rules will be of interest to those having occasion to use wire ropes in deep shafts: The safe or working load should be from one-seventh to one-fifth of the breaking strain, according to the conditions under which the rope is used; the greater the vibration and velocity of the rope, the greater should be the allowance for safety.

The weight of a wire rope is about one-sixth (or .167) of a pound per cubic inch, or two pounds per foot in length per square inch section, and the proportion between the weight of a rope and its working load is as follows:

Charcoal Iron. Weight per foot of rope for one ton (2000ths.) working load..... ₩b. Length of rope of uniform section, at which the weight of the rope is 4.000 ft. Rule for finding the section at any point of a Taper rope of uniform strength: S - section of rope in inches.

W-weight of wagon, cage, etc., applied at the end of the rope.

w - weight of one foot in length of the small end of the rope. x' - distance in feet from the end at which W is applied to the section S.

-2.7183.

- working or safe strain in pounds per square inch section of the rope.

-12,000 pounds for steel.

-8,000 pounds for charcoal iron.

The weight of the rope for x feet from the end is

$$fS-W-W \left\{ \begin{array}{c} \frac{\dot{w}x}{c} \\ c \\ f-1 \end{array} \right\}$$

The working load (f) is made up of the weight applied at the end of the rope (wagon, mineral cage etc.), of the rope itself, and of the energy exerted in imparting velocity to the load. In shafts hoisting at a great speed this is an important item in the load; it is expressed by the formula,

$$\frac{W_1 V_2}{2g}$$
, in which

W1 - the load in pounds.

V -increase in velocity in a second.

g 32.2 - gravity.

If we take for example a shaft where W1 - W+W0 - 15.000 pounds. W0 being the weight of the rope, the velocity attained in the first second - V - 10 feet, we have the energy expended in geting up this velocity,

$$\frac{\text{W1 V2}}{2q} = \frac{1,500,000}{64.4} = 2,329 \text{ pounds,}$$

which amount has to be added to W+Wo in order to get the working strain on the rope, when we neglect the friction on the guides, the resistance of the air, rigidity of the rope, friction of sheaves on their axles, etc., which are smaller in amouni, and are provided for, as is also the wear and tear of the rope, in the margin of 5 to 1 or 6 to 1, which is allowed for safety in the use of wire ropes.

TABLE FOR COMPUTING THE PRICE OF COAL שעוועם או עם חשמועם

			1 1712	LAKED	Dr 18.	D. D.	WITTH.				
LBS.	\$5.50	5.75	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8,00
10	3	3	3	8	3	3	4	4	4	4	4
20		6	6	6	7	τ	7	7	8	8	8
30		9	9	9	10	10	11	11	11	12	12
40		12	12	13	13	14	14	15	15	16	16
50		15	15	16	16	17	18	18	19	19	20
60		18	18	19	20	20	21	22	23	23	24
70		20	21	22	23	24	25	25	26	27	28
80		23	24	25	26	27	28	29	30	31	32
90		26	27	28	29	31	32	33	34	85	36
100		29	30	31	33	34	85	36	39	39	40
500		1.44	1.50	1.56	1.63	1.69	1.75	1.81	1.88	1.94	2.00
10 0		2.88	3.0	3.13	3.25	3.38	3.50	3.63	3 75	3.83	4.00
150)		4.32	4.51	4.69	4.88	5.07	5.25	5.44	5.63	5.82	6.00
2000		5.75	6.00	6.25	6.50	6.75	7.00	7.25	7.59	7.75	8,09

COAL IN THE UNITED STATES.

The extent of the coal fields of the United States is given as 192,0 o square miles, divided as follows:

	Square Miles.	Square Miles.
New England basin	500	Illinois basin:
Pennsylvania Anthracite	472	Illinois section
Appalachian basin:		Indiana section 6,450
Pennsylvania section		West Kentucky section 3,888
Maryland section	550	Missouri basin26,887
West Virginia section	16,000	Texas basin 4,500
Ohio section	10,000	Iowa18,000
Rest Kentucky section		Nebraska 3,000
Tennessee	5,100	Kansas17,000
Alabama	5,830	Arkanas 9,048
Michigan basin	6,700	Virginia 186
-		North Carolina 810

The product keeps at about 50,000,000 tons annually, the business during the years 1878, 1874, and 1875 being, as stated below:

	1873.	1874.	1875.
Pennsylvania Anthracite2	2,828,178	22,785,008	22,011,627
Pennsylvania Bituminous1	1,695,383	11,053,615	11,500,000
Ohio	8,944,840	4,163,445	4,868,252
Illinois	3,500,000	8,500,000	8,700,000
Maryland, Cumberland	2,674,100	2,410,895	2,342,773
Indiana	1,000,000	1,000,000	1,000,000
Missouri	900,000	900,000	900,000
West Virginia	600,000	600,000	600,000
Tennessee	850,000	425,000	425,000
Kentucky	300,000	400,000	425,000
Iowa	350,000	400,000	425,000
Virginia, Richmond coal field	60,000	80,000	80,000
Alabama	40,000	50,000	60,000
Michigan	89,000	80,000	80,000
Kansas	50,000	75,000	75,000

WESTPHALIA.

The Westphalia coal basin of the Ruber, (Prussia) in 1873, produced 16, 218; 964 tons of coal, and in 1874, 15, 351, 181 tons,

COAL IN ITALY.

The product of coal in Italy, in 1874, was, 2,000 tons of Anthracite (?) 90,500 tons of Brown coal, and 90,000 tons of Peat coal.

EXPENSES ON BITUMINOUS COAL TO THE ATLANTIC SEA. BOARD.

West Virginia Gas Coal (Fairmount 302 miles, Clarksburg 3 1 miles) to Baltimore \$4,75 per ton of 2,000 lbs. Drawback allowed on shipments to Bastern Ports, \$1.30 per ton.

Pennsylvania Gas Coal from Irwin or Penn Station to West Philadelphia 332 miles. In cars of Pennsylvania Railroad Company per 2,000 lbs, \$4,75.

West Virginia [Kanawha] via Chesapeake and Ohio Ratiroad, Blacksburg to Richmond for shipment, on Bituminous or Splint, \$3.40, (special rate \$3), and \$4.50 (special rate \$4) on Cannel.

Broad Top semi-bituminous, to Philadelphia, say 243 miles \$8.30 per net ton, with a drawback of 75 cents, making toll on New York and Eastern shipments equal to \$3.90 per gross ton.

George's Creek from Cumberland, Md., to Baltimore 178 miles \$1.80 per 2,000 lbs. and four cents per gross ton for use of cars; from Piedmont 206 miles, \$2.15 per 2,000 lbs.

George's Creek, by C. & O. Canal, from Cumberland to Georgetown, 184 miles, \$1.61 per ton of 2,240 lbs., to Alexandria, Ya., 191 miles, \$1.69 per ton of 2,240 lbs.

From Pennsylvania State line to South Amboy, N. J., for shipment \$3,00 per 2,000 lbs,

Clearfield, Pa. Bituminous, from Osceola, and other stations on the Tyrone and Clearfield branch of the Pennsylvania Railroad, to Philadelphia, say 248 miles, \$4.03 per 2,009 lbs; to South Amboy 417 miles, 3.61 per 2,000 lbs. with drawback, according to destination of the coal.

George's Greek from the mines to Cumberland or Piedmont, 2 cents, per ton per mile where the distance exceeds ten miles; 3 cents where the distance is from four to ten miles; and 4 cents where the distance is four miles or less.

PETROLEUM OR COAL GAS-LIGHT.

Illuminating gas as a substitute for oil and candles dates back to the early part of the present cen tury. As a means of general illumination it has been in use in this country for about fifty years and during that entire time there seems to have been no general or abiding attempt to improve its illuminating power.

The following fundamental rules underlie the whole business:

First: The amount of light that gas will give is dependent upon the amount of carbon it contains.

The amount in coal gas is only from four (4) to eight (8) per cent. of its gross bulk. In oil and rosin gas it is greater.

Second: When too much gas is made from a ton of coal it contains less carbon to the foot—and consequently consumes faster than better gas.

Third: As a general statement, the larger the burner used the better the result obtained from a given quantity of gas, unless the burner is so large as to cause the gas to smoke. For example a six foot burner (a burner consuming six cubic feet of gas per hour) will give more light than two smaller burners of the same pattern consuming four feet each per hour, and the use of still smaller burners is still more wasteful.

Fourth: The best dry meters are not only reasonably accurate measures, when well made, but after being tested and sealed by the inspector, cannot be altered or changed in their measuring by either the company or the consumer.

Fifth: The admixture of air or other dilutant element with gas has a still more hurtful effect than dimnishing the size of the burner. Approximately every ounce of air, when mixed in with ordinary gas destroys the lighting power of an equal weight of gas.

Sixth: Gas should not be burned at a pressure greater than one inch hydrostatic at the burner. An increase of pressure causes an increase in the amount of gas consumed, without any corresponding increase in the amount of light given.

Seventh: Ordinary coal gas (14 candles standard) compares in cost with other illuminants as follows:

The equivalents being, approximately.

1,000 feet coal gas (14 candles standard;)

8 gallons kerosene, (as burned in a lamp;)

48 pounds of sperm, (pure sperm candles;)

200 feet of oil gas, (70 candles standard:)

400 feet of rosin gas, (35 candles standard:)

1,500 feet of "air-gas" or "gasoline gas," (10 candles standard.)

It follows that coal gas light at \$3.00 per 1,000 feet, costs as much as kerosene light at \$1.00 per galton, or oil gas at \$15.00 per 1,000, or sperm at six cents per pound, or rosin gas at \$7.50 per 1,000, or air gas and "gasoline gas" at \$2.00 per 1,000.

In practically comparing the cost of gas and coal oil a liberal allowance should be made for lamps, wicks, chimneys, &c., which will materially lessen the difference between gas light at \$3.00 per 1,000 and kerosene at present prices.

COLORADO.

The area of land known to be rich in lignite coal deposits in Colorado is about 7,200 square miles, lying in various parts of the Territory, on both sides of the main range. There can hardly be a doubt but that this extent will be largely increased in years to come, for new discoveries are constantly being made upon the foot-hills and plains.

Separated under heads depending more upon their geographical position than upon the tharacter of the fuel, we find:

The northern mines.
 The southern mines.

- 2. The eastern foot-hill mines.
- 4. The Summit county mines.
- 5. The Conejos county mines.

Of the first but little is known. Weld and Larimer counties are undoubtedly underlain by veins of lignite similar to those of Wyoming, which are at present furnishing an excellent fuel for steam engines, domestic purposes, and for some metallurgical processes. Coke made from the product of the Wyoming coal fields has been tried at both Golden and Denver for melting silver and gold ores, and though discarded in favor of Pennsylvania coke, is considered to be a fair fuel.

The eastern foot-hill mines embrace outcroppings in Boulder and Jefferson counties, nearly all of which have been known since the early days. They are producing at present three-fifths of allthe coal mined in Colorado, which is about 120,000 tons, being located nearer the sentre of population than any of the other fields.

The main workings lie mostly upon the north side of Ralston Creek, which has cut through the bed and exposed its outcroppings very markedly on either side. Nearly 2,000 feet of the vein is opened. The coal is a very good sample of the product of all the foot-hill mines. It is an altered lignite that burns freely, and crumbles quickly on exposure to the rain or moist air; burns well under the boiler and in the grate, and answers excellently for nearly all the uses to which mineral fuel is put.

The following is an analysis made in 1871, by E. W. Rollins, of the Massachusetts Institute of Technology, Boston:

Hydrogen	4.00 per cent.
Carbon	66.50 per cent.
Ash	
Oxygen, Nitrogen and Sulphur	22.45 per cent.

100.00

East of Denver, along the line of the Kansas Pacific, indications of coal are not wanting. The same formation that is found along the foot-hills, tilted up in a nearly vertical position, underlies the whole of eastern Colorado, which is one vast lignite basin, containing stores of this truly precious mineral.

The southern mines embrace those of Trinidad and Fremont county, and furnish a class of mineral entirely different from any yet found in the Territory. The latter are the oldest mines and the best known, and the demand for it is great, not only for household use, but for the manufacture of gas in Denver.

The Summit county mines are not worked, as they have only lately been brought into notice. They are located on the divide between the Bear and White Rivers, and consist of several seams varying from five to fifteen feet in thickness, which owing to the contexted strata, lie in a variety of positions, from a strict horizontal to a perfect perpendicular. Above is a stratum of sandstone varying from one to three hundred feet in thickness. The coal is of two kinds, one a hard lignite and the other similar to what is called albertite.

The Conejos beds are also new discoveries of which but little is known. Sufficient outcroppings of coal, however, have been noticed below, and west of Las Animas or Elbert, to indicate the existence of extensive lignite deposits there. The mines are hardly opened yet, but situated as they are, not more than thirty miles south of the centre of the San Juan gold and silver district, it will be but a short time before their product will be called for, should they prove at all suitable for metallurgical purposes.—Colorado Mining Review.

COAL IN INDIANA.

The area of the Indiana coal measures approximates one-fifth of the entire State, and embraces the Counties of Perry, Spencer, Warwick, Posey, Vanderburg, Gibson, Pike, Dubois, Daviesa, Knox, Martin, Sultivan, Greene, Clay, Vigo, Parke, Vermilion and Fountain. The most important coals, from a manufacturing point of view, are those known as the "lower block" 3.8 think, the "main block" 4.4 thick, and "upper block" 1.10 thick. Block coal has a laminated structure, and is composed of alternate thin layers of vitreons dull black coal and fibrous mineral charcoal. It splits readily into sheets, breaking with difficulty in the opposite direction; on burning, it scarcely swells; or changes form, and never cakes or runs together. What the celebrated English chemist, Mushet, said about a certain Welsh coal, is equally applicable to the block coat of Indiana. To the purity of splint coal if unites of the selfness and combustability of wood, and the effects produced by it in the blass furnace, either as to the quality or quantity of iron, far exceed everything in the manufacture of that metal with charcoal. From careful assays, it is ascertained that this coal gives from 56 to 62 per cent. of fixed carbon, a small amount of water and a small amount of ash. Dr. E. T. Cox, the State gestogist, gives this coal as exceptional character as an iron smelting fuel, and reports a ton of pig iron as being made with 4,250 pounds of bleek coal.

The coal in Chey County is favorably known as an iron-smelting fuel, and we append a description of its qualities. "There are two veins of coal, the upper vein averaging about three feet ten inches in thickness, and the lower one averaging about four feet. The roof is principally sand rock, state, and slate and sand rock mixed. Fire and potters' clay of good quality underlie the coal. The average depth to the first vein is about forty-five feet from the surface, and the second or lower vein is found at an average depth of seventy-five to eighty feet. The coal is free from slate and sulphur. It burns freely, and leaves a soft, fine white ash, similar to wood ash, and no clinkers." For domestic and steam purposes, this coal is largely used in Chicago, Ill; Indianopolis, Ind; Kalamazoo, Mich.: and the towns and stations along the lines of most of the railroads leading from this coal district, among which may be mentioned the St. Louis, Vandalia, Terre Haute and Indianapolis Railroad; the Jeffersonville, Madisen and Indianapolis Railroad; the Indianapolis and St. Louis Railroad; the Louisville, New Albany and Chicago Railroad; the Cincinnati, Lafayette and Chicago Railroad; the Lake Shore and Michigan Railroad; the Indianapolis, Decatur and Springfield Railroad; and the Michigan Central Railroad; the Indianapolis, Decatur and Springfield Railroad; and the Michigan Central Railroad.

In the block coal zone of the Indiana coal fields there are as many as eight seams of non-caking coal, four of which are of good workable thickness over a portion of the field. These are I, G, F and A, which together, have a maximum thickness of fifteen feet; and by including the other four seems, we have six feet more, making a total of twenty-one feet of block coal.

The coal of Parke County is feverably reported on for the manufacture of iron. It is a block coal, averaging five feet in thickness, weighing seventy-seven pounds to the cubic foot, and gives by analysis 62.5 fixed carbon, 31.00 volatile matter, 4.05 water, and 2 per cent. of sen. The estimated area is about 300 square miles of workable coal.

The "upper block" at Washington; in Davies County, is extensively mined, and meets with a ready market at St. Louis, and all the towns on the Ohio and Mississippi Railroad. Its specific gravity is 1.294; a cubic foot weighs 80.87 pounds; by analysis it yields: fixed carbon, 80.00; ash, 4.50; volatile matter, 35.50. The coal worked is known as L, a five foot seam of Bifumineus, an excellent caking coal, free from impurities, and may be handled and stocked without much loss; it has been used for gas making at St. Louis, and is a three foot ten inch seam of very pure coal, jet black, of cableal fracture, and bears a good reputation as a fuel, for general uses

The census report for 1870 shows the product of coal for the year 1869 to have been 487,870 tons. The output for the year 1876 is estimated at 1,500.000 for the whole State.

MECHANICAL STOKER.

Eiring apparatus, fuel-feeders, or mechanical stokers have been experimented upon for some time. A new one, recently tried with success upon a battery of marine boilers, presents some features of interest. It consists of a flat hopper placed above the fire door and before the boiler, and a mechancal device for grinding and injecting the coal. The hopper may be of any desired size. For stationary boilers, it might hold a ton or more; for marine boilers, this would depend upon the available room. The hopper ends below in an adjustable box, that may be enlarged; or diminished in size as the nature of the fuel demands. In this box is a feed and crushing roller that breaks up the coal into dust or slack, and drops it below into a flat iron box holding two horizontal discs turning in opposite directions. The stream of slack or dust coal falling between these opening discs is shot forward through an opening into the fire-box.

By the use of this stoker, a fine shower of broken coal is continually sprea1 over the entire surface of the grate-bars, and by governing the speed of the apparatus, the supply of fuel is regulated to suit the demand for steam. To prevent the fuel from caking into a mass of clinkers on the fire, every alternate grate-bar is given an up-and-down and two-and-fro motion, that gradually breaks up the clinkers, and forces them forward upon a balanced plate that may be upset by the fireman, and the waste dropped into the ash pit. The top of each bar is notched so as to cause the clinkers to catch and travel in one direction. All parts of the apparatus are outside of the fire-box, and there is no injury from heating and burning.

The valuable points claimed for this machine are freedom from cold currents over the fire, as there are no doors to be opened; freedom from smoke as the combustion is more perfect; and the use of small, inferior and slack coal—with the same steam results. Another result claimed is the increased comfort of the fire-room in point of temperature, as the tree door is kept constantly closed. On one steamship where this stoker was tried, the saving in cost of fuel was marked. The first voyage with hand-stoking lasted 53 days 13 hours under steam, with a consumption of 634 tons of coal, valued at £878 12s. The second voyage lasted 53 days 11 hours, and the consumption of fuel by the use of the mechanical stoker was 619 tons of slack and 87 tons of coal, at a total expense of £578 68.

MINE DRAINAGE.

The matter of mine drainage resolves itself into a three fold question of cost, convenience, and durability of the working conditions, whether permanent or temporary. It is believed that the drainage of mines would inevitably develop upon the simple, powerful and effective "Special" class. An illustration of a few examples of deep single lift engines, which had been placed in mines in most cases in pairs. A pair at Suffield Colliery, 24-inch steam cylinder, 7-inch pump cylinder, aria 48 strokes per minute, raised each 10,000 gallons per hour in a single lift of 525 feet. A pair at Wiena: 30-inch steam cylinder, with 10-inch pump, at 48 strokes, raised each 20,000 gallons per hour 50e feet. Two at Newcastle, 39-inch cylinder, 7-inch pump, 72 strokes per minute, each raised 10,-000 gallons per hour in a single lift of 1,068 feet. These were approximate statements of duty at 100 feet of piston speed per minute. At least 2,000 of these pumps are now at work in various British and foreign mines. The system of direct acting pumping engines was even more important, however, as affecting the drainage of new mining undertakings. For this purpose the "Special" pump was peculiarily fitted by its compact and complete character. One very important feature was that the direct acting steam pump of this type could be put down in pairs, while Cornish engines could not. Hence, whenever a mishap occurred, causing the stoppage of the engine, the whole of the pumping ceased, which, of course, was not the case when the engines were in duplicate.

PETROLEUM AS FUEL.

Sainte-Caire Deville, experimenting for the French Government, found in oil from Oil Creek which will pretty fairly represent average American crude petroleum, a total calorific power of 9,855 centigrade units, equal to the evaporation of 18.16 lbs. of steam per pound of oil, and he was able practically to evaporate 14.05 lbs. with a pound of this petroleum. Now, a pound of pure, dry charcoal has a total theoretical heat of 7,990 units, and the oil thus has a greater evaporative power by just about 25 per cent. A gallon of petroleum weighs about 6½ pounds, so a gallon has the heating power of 8½ pounds of pure charcoal, and barrel of 42 gallons is equivalent to 350 lbs of such charcoal, and 6½ barrels of oil are equivalent to one long ton of charcoal.

Pure, dry charcoal, however, is hardly to be got except for chemical experiments, and the ordin-

ary charcoal of commerce has only about three-fourths as great heating power. Not being used to make steam, it need not be considered further.

The theoretical heating power of the best British coals is given as between 14 and 15 lbs. of steam per pound of coal, or nearly as great as that of petroleum; but the great advantage claimed for petroleum is the nearly complete utilization of its heating power, owing to its perfect and even composition, and the easy management of the heat arising from it. Thus the best practical results of the British Admiralty experiments with the best coal was the evaporation of 9.5 lbs. of steam per lb. of best coal, while Sainte-Claire Deville evaporated 14.06 lbs. with a pound of petroleum, and Professor Wurtz says, "with perfect combustion and skilled handling, we may safely adopt, as the actual steam value of our petroleum, fifteen pounds of water made into steam by one pound of oil." This is just 100 lbs. per gallon of oil.

By United States Navy experiments, Lackawanna Anthracite evaporated 9.8 lbs of water per lb. of coal; Cumberland Bituminous 9.44 lbs.; and Pittsburgh Bituminous (which is most likely to come into competition with petroleum) 8.3 lbs. On this basis:

1 gallon oil -10.2 lbs. Lackawanna.

-10.6 lbs. Cumberland.

-12.2 lbs. Pittsburgh.

and a long ton of

Lackawanna - 219.6 gallons petroleum.

Cumberland =211.3 "

Pittsburgh -183.6 "

This, be it remembered, is the comparison of the actual effectiveness of the coals used in the navy experiments with the almost perfect utilization of the heating power which Professor Wurtz anticipates from the use of petroleum. Given the prices of coal and assuming the correctness of the statements made by the advocates of petroleum, it will be easy to ascertain which is the most economical fuel, where steam is made under advantageous circumstances. With the best coal above named, about-five barrels of petroleum will take the place of a ton of coal, with the poorest, about 4½ barrels.

The claims of the advocates of petroleum, however, are not only placed on the practicability of the more complete utilization of the total heating power of the liquid fuel, but of its practicability under circumstances where coal is very imperfectly utilized. For instance, they claim that such complete, or nearly complete utilization is practicable in locomotives, where coal, we know, is not so effective as in furnaces with larger heating surface where the fire is less violently urged. One of the peculiarities claimed for petroleum is its availability for making an intense heat without waste, either by non-combustion of particles or the escape of a great part of the heat up the chimney. Further, the perfect combustion of petroleum, leaving neither coal nor cinders, is advanced as a recommendation of the fuel where these products of ordinary coal fires become a nuisance, as in most engines in cities and especially in locomotives designed for use in city streets.

All these comparisons, it must not be torgotten, are made on the assumption that a pound of crude petroleum will evaporate it pounds of water—will do the best work claimed for it by those who advocate its use; and the chief value of the figures [given will be to show where petroleum cannot, rather than where it can be economical.

COAL IN WESTERN KENTUCKY.

The coal field west of the Louisville and Nashville Railroad was first developed during the year 1872. The markets for the coal are Nashville, Tenn., and points on line of railroad from Evansville, Ind., to Nashville, Tenn. There are twelve veins of coal, ranging from two feet to eight feet in thickness. For steam purposes the coal rates at 99, Pittsburgh coal being a hundred. For gas purposes four feet to the pound is obtained, but there is more sulphur than in Pittsburgh coal.

TEMPERING MINING PICKS.

There is probably no service to which steel can be put, which so effectually tests its value, as in mining picks. The tempering of a pick is a very nice piece of work and should be done with great care. In the first place a good charcoal fire is necessary; next, good steel, add then a good light hammer with a smooth-face anvil; and lastly a man is needed with a good keen eye, 'considerable experience and excellent judgement. No good pick can be turned out if any of the above essentials are wanting in the process. A pick should never be "upset," or hammered endwise, nor raised above a full red heat. The steel should be, moreover, heated as quickly as possible, as long exposure to heat—even if the heat is not in excess—injures its texture. Many blacksmiths find great difficulty in tempering picks, because they do not choose good steel. After being nexted the pick must be

worked with care, special pains being taken in drawing it out, to hammer on all sides alike, In one place as much as another, and one side as much as the other. When ready for hardening, it should be heated in the blaze of a charcoal fire until red hot, and then plunged into cold rain water, and kept there until it is nearly cold; but if kept too long in the water or until it is quite cold the corners are liable to fall off. Some blacksmiths use hot water: no salts of any kind should exist in the water but the water should be cold; if the water is warm and a little ice should be thrown in to chill it, the tempering will be all the better. Pure soft water for hardening will make a tougher pick, and one less liable to crack at the edges than where salt water is used. An old mining partner of the writers, who always sharpened the picks at the claim, and was quite expertatit, used to hold the pick end in the water for just exactly a certain length of time until a certain shade of color appeared. Then he did not consider it properly tempered until the point was inserted in the ground and allowed to gradually cool. The last hammering of a pick should always be given on the flat sides, across close to the edges and then up each side about an inch. By so doing the corners will be less liable to crack off.

COAL IN NORTHUMBERLAND COUNTY, PA.

The following is the quantity of coal mined and sent to market_from Northumberland county! in 1875, by the different operators in that region:

Collieries.	Operators.	Tons.
Cameron	Operators. Mineral R. R. & M. Co	27:.200
Big Mountain	Patterson, L. & Co	19 . 183
Buck Ridge	May, Audenried & Co	110,237
Burnside	Isaac May & Co	
Luke Fidler	Mineral R. R. & MiningiCo	
Bear Valley	A. A. Heim & Goodwill	91.977
Henry Clay	J. Langdon & Co	85.943
Trevorton	P. & R. C. & I. Co	76.320
Hickory Swamp	Mineral R. R. & Mining Co	70.520
Enterprise	Enterprise Coal Co	52,465
Monitor	G. W. Johns	49,856
R Franklin	Douty & Baumgarnder	46.905
Stuartville	Wm. Momtelius	44,694
Excelsion	Excelsior Mining Co	48.46R
Reliance	Reliance Coal Co	88.920
Geo Fales	Reliance Coal Co	82,577
Locust Spring	P. & R. C. I. Co	
Lancaster	Smith & Keiser	24,954
Alagka Shaft	P. & R. C. & I. Co	21.89R
	Thomas Morton	
Greenhack	Guiterman, Gorman & Co	20,877
Hickory Ridge	Mineral R. R. & Mining Co	18,940
Locust Gan	Graeber & Kemple	18,881
Helfenstein	P. & R. C. & I. Co	15,975
Co al Ridge	Burton Bros. & Co	19,419
Franklin	Lover. Booth & Elms.	10,668
	Schwenk & Co.	
Marshall	Reese and Brother	2,919
Royal Oak	Tillet & Brother	800
Lambert.	William Brown	170
AMMINUTURE CONTRACTOR	** ** *********************************	
Total for 1875		1.628.683
Total for 1874		1.221.551

THE WORKING COST OF COLLIERIES.

Increase in 1875.....

We publish the following estimate, showing a comparison of the working cost of certain English olliteries in 1870 and 1874. It is said to have been made after a very careful examination of all available information:—

WURLING COST FUR 1010			
Wages for one year for 209 collieries. Keep of 3040 horses, at 10s. 6d. per week for one year	£	8.	đ,
Wages for one year for 209 collieries	.1,664,999	14	8
Keen of 3040 horses, at 10s, 6d. per week for one year	82,549	0	0
Keep of 6886 ponies, at 6s. 6d. per week for one year	. 107,923	8	0
Hewers—23.500.000 tons, at 1s, per ton	. 1,175,000	0	0
Royalty— do "6d."	587,500	0	0
Props and plates—23,500,000 tons at 1d. per ton	97.916		
Wear and tear-23,590,000 tons at 1d. per ton		13	4
Total expenses for 1870	.3,814,248	8	11
Increase of expenses of 1874 over 1870	1,914,261	2	2
Add for sundry expenses that may be omitted	. 500, 00	9	0
£	3.414.261	2	2

WORKING COST FOR 1874.			
	£.	8.	đ.
Wages for one year for 209 collieries	,880,949	11	9
Keep of \$040 horses, at 18s. per week for one year	102,752	0	0
Keep of 6886 ponies, at Ss. per week for one year	132,828	16	0
Hewers-98,500,060 tons, at 1s. 61/d. per ton			
Royalty—28,500,600 tons, at 9d. per ton	881,250	0	Ö
Props and plates - 26,500,000 tons at 13/d, per ton			
Wear and tear-28,500,000 tons at 13d. per ton	145,875	0	•
Workmen's coals -500,000 tons at is, per ton	150,000	,0	0
Total expenses for 1874	,798,509	11	-

DisBL

THE

COAL TRADE JOURNAL,

PUBLISHED EVERY WEDNESDAY.

The only Newspaper in the United States entirely devoted to the Coal Interests.

ESTABLISHED - - APRIL 21, 1869.

SUBSCRIPTION, \$2.50 A YEAR, POSTAGE INCLUDED; PAYABLE STRICTLY IN ADVANCE.

Communications bearing upon the coal industry solicited.

Advertising rates made known on application.

Checks or Post Office Orders are preferable methods of payment, and should be to the order of the proprietor.

FREDERICK E. SAWARD.

EDITOR AND PROPRIETOR.

Publication Office, No. 111 Broadway.

THE COAL TRADE JOURNAL

is the acknowledged authority on the subject of coal. RELIABLE, PROMPT, COR-RECT, INDEPENDENT. No clique, or class of dealers control its columns. It is not local; facts and figures from all parts of America and Europe. The business done in coal at every principal city, prices, tonnage, qualities dealt in, fully shown. New routes to the coal fields and new processes in the economy of fuel form an important feature of this journal.

ITS CIRCULATION IS UNIVERSAL.

going as it does, weekly, to every dealer in coal throughout the
UNITED STATES, THE BRITISH PROVINCES IN NORTH AMERICA, AND
TO GREAT BRITAIN.

Back numbers and bound volumes can be supplied.

If more convenient subscribers may hand their favors to the following gentlemen, who will be pleased to receive and forward them.

JOSEPH C. GINN, 23 Dosne St., Boston. A. W. MCALFINE, Wilkesbarre, Pa. SHAW Bros., 24 2nd St., Baltimore, Md. Frank W. Balch, 280 Madison St., Chicago, Ill. W. H. Smith & Sons, 186 Strand, London, Eng.

W. H. MEEKER, New York.

JOSEPH F. DEAN, Boston.

MEEKER & DEAN,

MINERS AND SHIPPERS,

OF

Lackawanna & Wyoming Valley, COAL,

111 BROADWAY, NEW YORK, & 23 DOANE STREET, BOSTON.

We invite the attention of dealers and consumers to the following varieties of coal,

OF WHICH WE HAVE THE EXCLUSIVE SALE,

in this market, and solicit correspondence,

Lackawanna Valley, FREE BURNING WHITE ASH.

Kingston, Chauncey,

WYOMING WHITE ASH.

WYOMING RED ASH.

ALSO,

Cross Creek, Beaver Brook, LEHIGH RED ASH.

LEHIGH WHITE ASH.

Shipments-made at Hoboken, N. J., always accessible and advantageous in point of freight charges.

Vessels and Boats Chartered at the Lowest Rates, and Prompt Despatch Given in Loading.

GEORGE'S CREEK CUMBERLAND COAL.

THE NEW CENTRAL COAL COMPANY'S MINES.

Experiments were made by the Superintendent of the United States Armory at Springfield Mass., during 1873, to test the value of certain coals as steam generators with the following results:

Lackawani	a. Pittston.	Cumberland.
Pound per h. p. per hour 4.	01 4.02	3.03
Cost per Gross ton \$8.	05 \$7.85	\$9.10
Cost per horse power 1 5-10 c	ts. 14-10 cts.	1 2-10 cts.

Each variety was used for six consecutive days; and it is therefore alleged that bituminous coal from the Cumberland region is the most economical fuel as a steam gen erator, making more heat and creating more power per pound, and per cent, of cost that the harder coal.

The reputation of the 14 feet George's Creek vein of Cumberland coal is now fully established, and it is conceded to be unequalled for steam generating purposes. It is supplied to every European and coastwise steamer which leaves this port; to almost every railroad, not only in New York, but through the Eastern, Middle, and some of the Southern States. It is burned upon most of the ferry boats, and a great number of the factories, toundries, glass works, etc., in New England and New York. Its superiority for all these various purposes of manufacture and commerce is so generally conceded that the demand is steadily increasing.

The lands and mines of the New Central Coal Company are located in the heart of the region, and comprise between three and four thousand acres, on which openings have already been made, developing 1.100 acres of the fourteen foot bed, the coal from which has proved itself the very best in the Cumberland region. The facilities of the Company are among the best, and their rank as producers is shown in the fact that for three years past they have sold and delivered an average of 325,000 tons each year.

The Company solicit orders from consumers in coal for steam raising, and will continue to furnish first-class coal, shipped either from Baltimore, Md.; Georgetown, D. C.; Hoboken, N. J.; or South Amboy, N. J.

Prompt deliveries may be relied upon.

The Offices of the New Central Coal Company are at Rooms 6 and 6½ Trinity Building, 111 Broadway, New York.

HARRY CONRAD, President.

S. F. BARGER, Vice President.

P. C. Calhoun, Treasurer. Wm. S. Jacques, Secretary.

MALCOLM SINCLAIR, General Manager.

SALES AGENTS:

S C. Thwing & Co., 77 State Street, Boston, Mass. L. S. BOYER & Co., 228 Dock Street, Phila. Isaac T. Hotchkiss, 111 Broadway, New York. H. H. SHILLINGFORD, Prest.

H. T. SHILLINGFORD, Sec. and Treas.

KITTANING COAL COMPANY.

BITUMINOUS

For Steam, Rolling Mills, Blacksmithing, Glass Works, Brick and Lime Burning, Coking.

GENERAL OFFICE.

STREET. SOUTH FOURTH PHILADELPHIA.

SHIPPING PIERS.

Greenwich Point, Phila; South Amboy, N. J.; Canton, Baltimore.

THE KITTANING COAL COMPANY

Own about eight thousand acres and control by lease about one thousand acres of Bituminous Coal territory in what is known by geologists as the Moshannon Coal Basin, in the counties of Clearfield and Centre in what is known by geologists as the Moshannon Coal Basin, in the counties of Clearfield and Centre, State of Pennsylvania, and which is designated in the recent report of the second Geological Survey of the State, as the Steam Coal Basin of Clearfield County. The territory lies on both sides of the Moshannon stream, which is the dividing line between the two counties named, and the dip of the coal on both sides of the Valley being towards said stream. There are known to exist on the property five explored beds of coal, laid down by geologists as A, B, C, D and E. The bed B, as mentioned in the State Geological Survey report, but by other geologists laid down as D, is the only one at present developed and worked by the Company; it is about five and a half feet in thickness, of pure, clean coal. The Geological Survey Department of the State gives the following analysis of the coal. Water at 225° F., 670; Volatile matter, 21.360; Fixed Carbon, 74.284; Sulphur, .435; Ash, 3.251. Coke per cent., 77.97. Color of Ash,

The following remarks are appended to the analysis:
"The coal is undoubtedly a most excellent one, and admirably adapted for STEAM PURPOSES as well "as for use in IRON MANUPACTURE".

Charles A. Seely, Chemiat, of New York, gives the following analysis of the same coal:

One hundred parts contain

 Volat	ile combustible matter	20.10
	· 1	00.000

Coke, 89.09. The sample contained of sulphur, 0.19. The reports of the consumers of this coal of its practical working result, show more favorably its superiority than the foregoing analysis indicate.

Outside of the property of this Company comparatively but little of this bed of coal is known to exist, or at least nose known to be accessible to market by the present facilities.

DIRECTORS.

CHAS. W. TROTTER. H. N. BURROUGHS. ZOPHAR C. HOWELL GEORGE HOWELL, CHAS. W. POULTNEY, J. DERBYSHIRE.

H. H. SHILLINGFORD.



MINE LOCOMOTIVES.

Among others, the following parties are now operating Mine Locomotives built by PORTER, BELL & Co., of Pittsburgh, Pa.:

IN THE BITUMINOUS COAL REGION OF PENNSYLVANIA.

The Westmoreland Coal Co.; 1½ miles underground road; heaviest, grade 200 feet per mile. Saxman & Co., Latrobe, 185 feet grade Jones & Laughlins, Pittsburgh, 141 feet grade. H. B. Hays & Bro., Pittsburgh.

IN THE ANTHRACITE REGIONS.

Lehigh Coal and Navigation Co., Susquehanna Coal Co.

IN THE CUMBERLAND REGION, MARYLAND.

Consolidation Coal Co.; 21 and 3 miles, underground roads, grades 115 and 185 feet. George's Creek Coal and Iron Co., 212 and 265 feet grades,

IN THE HOCKING VALLEY REGION, OHIO.

Hayden & Son; W. B. Brooks; New York and Ohio Coal Co.

IN IOWA.

Union Coal and Mining Co.; Fort Dodge Coal Co.

The running expenses of a Mine Locomotive, including wages, fuel, repairs and interest, are about the same as of three mules and three drivers, and the work done from three to ten times greater; keeping up footpath while works are running, and feeding mules when works are shut down, are other disadvantages of animal power.

PORTER, BELL & Co make Light Locomotives, their exclusive specialty, and have a great variety of sizes and styles, from five to twenty tons weight and twenty eight to sixty inches gauge of track, at work at coal, iron, lumber and other operations, and on narrow gauge railroads throughout the United States, and in Canada, Cuba and South America.

TO GOAL GONSUMERS:

NEW YORK, April, 1876.

During the season of 1876, I shall be pleased to receive your orders for any of the following popular coals:

OLD COMPANY'S LEHIGH, FROM SUMMIT HILL MINES,
HONEY BROOK SUPERIOR WHITE ASH LEHIGH,

PLYMOUTH WYOMING-RED ASH,

WILKESBARRE COAL (BALTIMORE VEIN),

FULTON LEHIGH,

DELAWARE, LACKAWANNA & WESTERN CO.'S SCRANTON,

PHILADELPHIA & READING COAL & IRON COMPANY'S SCHUYLKILL COALS,

GEORGE'S CREEK CUMBERLAND COAL, FROM THE WELL KNOWN HAMPSHIRE MINES.

My friends throughout New York and New England may rely upon receiving the same uniform quality of coal, and promptness in filling their orders, as during past seasons.

Shipments made to all points accessible from New York, and at favorable rates of freight.

Address.

FRED. A. POTTS.

110 Broadway, New York,

33 WESTMINSTER STREET, PROVIDENCE, R. L.

GEO. W. HUNTZINGER, President. John B. Garrett, Treasurer.
T. C. TROTTER, Secretary.

PHILADELPHIA COAL CO.,

MINERS AND SHIPPERS OF

LEHIGH AND LOCUST MOUNTAIN, 230 SOUTH SECOND STREET, PHILADELPHIA.

WM. BORDEN.

L. N. LOVELL.

Cumberland Coal,

From the Borden Mines and the Borden Shaft.

FOR RAILROAD, STEAMSHIP AND GENERAL USES.

UNEXCELLED IN QUALITY BY ANY FROM THIS REGION.

SHIPMENTS MADE AT

Georgetown, D. C., Baltimore, Md., South Amboy, N. J. Offices—Nos. 70 and 71 West Street, New York.

AGENTS FOR THE SALE OF

FALL RIVER IRON WORKS COMPANY'S NAILS, BANDS, HOOPS AND RODS.

Lehigh & Wilkesbarre Coal Co.

OLD CO'S SUMMIT LEHIGH,
WILKESBARRE, From the Baltimore Vein.
PLYMOUTH RED ASH,
HONEY BROOK LEHIGH.

Orders solicited. Coal shipped at Port Johnston, N. J., promptly and in good order.

OFFICE, 80 BROADWAY, NEW YORK.

JOHN F. WILSON, GENERAL SALES AGENT.

PHILADELPHIA AND READING

COAL AND IRON COMPANY,

GENERAL OFFICE:

227 SOUTH FOURTH STREET, PHILADELPHIA,

OFFER

HARD AND FREE BURNING WHITE ASH COALS.

SCHUYLKILL RED ASH,

SHAMOKIN, NORTH FRANKLIN, LORBERRY, AND LYKENS VALLEY COAL,

ON BOARD AT

Port Richmond, Philadelphia, or foot of North 9th St., Brocklyn, for Delivery in New York, and all Ports Along the Sound and Hudson River.

Circulars of Prices will be issued monthly.

NEW YORK OFFICE-9 BROAD STREET, DREXEL BUILDING.

E. A. QUINTARD, General Sales Agent.

Keystone Coal and Manuf'g Co.,

OFFICE;

No. 10 Merchants Exchange, Philadelphia,
MINERS AND SHIPPERS OF

CUMBERLAND COAL.

H. A. STILES, President.

ORDERS PROMPTLY FILLED.

L. S. BOYER & CO., 228 Dock Street, Philadelphia, Agents for NEW ENGLAND
STATES.

E. GULAGER.

GEO, TUTHILL.

C. GULAGER.

edward gulager & co.,

Successors to

SAMUEL BONNELL, JR.,

Honey Brook Lehigh Coal, also, Red and White Ash Wyoming.

DELIVERED ON BOARD OF VESSELS AT PERTH AMBOY AND PORT

JOHNSTON, N. J.

OFFICES:

43 and 45 Trinity Building, 111 Broadway, New York.

Shipping Piers,

Greenwich, Philadelphia. South Amboy, New Jersey.

R. B. WIGTON,

Miner and Shipper of best Quality of

BITUMINOUS COAL

For Rolling Mills, Locomotives, Steamers, Glass Works, Brick and Lime Burning, Smithing and Steam Generating Purposes.

"MORRISDALE" and "CUNARD."

OFFICE, 203 SOUTH FOURTH STREET, PHILADELPHIA,

BRANCH OFFICE, Rooms 51 and 52, 71 Broadway, N. Y.

JOSEPH W. JOHNSTON, Agent.

The following are a few of the very satisfactory reports that have been received from consumers:

PENNSYLVANIA STEEL WORKS. "Superior to much of the coal from the district and inferior to none."

N. J. STEEL & IRON Co. "None so uniformly satisfactory."

PHŒNIX IRON Co. "A first class coal in every respect."

PARTON ROLLING MILL. "Giving better results than Cumberland, no clinker and free burning."

HUSTON & PENROSE. "After trying best veins of Cumberland, we give it the preference."

WM. L. BAILEY & Co. "Used it with uniform satisfaction for many years."

NORRISTOWN IRON WORKS. "Gives entire satisfaction, used for years."

FULTON ROLLING MILL. "Better suited for puddling and more economical than any other."

STONEY CREEK IRON WORKS. "We think the Morrisdale superior to any other vein in Pennsylvania."

GRAYS' FERRY IRON WORKS. "After using Cumberland for many years, was induced to 4xy Morrisdale, which I prefer to use."

Further reference is made to the Architectural Iron Works, Quintard Iron Works, the Morgan Iron Works, New York City, who use this coal exclusively. Also to the Charleston S. S. Co., and Morgan and West India lines of steamers and others which want of space prohibits quoting.

NEW YORK AND CLEVELAND

GAS COAL COMPANY.

OF PITTSBURGH, PA.

YOUGHIOGHENY GAS COAL.

This company is prepared to furnish any quantity of their justly celebrated and acknowledged superior GAS COAL, to any point reached by railroad or mavigation, on most favorable terms.

GENERAL OFFICE, 89 WOOD STREET, PITTSBURGH, PA. BRANCH OFFICE, 130 WATER STREET, CLEVELAND, OHIO.

WILLIAM A. McIntosh, Pres't. A. Carnegie, Vice-Pres't. W. P. Dearmit, Treas. THOMAS AXWORTHY, AGENT, - - CLEVELAND, OHIO.

W. H. WATERBURY, SALES AGENT, 137 BROADWAY, NEW YORK.

JAMES H. DYSART, Altoona. DANIEL LAUGHMAN, Altoona. W. H. PIPER, Philadelphia.

DYSART & COMPANY,

SOLE PROPRIETORS, MINERS AND SHIPPERS OF

SONMAN BITUMINOUS COAL.

SHIPPING WHARVES,

CANTON, BALTIMORE, MD., GREENWHICH POINT, PHILA., SOUTH AMBOY, NEW JERSEY,

GENERAL OFFICE, 314 WALNUT STREET, PHILADELPHIA.

This coal is of superior quality for General Steam Uses, Blacksmithing, etc., the SMALL coal being separated and used for a special purpose, none but the LUMP COAL is sent eastward for shipment, thus making this coal, an especially recommendable coal, for use and shipment.

ALL ORDERS PROMPTLY FILLED, AND SATISFACTION GUARANTEED.

PENN GAS COAL COMPANY.

OFFER THEIR COAL,

Carefully Prepared and Screened for Gas Purposes.

Their property is located in the Youghiogheny Coal Basin, near Irwin's and Penn. Stations, on the Pennsylvania Railroad, and on the Youghiogheny River,

WESTMORELAND COUNTY, PA.

PLACES OF SHIPMENT:

Pennsylvania Ballroad Pic. No. 2 (lower side), Greenwich Wharves, Delaware Biver. Pier No. 1 (lower side), South Amboy, N. J.

OFFICES:

No. 90 WALL STREET, NEW YORK.
No. 11 Merchants Exchange, Philadelphia.

CANNELTON COAL CO.,

OF WEST VIRGINIA.

Offer for sale the following Coals, from their colliery at CANNELTON, Kanawha County, West Virginia, shipped at Richmond, Va.

CANNELTON CANNEL.

acknowledged to be the BEST ENRICHER produced in this country; a gross ton yielding 10,000 cubic feet of Gas, 64.54 candle power. COKE, 32 Bushels—Good Quality.

CANNELTON CAKING COAL.

a superior coal for Gas Manufacture, a gross ton yielding 10,700 cubic feet of Gas, of 1614-100 candle power. Coke, 41 bushels, weighing 1,455 lbs., good quality. Sulphur, $1\frac{1}{2}$ per cent. and Ash 2 per cent.

CANNELTON SEMI-CANNEL.

producing 11,220 cubic feet of Gas-22 candle power-1,300 lbs. of Coke. SPLINT AND BLOCK COALS.

These are superior House or Steam Coals—making little or no slack in transportation—excellent substitutes for Cannel for use in open grates.

TATNALL LEA, Treasurer,

P. O. BOX 1747, PHILADELPHIA.

SALE (PERKINS & JOB, 27 South St., N. Y. and 91 State St., Boston. AGENTS H. W. BENEDICT & Son, New Haven.

Franklin Coal of Lykens Valley and Cameron Coal of Shamokin.

The agents appointed to sell the product of all collieries managed by the undersigned are as follows: For New England, New York, New Jersey and south of Cape Henry, the City of Philadelphia, and the line trade of the Philadelphia and Reading Railroad.

Ine trade of the Philadelphia and Reading Railroad.

GEMERAL AGENTS—SINNICKSON & CO., 201 WALNUT STREET, PHILADELPHIA, SUB AGENTS. ELISHA MOSELY, 82 Water Street, Boston. W.M. B.OGERS, 65 Trinity Building, New York. B. W. PERSONS, 39 Weybosset Street, Providence, Bhode laind.

For all other points than those above named; General Agents. HALL BROTHERS & CO., 5 Post Office Avenue, Baltimore, Md., represented at Harrisburg, Pa., by JAMES LYNAH.

All true collieries that mine the true Franklin Coal of Lykens Valley, are managed by me, also under my management are the CAMERON, the LUKE FIDDLER, for Burnside), the HICKORY SWAMP and the HICKORY RIDGE collieries of Shamokin. The product of these last four collieries will henceforth be known as the CAMERON COAL and will be as handsome a coal as can be sent to market.

Dealers wishing to procure both or either of the above coals, are cautioned that they must and can be obtained through no one else than the above named agents.

W. B. FOWLE, General Manager W. B. FOWLE, General Manager

WIESTLING'S PATENT COMBINATION DUMP CART.

Is the best, most convenient and cheapest mode of delivering coal. Every dealer should adopt it. Ordinary carts can easily be changed to dump two ways. Wagons with horizontal beds can be made to dump. Coal can be delivered across pavements into coal holes or cellars without soiling the payement. For circulars or information, apply to-

CEO. B. WIESTLING.

Mont Alto, Franklin County, Pa.

THE HUDSON COAL CO.,

SHIPPERS OF

ANTHRACITE AND BITUMINOUS COALS,

GENERAL OFFICE, 17 NEWARK STREET, HOBOKEN, N. J.

Steamboats and Tugs may be coaled with despatch at any hour day or night, at our coal wharf, foot of Sixth St., Hoboken, N. J.

UPPER LEHIGH AND COUNCIL RIDGE. Lehigh Red Ash Coals.

SUPERIOR IN QUALITY AND PREPARATION.

ADDRESS;

Whitney, McCreary & Kemmerer,

OFFICES

137 South Second Street, Philadelphia.

Room 8, Trinity Building, New York.

Mansion House, Mauch Chunk.

JOHN WHITE, Agent at NEW YORK.

CAMPBELL TUCKER.

ALFRED TUCKER.

CAMPBELL TUCKER & Co.,

MINERS AND SHIPPERS OF

ANTHRACITE AND BITUMINOUS

COAL.

Best varieties of Coals and Cokes, for iron, railroad, general manufacturing and domestic uses.

OFFICE, 208 WALNUT ST., PHILADELPHIA.

SHAW BROS.,

MINERS AND SHIPPERS OF

George's Creek Cumberland.

GENERAL AGENTS OF

ATLANTIC and GEORGE'S CREEK, BLÆN AVON, CUMBERLAND and ELK LICK COAL CO.'S. WHARVES AT LOCUST POINT, BALTIMORE, GEORGETOWN, D. C., and ALEXANDRIA, VA.

WEST VIRGINIA

AND

YOUGHIOGHENY GAS COALS.

Office, 24 SECOND STREET,
Baltimore,
Md.

Boston Office, 82 WATER STRIET,

WARE B. GAY. Agent.

LEHIGH VALLEY COAL COMPANY.

MINERS AND SHIPPERS OF

LEHIGI

Office, Corner Courtlandt and Church Streets. [COAL AND IRON EXCHANGE BUILDING.] GEO. B. NEWTON, AGENT.

SHIPMENTS BY RAILROAD AND MORRIS CANAL DIRECT FROM THE MINES, AND FROM PERTH AMBOY AND JERSEY CITY FOR ALL POINTS.

FREDERIC A. POTTS, WHOLESALE COAL AND IRON MERCHANT.

OLD COMPANY LEHIGH FROM SUMMIT HILL MINES. HONEY BROOK SUPERIOR WHITE ASH LEHIGH, FULTON LEHIGH. PLYMOUTH WYOMING-RED ASH.

WILKESBARRE COAL (BALTIMORE VEIN.)

DELAWARE, LACKAWANNA AND WESTERN CO'S SCRANTON.
PHILADELPHIA AND READING COAL AND IRON COMPANY'S SCHUYLKILL COAL. GBORGE'S CREEK CUMBERLAND COAL-FROM THE WELL-KNOWN HAMPSHIRE MINE.

110 Broadway, [Metropolitan Bank Building,] New York. No. 33 Westminster Street. - Providence, R. L.

NEWBURGH ORREL COAL CO..

MINERS AND SHIPPERS OF

NEWBURGH ORREL, TYRCONNELL AND PALATINE

Mines situated at Newburgh, Flemington, and Fairmont, West Virginia. C. OLIVER O'DONNELL, President. CHAS. MACKALL, Secretary.

Home Office, 52 South Gay Street, Baltimore, Md.

Chas. W. Hays, Agent in New York, No. 111 Broadway, (Trinity Building.) SHIPPING WHARVES AT LOCUST POINT.

References furnished when required, and special attention given to chartering of vessels.

MARYLAND COAL CO.,

MINERS AND SHIPPERS OF GEORGE'S CREEK

CUMBERLAND COAE,

OF THE BEST QUALITY,

Shipments from Baltimore or over improved railway schute from Georgetown in superior order.

offices, 15 & 17 TRINITY BUILDING,
111 Broadway, NEW YORK.

ROBINSON, HAYDON & CO.,

SHIPPERS OF

"SPRING MOUNTAIN" LEHIGH,

AND WILKESBARRE COAL,
SHIPMENTS MADE TO ALL POINTS ACCESSIBLE FROM N. Y

OFFICE, ROOM 33 TRINITY BUILDING,

OLIVER'S PATENT WATER-PROOF DOUBLE-CAPPED CARTRIDGE,

This cartridge is intended for general use in the mines in place of the ordinary cartridge now made by the miner. The double-capped metal end not only forms a water-tight joint, but also acts as a shield to prevent the cartridge from being caught at the end by any sharp projections of coal. It is a perfectly water-proof cartridge. For sale to operators in quantities at moderate rates.

Address,

PAUL A. OLIVER, WILKESBARRE, PA.



WM. KENDRICK & CO.,

MINERS AND SHIPPERS OF!

"BEAVER RUN" BITUMINOUS COAL,

(FROM CLEARFIED COUNTY, PA.)

GENERAL OFFICE, 113 WALNUT STREET, PHILADEEPHIA

SHIPPING PIERS { GREENWICH POINT, PHILADELPHIA. SOUTH AMBOY: N. J.

General Agent for New York and Eastern markets, WM. D. MARVEL, 60 TRINITY BUILDING III BROADWAY, NEW YORK

WILLIAM D. MARKED.

COAL IRON MERCHANT

[BOOM SOTHINITY BUMBING]

No.111 Breadway

P.O. Box 5422

MEN ADER

ESTABLISHED IBEG.

Anthracite and Britisminous Coals, American and Toreign Pig Iron, Charcoal Blooms and Billets for Steel Work) Proil Road Brails, Importance of Spanish sands African Iron Ore for Bussemer Works



AMERICAN SHOVEL CO.,

For Sale at 43 Trinity Building, 111 Broadway.

Factory,—Birmingham, Connecticut.

MANUFACTURERS OF

LOWMAN'S PATENT CAST STEEL

SHOVELS, SPADES AND SCOOPS,

OF ALL DESCRIPTIONS

Without straps or rivets, of the best English and American Cast Steel. Every Shovel Warranted. The attention of Railroad and Mining Companies is invited to this very economical shovel.

SAMUEL BONNELL, JR., Prest. THOS. KECK, Vice-President. GEO. TUTHILL, Sect'y. C. B. SHOEMAKER, TREAS.



BLACK DIAMOND COAL,

A SUPERIOR WHITE ASH, FREE-BURNING COAL, WELL PREPARED AND OF HANDSOME FRACTURE.

I have resumed the mining of coal, and shall be pleased to receive your orders, for the current year, for such of the BLACK DIAMOND (WYOMING) COAL, as you may require. The colliery is situated at Kingston, opposite Wilkesbarre, Pa., in the Wyoming Valley. I shall endeavor to continue the pleasant and satisfactory relations which have heretofore characterised my connection with the trade.

SAMUEL BONNELL, JR.,

Rooms 43 and 45 Trinity Building, 111 Broadway.

OLIVER'S POWDER.

THIS POWDER RECOMMENDS ITSELF ON ACCOUNT OF

ITS SUPERIOR STRENGTH

FREEDOM FROM SMOKE.

NOW IN USE IN THE COAL REGIONS OF PENNSYLVANIA.

DIRECT ORDERS TO PAUL A. OLIVER, WILKESBARRE, PA.

JAMES S. WES S. OF MEW YORK RAILROAD COMPANIES, STEAMSHIP COMPANIES, MANUFACTURERS, and the TRADE GENERALITY

WITH THE BEST QUALITY

ANTHRACITE AND BIT

Phigh, George's Cree'
Id County Com' COAL

C. E. DETMOLD.

Rooms 38, 40 & 42 Trinity Building,

Lehigh, George's Creek Cumberland, and the field County Coal, of the Kittaning Coal Co., of I

THE MIDDLE LEFT I CE II OF MAUCH CHUNK,

MINERS OF

MILI I CATA

The ne plus ultra for Manufacturing and Domestic p NO SLATE. NO SULPHUR. CL

AGENTS AND SHIPPERS, DETMOLD & COX, 111 Broadway, New

Works have been built for making Fixed and Smokeless Gas from Personal Sand Land Company of Sand Company of Sand Land Company of Sand Company of Sa undersigned, for the following parties:

SUNBURY, PA. GAS CO., MAHANOY CITY, PA. LIGHT CO GAS SHENANDOAH GAS LIGHT CO., PLYMOUTH, PA. GAS LIGHT SHAMOKIN, PA. GAS LIGHT CO., PHILADELPHIA AND READINGR COL W. R. MURPHY, TRENTON, N NORRISTOWN, PA. GAS ASHLAND, PA. GAS LIGHT CO., BLOOMSBURG, PA. GAS LIGHT CO., BLOOMSBURG, PA. GAS LIGHT CO., GAS

DEFIANCE, OHIO
GOSHEN, INDIANA. GAS
These are the only Oil Gas Works that will use with equal facility all the
Petroleum, and that have NEVER FAILED TO GIVE ENTIRE
Large consumers of Coal Gas, and parties who are not supplied to single fail to have one of these works.

Northum.

Northum.

Northum. PATTON.

PATTON.

Trevorton, Northumber Cas, she

Digitized by GOOGLE

THE CLOVER HILL RAILROAD COMPANY OF VIRGINIA. **BITUMINOUS**

FOR GAS, RAILROAD, STEAMSHIP AND GENERAL USES. SHIPMENT BY VESSEL TO ALL POINTS: GEORGE G. SAMPSON, SALES AGENT,

[Post Office Box 90.]

69 WILLIAM STREET, NEW YORK.

HOWELL FISHER & CO. MAYER, CARROLL & CO.

SOLE MINERS AND SHIPPERS OF

FISHER'S GATE VEIN

RED ASH COAL

And Dealers in

OTHER FIRST CLASS

ANTHRACITE COAL.

OFFICE: Room 47,

COAL & IRON EXCHANGE.

Courtland & Church Sts ..

W. J. HARLAN, Agent,

NEW YORK.

G. L. BOYD.



Manufacturer of

ROUND AND SQUARE WIRE,

AND

WROUGHT IRON

SCREENS,

OF ALL DESCRIPTIONS

Tamaqua.

Pennsylvania.

Miners and Shippers of the Celebrated

George's Creek Cumberland Coal, AND

WEST VIRGINIA GAS AND CANNEL COAL.

SHIPPING WHARF, LOCUST POINT.

OFFICE, 13 GERMAN ST., NEAR SOUTH,

BALTIMORE, MD.

Particular attention given to the chartering of vessels, and the receipt and shipment of coal on consignment, for which we have ample facilities at our Locust Point wharf.

L. S. BOYER & CO.,

ANTHRACITE.

BITUMINOUS

AND GAS

COALS.

No. 228 DOCK STREET,

PHILADELPHIA.

Agents for


Monongahela Gas Coal Company,

AND

KEYSTONE OUMBERLAND COAL.

Digitized by Google

PORTER, BELL & Co.



Outside Connected Mine Locomotive.

EXCLUSIVE SPECIALTY.

LIGHT LOCOMOTIVES.

From 7x12, to 14x20 Cylinders, and 10,000 to 50,000 pounds loaded weight.

For 24 inches Gauge and upwards, Light Rail, Sharp Curves, Heavy Loads, and Grades up to 350 feet per mile.

NARROW GAUGE PASSENGER and FREIGHT ENGINES, Light or Heavy.

SPECIAL SERVICE TANK OR TENDER ENGINES, Over 20 sizes and styles.

MINE ENGINES WITH 4 Or 6 Drivers, and Outside or Inside Connections, Conforming to Entry, doing the work of 10 to 40 mules at less than cost of operating 3 mules and 3 drivers. Saving in track and cars, and no cost for keeping when mine is shut down.

PHOTOGRAPH and PRICE OF ENGINE to do SPECIFIED WORK furnished on APPLICATION.

OFFICE—5 Monongahela House, WORKS—A. V. R. R. 49 and 50 Sts.

PITTSBURGH, PENNA.

THE WESTMORELAND COAL CO.

(Chartered 1854.)

Mines situated on the Pennsylvania and the Connellsville Railroads, in Westmoreland county, Pennsylvania.

POINTS OF SHIPMENTS:

PENNSYLVANIA RAILROAD PIER, No. 2 (upper side), GREENWICH, DELAWARE RIVER; PIER, No. 1 (upper side), SOUTH AMBOY, N. J.

Since the commencement of operations by this company its well-known

BITUMINOUS COAL

has been largely used by the Gas Companies, Railroads and Iron and Steel Works, in the New England and Middle States, and its character is established as having no superior for freedom from sulphur and other impurities,

Principal Office-No. 230 South Third Street, Philadelphia.

EDWARD C. BIDDLE, President. FRANCIS H. JACKSON, Vice-President.

EDMUND H. McCullough, Secretary.

W_. H. PIPER,

Miner & Shipper of the Celebrated

"COALDALE" Bituminous Coal, OFFICE, 814% WALNUT STREET, PHILADELPHIA.

MINERS AND SHIPPERS OF COAL.

Sole Agents for the Sale of the following celebrated Coals,

HARLEIGH LEHIGH COAL, HICKORY AND DRAPER COALJ, EXCELSIOR COAL MINING COMPANY'S SHAMOKIN COAL

"LORBERRY COAL," FROM WEST END AND COLKET COLLIERIES.

207 WALNUT STREET, PHILADELPHIA; 111 BROADWAY, NEW YORK; 13 KILBY STREET, BOSTON.

S. H. BROWN & CO.,

WHOLESALE COAL MERCHANTS,

No. 19 Exchange Place, Boston; Coal and Iron Exchange Building, New York: First National Bank Building, Wilkes-Barre, Pa.

SOLE AGENTS FOR THE CELEBRATED

NORTH FRANKLIN Red and White Ash and SUSQUEHANNA COAL CO'S Red and White Ash Coals, also other SCHUYLKILL, LACKAWANNA and LEHIGH COALS.

Shipments made at SOUTH AMBOY, N. J. and DELAWARE CITY, Delaware.

A. Pardee, Hazleton, Pa.

J. G. Fell, Philadelphia

A. PARDEE & CO..

303 WALNUT STREET.

PHILADELPHIA-

MINERS AND SHIPPERS OF

LEHIGH COALS.

The following superior and well-known coals are mined by ourselves and firms connected with us, viz.

HAZLETON, SUGAR LOAF, CRANBERRY, JEDDO, HIGHLAND, LATTIMER.

OFFICES:

WM. LILLY, Mauch Chunk, Pa., WM. Mershon, 111 Broadway, N. Y.
O. D. WITHERELL, 95 State Street, Boston, Mass.

BLÆN AVON COAL CO.,

OF ALLEGHANY COUNTY, MD.

GEORGE'S CREEK

CUMBERLAND COAL.

Shipped at Georgetown, Alexandria and Baltimore.

ANDREW SPIER, President, - CU

CUMBERLAND, MD.

General Sales Agents.

SHAW BROS.,

24 Second Street,

BALTMIMORE.

BRADFORD'S

Coal and Obe Separators,

For Separating Slate, Bone Coal, and other impurities from

Anthracite and Bituminous Coal,

And also all impurities from Iron, Lead, Silver, Gold, and other Ores, FOR SALE BY

H. BRADFORD, 26 Merchants' Exchange,

Corner Third and Walnut Streets,

PHILADELPHIA.

BALDWIN LOCOMOTIVE WORKS.



MINE LOCOMOTIVES.

Inside and outside connected. Adapted to rails of 16 lbs. per yard and upward. Will do the work of 30 to 40 mules on long hauls. Cost of operating not over \$5.00 per day.

FREE PARTICULARS FURNISHED ON APPLICATION.

BURNHAM, PARRY, WILLIAMS & CO. Philadelphia.

RIEHLE BROTHERS,

Philadelphia Scale and Testing Machine Works,

Patented Coal, Hay, And Cattle Scales.

Patented
Self-Adjusting
Railroad Track
Scales.

The Celebrated
Furnace Charging
Scales.




Extra Heavy Roling Mill Scales.

Warehouse and Dormant Scales.

Hopper Scales.

Portable platform Scales.

Testing Machines, for ascertaining the Strength of Iron Metals, Girders, Chains, &c.





This book should be returned to the Library on or before the last date stamped below.

A fine of five cents a day is incurred by retaining it beyond the specified time.

Please return promptly.



Digitized by Google

